


## The "New Generation Handles"

# Z-SHAPE RELAX

The **Z-SHAPE** Relax handles were designed according to ergonomic knowledge for the optimal working process during the curettage. The handles are coated with the new **ZEPF nanopal®** coating. The black-coated **ZEPF nanopal®** curettes have a durable, very hard surface which is very aggressive and sharp-edged, due to their crystalline nanostructure. With the unique coating, the surface hardness is increased to an unprecedented **4500 Vickers**. The black, scratch-resistant surface is easy to clean and prevents unpleasant light reflections. As usual, the instrument tips are interchangeable due to the M4 x 0.5 mm thread. **QUICKFIX®**



Handle colors  
**HELMUT ZEPF**  
**Z-SHAPE** Relax  
handles:

-  **26.010.010X** yellow
-  **26.010.020X** brown
-  **26.010.030X** violet
-  **26.010.040X** signal purple
-  **26.010.050X** champagne
-  **26.010.060X** turquoise
-  **26.010.070X** cobalt-blue
-  **26.010.080X** yellow-green
-  **26.010.090X** mint
-  **26.010.100X** black

**DBGM**





These handles are light, manufactured from top-quality plastic with a satin surface finish, available in ten colors. Suited for all threaded tips, such as dental probes, PA-probes, brush holders, mirrors, etc. Desinfectable and sterilizable by using any standard procedure.

**See page 03-02 and 03-03 for all BIONIK Handles available!**



Handle colors of  
**HELMUT ZEPF**  
**BIONIK** Universal  
Handles:



See page **03-02** and  
**03-03** for the article  
numbers of all  
**BIONIK** Handles  
available.



**26.193.10** BIONIK Handle, QUICKFIX, double-ended



**26.193.20** BIONIK Handle, QUICKFIX, single-ended with end cap



**26.194.20** BIONIK Handle, double-ended with 2 reduction inserts (M4 x 0.5 to M2.5)



**26.194.10** BIONIK Handle, single-ended with end cap and reduction insert (M4 x 0.5 to M2.5)



Mirror Handle, solid, stainless steel

**24.080.01**

Mirror Handle, ergonomically designed, hollow, stainless steel

**24.089.02**

Mirror Handle, hollow, stainless steel

**24.086.01**

Handle, single-ended, **ZEPF**-Design for probes and mirrors, Ø 2.5 mm

**26.180.06**

Mirror Handle, double-ended, titanium

**26.181.04**

Mirror Handle, single-ended, titanium

**24.087.00**

All-Purpose Handles, plastic  
3 other colors available:

**26.191.01**

 **26.191.02**

 **26.191.03**

 **26.191.04**



## Mouth Mirrors

Due to the standardized thread dimensions, all mirrors available from **HELMUT ZEPF** are compatible with any handle supplied by **HELMUT ZEPF** and can of course be disinfected and sterilized by all usual methods. For fitting handles, please refer to pages **02-03**, **02-05** and for the fitting **ZEPF BIONIK** Handle, please refer to page **03-03**.





### Lipcare Mouth Mirror acc. to Dr. Preusse

The Lipcare Mouth Mirror / Retractor Combination is distinguished by the following features:

- optimal ergonomic working for the user
- patient-friendly, atraumatic, extensive retraction of the cheek
- Titanium Mirror, Ø 24 mm, for best visibility
- possibility of preparation with all usual cleaning methods
- sterilizable up to 273° F / 134° C


**24.062.24** QTY 5

**24.062.24.** QTY 1




**24.061.22** Ø 22 mm

**24.061.24** Ø 24 mm




**24.067.22** Ø 22 mm

**24.067.24** Ø 24 mm





**24.071.22** Ø 22 mm

**24.071.24** Ø 24 mm



**24.072.22** Ø 22 mm

**24.072.24** Ø 24 mm



**24.079.22** Ø 22 mm

**24.079.24** Ø 24 mm

### Cheek Holding Mirror – open shape

The brightest and sharpest mirror in the world with optimized cheek holding. The quality features are:

- highest reflection for brilliant brightness
- superior color accuracy, without any color distortion
- precisely sharp mirror image
- scratch-resistant
- optimized cheek holding

#### Back Surface

These mirrors have their reflective coatings on their rear surfaces.

#### Front Surface

These mirrors have their reflective coating on their front surface, yielding undistorted imaging with no disturbing double images.



Handle colors of the **HELMUT ZEPF**  
All-purpose Handles:

- 26.191.01**     **26.191.03**
- 26.191.02**     **26.191.04**

Light, manufactured from top-quality plastic with a satin surface finish, ergonomically designed, flexible, suitable for ultrasonic cleaning, sterilizable, and compatible with any standard insert with an M2.5 metric thread.



**37.445.01** QTY 1

**Retractor** acc. to Hilger

This retractor's ergonomically curved surface allows retracting cheeks and tongue under all kinds of working conditions and is also very comfortable for patients, thanks to its convex rear surface and rounded edges.




### Interchangeable Probe Tips

**Probe Tips**, interchangeable. Compatible with any standard handle with an M2.5 metric thread.

The two **ZEPF** Safety Keys to exchange tool ends are illustrated on page **03-05**.

For fitting handles, please refer to pages **02-03**, **02-05** and for the **ZEPF BIONIK** Handle, please refer to page **03-03**.



**ZEPF Retractor and Mouth Mirror**  
acc. to Dentist Beck

The **ZEPF BIONIK** Retractor and Mouth Mirror is available in two sizes, featuring a heart-shaped, ergonomic and highly polished design.  
The instrument is available in size 24 and 27 mm.

**It is universally applicable as:**

- Mouth mirror, cheek or tongue retractor, mucoperiosteal flap retractor.
- Its innovative heart shape allows ergonomic adaption in all quadrants.
- Due to its reflective surface, the retractor allows an optimal illumination of the surgical site.
- The large contact surfaces make the retractor very patient-friendly.



37.448.10



37.448.20



24.062.30

**ZEPF BIONIK** Retractor and Mouth Mirror, size 1, 24 mm,  
**ZEPF BIONIK** Universal Handle, PEEK, single-ended, signal orange

24.062.31

**ZEPF BIONIK** Retractor and Mouth Mirror, size 2, 27 mm,  
**ZEPF BIONIK** Universal Handle, PEEK, single-ended, signal purple





### ZEPF Photography and Cheek Retractor, in the Onyx Version or stainless steel

**HELMUT ZEPF** Cheek Retractors are frequently used in intraoral photography, in extensive cheek retraction, in dental diagnostics and in surgery.

Conventional retractors are also available in plastic material. However, depending on the used plastic, these are not always entirely harmless when being prepared in the hygiene chain. Our retractors are made of stainless medical steel and fulfill all the requirements of the RKI guidelines.

The ergonomic design of the retractors guarantees an optimal handling and is well accepted by patients.



**ZEPF** Dental Tweezers

All **HELMUT ZEPF** Dental Tweezers have guide pins that prevent their tips from crossing.

The broader version with its shorter tips allow an application with more pressure compared to common tweezers.



**22.014.03**



London College Tweezers, diamond-tipped, 15 cm



**22.011.03**

London-College Tweezers, serrated long tips, 15 cm




**22.051.03**

Meriam Tweezers, serrated tips, 16 cm

## ZEPF Ergonomic Dental Tweezers

Our extra comfortable **HELMUT ZEPF** Ergonomic Dental Tweezers are pleasant to hold and have been specially designed for use in extended, otherwise tiring, applications.

The broader version with its shorter tips allow an application with more pressure compared to common tweezers.



**22.025.03**

grooved tips, 15 cm



**22.025.03D**



diamond-tipped, 15 cm



**22.024.04**


London College Cotton & Dressing Pliers, modif., 15 cm, approx. 20°



## ZEPF Medical Probes

Those **HELMUT ZEPF** Probes shown in figures **8, 9, 17** and **23** are available in octagonal and cylindrical versions, both of which are pleasantly lightweight. Our ergonomically designed octagonal handles are comfortable to hold, and provide precision fingertip control.

Their thin, unbreakable, yet flexible tips manufactured from special alloy steel have an extremely long service life.



**BIONIK**<sup>ZEPP</sup>  
**PIOUK**  
**ZEPP** Periodontal Probes

The perio-diagnostics should be done regularly to have a permanent record to make sure that gingival and especially periodontal inflammations are diagnosed at an early stage.

The benefit for the patient is that either the periodontal health can be confirmed or infection is detected early. Like that suitable dental treatments can be initiated to cure the infection or to stop the progression.

With the new Contrast PA Probe Inserts an even easier visualisation is guaranteed during the examination.

The graduation (3 mm) of the probe is visible at the deepest point of the sulcus of all measuring points. Calculus or defective restoration margins cannot be detected, the gingiva is healthy, no bleeding after (careful) probing = no treatment necessary, further preventive care.

Deeper measurements (> 3 mm) indicate a gingivitis. According to the depth further evaluation and documentation must take place according to the rules of the PSI.

See page **03-08** for article numbers of the different **ZEPP** Contrast Probes.



reddot design award  
 winner 2010



**BIONIK**  
PIQUIK

ZEPP













reddot design award  
winner 2010

**BIONIK Universal Handle** made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.



**BIONIK Universal Handle**  
**QUICKFIX**, double-ended

-  26.193.01
-  26.193.02
-  26.193.03
-  26.193.04
-  26.193.05
-  26.193.06
-  26.193.07
-  26.193.08
-  26.193.09
-  26.193.10











**QUICKFIX**

All **QUICKFIX Handles** have a metric thread M4 x 0.5 and are therefore compatible with the most common exchangeable inserts.



**BIONIK ID Plug** for an individual color coding of the handle series.  
Material: PEEK high-tech plastic.

Optional, the handle is available with a different colored ID Plug.  
When placing an order of **BIONIK** Handles please indicate the desired **ID-Plug** separately according to the listing below.

-  26.195.01
-  26.195.02
-  26.195.03
-  26.195.04
-  26.195.05
-  26.195.06
-  26.195.07
-  26.195.08
-  26.195.09
-  26.195.10













**BIONIK**

**Universal Handle**

**single-ended**











**QUICKFIX** for all common curette and scaler tips including 1 end cap

-  26.193.11
-  26.193.12
-  26.193.13
-  26.193.14
-  26.193.15
-  26.193.16
-  26.193.17
-  26.193.18
-  26.193.19
-  26.193.20

**BIONIK**

**Universal Handle**

**single-ended** for exchangeable inserts M2.5, for all common probes and mouth mirrors including 1 end cap and 1 reduction insert

-  26.194.01
-  26.194.02
-  26.194.03
-  26.194.04
-  26.194.05
-  26.194.06
-  26.194.07
-  26.194.08
-  26.194.09
-  26.194.10



**BIONIK**











**Reduction Insert**

to reduce thread from M4 x 0.5 to M2.5, which enables the use of a double-ended handle for probes and mouth mirrors.

**BIONIK**

**Universal Handle**

**double-ended** for exchangeable tips, M2.5, incl. 2 reduction inserts

-  26.194.11
-  26.194.12
-  26.194.13
-  26.194.14
-  26.194.15
-  26.194.16
-  26.194.17
-  26.194.18
-  26.194.19
-  26.194.20

**BIONIK End Cap** (Length 25 mm) for using the handles as single-ended handle variants.



### Comparison of the handles with exchangeable working tips M4 x 0.5 mm



**26.180.13** ZEPF-Line, stainless steel, 100 mm

**26.181.03** ZEPF-Line, titanium, 100 mm

**26.181.01** Capstan, titanium, 100 mm

**26.193.10** ZEPF BIONIK Universal Handle, PEEK, 105 mm

**26.010.100X**  SHAPE Relax handle, 105 mm (all colors on page **02-01**)



## ZEPF Safety Keys with and without side wings

The Safety Key holds the tips firmly in place. The side wings (only **24.755.02**) protect from potential injuries due to the extremely sharp cutting edges of the tips.



**24.755.03** Safety Key to exchange tool ends

**24.755.02** Safety Key with wings to exchange tool ends

### Exchanging of Inserts



Start by screwing the tip (sharp end) carefully by hand into the handle. Make sure that only the handle is turned. Not the tip.



Pull in the tip with the **ZEPF** Safety Key. With the other end, proceed as before. To set the tips, it is better to use two Safety Keys.



The Safety Key holds the tips firmly in place. The side wings protect from potential injuries due to the extremely sharp cutting edges of the tips.

































### Gracey M5 Prophylaxis Set

in **Z-SHAPE** or **BIONIK** handle  
with **ZEPF nanopal**® coating

Small Instrument Set optimally compiled for Deep Scaling, consisting of  
M5 Gracey Curettes figures 1/2, 7/8, 11/12, 13/14 and a Sickle Scaler # 204S  
for application in all quadrants.



<table border="0"> <tr> <td><math>\frac{3-1}{3-1} \mid \frac{1-3}{1-3}</math></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td><b>24.751.102GM5OX</b></td> </tr> <tr> <td></td> <td></td> <td>GRA 1/2 M5, yellow</td> </tr> <tr> <td></td> <td><b>24.751.101GM5OX</b></td> <td></td> </tr> </table>	$\frac{3-1}{3-1} \mid \frac{1-3}{1-3}$					<b>24.751.102GM5OX</b>			GRA 1/2 M5, yellow		<b>24.751.101GM5OX</b>		<table border="0"> <tr> <td><math>\frac{8-4}{8-4} \mid \frac{4-8}{4-8}</math></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td><b>24.751.108GM5OX</b></td> </tr> <tr> <td></td> <td></td> <td>GRA 7/8 M5, champagne</td> </tr> <tr> <td></td> <td><b>24.751.107GM5OX</b></td> <td></td> </tr> </table>	$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$					<b>24.751.108GM5OX</b>			GRA 7/8 M5, champagne		<b>24.751.107GM5OX</b>		<table border="0"> <tr> <td><math>\frac{8-4}{8-4} \mid \frac{4-8}{4-8}</math></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td><b>24.751.112GM5OX</b></td> </tr> <tr> <td></td> <td></td> <td>GRA 11/12 M5, signal purple</td> </tr> <tr> <td></td> <td><b>24.751.111GM5OX</b></td> <td></td> </tr> </table>	$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$					<b>24.751.112GM5OX</b>			GRA 11/12 M5, signal purple		<b>24.751.111GM5OX</b>		<table border="0"> <tr> <td><math>\frac{8-4}{8-4} \mid \frac{4-8}{4-8}</math></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td><b>24.751.114GM5OX</b></td> </tr> <tr> <td></td> <td></td> <td>GRA 13/14 M5, cobalt-blue</td> </tr> <tr> <td></td> <td><b>24.751.113GM5OX</b></td> <td></td> </tr> </table>	$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$					<b>24.751.114GM5OX</b>			GRA 13/14 M5, cobalt-blue		<b>24.751.113GM5OX</b>		<table border="0"> <tr> <td><math>\frac{8-6}{8-6} \mid \frac{6-8}{6-8}</math></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td><b>24.751.204ROX</b></td> </tr> <tr> <td></td> <td></td> <td>Sickle Scaler # 204S, yellow-green</td> </tr> <tr> <td></td> <td><b>24.751.204LOX</b></td> <td></td> </tr> </table>	$\frac{8-6}{8-6} \mid \frac{6-8}{6-8}$					<b>24.751.204ROX</b>			Sickle Scaler # 204S, yellow-green		<b>24.751.204LOX</b>	
$\frac{3-1}{3-1} \mid \frac{1-3}{1-3}$																																																																
		<b>24.751.102GM5OX</b>																																																														
		GRA 1/2 M5, yellow																																																														
	<b>24.751.101GM5OX</b>																																																															
$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$																																																																
		<b>24.751.108GM5OX</b>																																																														
		GRA 7/8 M5, champagne																																																														
	<b>24.751.107GM5OX</b>																																																															
$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$																																																																
		<b>24.751.112GM5OX</b>																																																														
		GRA 11/12 M5, signal purple																																																														
	<b>24.751.111GM5OX</b>																																																															
$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$																																																																
		<b>24.751.114GM5OX</b>																																																														
		GRA 13/14 M5, cobalt-blue																																																														
	<b>24.751.113GM5OX</b>																																																															
$\frac{8-6}{8-6} \mid \frac{6-8}{6-8}$																																																																
		<b>24.751.204ROX</b>																																																														
		Sickle Scaler # 204S, yellow-green																																																														
	<b>24.751.204LOX</b>																																																															
<table border="0"> <tr> <td><b>24.221.01GM5OX</b></td> </tr> <tr> <td><b>24.201.01GM5OX</b></td> </tr> <tr> <td>BIONIK version</td> </tr> </table>	<b>24.221.01GM5OX</b>	<b>24.201.01GM5OX</b>	BIONIK version	<table border="0"> <tr> <td><b>24.225.07GM5OX</b></td> </tr> <tr> <td><b>24.205.07GM5OX</b></td> </tr> <tr> <td>BIONIK version</td> </tr> </table>	<b>24.225.07GM5OX</b>	<b>24.205.07GM5OX</b>	BIONIK version	<table border="0"> <tr> <td><b>24.224.11GM5OX</b></td> </tr> <tr> <td><b>24.204.11GM5OX</b></td> </tr> <tr> <td>BIONIK version</td> </tr> </table>	<b>24.224.11GM5OX</b>	<b>24.204.11GM5OX</b>	BIONIK version	<table border="0"> <tr> <td><b>24.227.13GM5OX</b></td> </tr> <tr> <td><b>24.207.13GM5OX</b></td> </tr> <tr> <td>BIONIK version</td> </tr> </table>	<b>24.227.13GM5OX</b>	<b>24.207.13GM5OX</b>	BIONIK version	<table border="0"> <tr> <td><b>24.228.04SOX</b></td> </tr> <tr> <td><b>24.208.04SOX</b></td> </tr> <tr> <td>BIONIK version</td> </tr> </table>	<b>24.228.04SOX</b>	<b>24.208.04SOX</b>	BIONIK version																																													
<b>24.221.01GM5OX</b>																																																																
<b>24.201.01GM5OX</b>																																																																
BIONIK version																																																																
<b>24.225.07GM5OX</b>																																																																
<b>24.205.07GM5OX</b>																																																																
BIONIK version																																																																
<b>24.224.11GM5OX</b>																																																																
<b>24.204.11GM5OX</b>																																																																
BIONIK version																																																																
<b>24.227.13GM5OX</b>																																																																
<b>24.207.13GM5OX</b>																																																																
BIONIK version																																																																
<b>24.228.04SOX</b>																																																																
<b>24.208.04SOX</b>																																																																
BIONIK version																																																																

Alternative Instruments:  
in **Z-SHAPE** or **BIONIK** handle  
with **ZEPF nanopal®** coating

For the Gracey M5 Prophylaxis Set.  
**Sickle Scaler # 204 SD** and  
**Sickle Curette (Molar Scaler) # M 23A**



**24.228.04SDOX**  
**24.208.04SDOX**  
BIONIK version

**24.228.23AOX**  
**24.208.23AOX**  
BIONIK version



**24.989.550X**

**ZEPF** Prophylaxis Set 'M5 Deep Scaling'  
in **Z-SHAPE** RELAX handle, complete  
with **nanopal®** coating

**24.990.550X**

**ZEPF** Prophylaxis Set 'M5 Deep Scaling'  
in **ZEPF BIONIK** handle, inserts  
with **nanopal®** coating



**HELMUT ZEPF** M5 Curettes have a 1st shaft which is about 3 mm longer. The sharpened instrument tip is shortened as to allow a special subgingival curettage for tight and deep pockets as well as narrow root surfaces.





### Contrast PA Probe Inserts

The new **ZEPP** Contrast PA Probes are made of plastic material and have a flexible working tip which adapts optimally to the anatomy of the pocket depth when measuring.

Color-stable, black markings on the white basic material guarantee a very good contrast for reading.

The sterilizable, exchangeable tips are available in different common graduations.

They are suited to determine the parodontal status and especially to be used on implants. Scratching of implant surfaces is avoided with these probes.

**The tips are reusable until they bend, the color fades or the graduation is not readable any more.**



**24.451.00** # 1

graduation 3/6 /8/11 mm  
M4 x 0.5 mm, PU 12 pieces



**24.451.01** # CPG 12

graduation 3/6 /9/12 mm  
M4 x 0.5 mm, PU 12 pieces



**24.451.02** # CPNG 22

graduation 2/4 /6/8/10/12 mm  
M4 x 0.5 mm, PU 12 pieces



**24.451.03** # PCPG 11.5

graduation 3.5/5.5 /8.5/11.5 mm  
M4 x 0.5 mm, PU 12 pieces



**24.451.06** # CNC

graduation 1 - 15 in mm steps,  
North Carolina  
M4 x 0.5 mm, PU 12 pieces



Assembly without a tool



Flexible working tip



Packing Example



**24.451.02** # CPNG 22

Periodontal Probe exchangeable  
graduation 2/4/6/8/10/12 mm  
M4 x 0.5 mm, PU 12 pieces

**26.193.15** **BIONI**K Universal Handle single-ended

**QUICKFIX**, lightred-magenta, incl. 1 end cap  
The handle is available in 10 different colors.  
See page **03-02** and **03-03** for the article numbers of all **BIONI**K Handles available.



**24.455.06** CNC North Carolina

Periodontal Probe exchangeable  
graduation 1-15 in mm steps  
M4 x 0.5 mm

**26.193.20** **BIONI**K Universal Handle single-ended

**QUICKFIX**, black, incl. 1 end cap  
The handle is available in 10 different colors.  
See page **03-02** and **03-03** for the article numbers of all **BIONI**K Handles available.



**24.453.15** Furcation Probe by Nabers

with graduation, double-ended, rolled, 5.5 mm

### Universal Handle Endo-Control

acc. to Dr. Carsten Franke

Due to its laser-marked measuring scale, the **HELMUT ZEPF** Endo-Control Mouth Mirror Handle allows a simple determination of the required working length. The measuring precision can be adjusted to 0.5 mm. The sandblasted surface reduces surface reflections.



Application **ZEPF** Endo-Control



**24.454.03** CPG 11.5 (WHO)

Periodontal Probe exchangeable, M2.5  
graduation 3.5/5.5/8.5/11.5 mm

**26.180.07** Universal Handle

**ZEPF** Design, single-ended, M2.5 with endo calibration



## Periodontal Probes

All **HELMUT ZEPF** Periodontal Probes are high-speed machined. Their tips are thus very fine and dimensionally accurate to within very high tolerances. All our PA-Probes have markings that are suitable for ultrasonic cleaning.

Our WHO Periodontal Probes have spherical tips.

### They are particularly ideal for:

- determining papillary
- bleeding indices, and their “stops” (the balls on their tips) prevent injuries when measuring the depths of pockets, i.e., they are more atraumatic than other types of PA Probes.



## Periodontal Screening Index, PSI

For using the periodontal screening index, it is necessary to use the WHO probe. The steel ball at the distal end of the probe features a diameter of 0.5 mm.

The steel ball avoids not only injuries but allows to discover rough surfaces and edges of dental fillings. The first measurement area of the probe is a black 2 mm band, which shows the depth from 3.5 mm up to 5.5 mm. For further information, please check the relevant description of the periodontal screening index (PSI).



**24.454.01** CPG 12

graduation 3/6/9/12 mm

The **ZEPF BIONIK** Handle is available in 10 different colors.

See page **03-02** and **03-03** for the article numbers of all

**BIONIK** Handles available.



**24.454.02** CPNG 22

graduation 2/4/6/8/10/12 mm



**24.454.03** CPG 11.5

graduation 3.5/5.5/8.5/11.5 mm



**24.454.05** Williams

graduation 1/2/3/5/7/8/9/10 mm



**24.454.06** CNC

graduation 1 - 15 in mm steps, North Carolina



**24.454.06TI** CNC

graduation 1 - 15 in mm steps, North Carolina, titanium



**Color coding**  
**ZEPF BIONIK**

A detailed color scheme is illustrated on page 03-17.



**ZEPF BIONIK** Prophylaxis-Set 'Gracey'

The four most common Gracey Curettes and one Universal Scaler are all you need for the prophylaxis in all quadrants.

All inserts are exchangeable. **QUICKFIX**



**24.990.50**

**ZEPF BIONIK**

Prophylaxis Set 'Gracey', consisting of Gracey 5/6, 7/8, 11/12, 13/14, Scaler 204S and 1/3 Washtray

The set 'Gracey' consists of the following instruments:



**24.203.05G**

**24.751.105G**

GRA 5/6 Special Curette for front teeth/premolars, more sharply angled, red-purple



**24.751.106G**



**24.205.07G**

**24.751.107G**

GRA 7/8 Special Curette for premolars/molars, more sharply angled, light red-magenta



**24.751.108G**



**24.204.11G**

**24.751.111G**

GRA 11/12 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple



**24.751.112G**



**24.207.13G**

**24.751.113G**

GRA 13/14 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue



**24.751.114G**



**24.208.04S**

**24.751.204L**

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green



**24.751.204R**


**Color coding**  
**ZEPF BIONIK**

A detailed color scheme is illustrated on page 03-17.



**ZEPF BIONIK** Prophylaxis Set 'M5 Deep Scaling'

**HELMUT ZEPF** M5 Curettes have a 1st shaft which is about 3 mm longer. The sharpened instrument tip is shortened as to allow a special subgingival curettage for tight and deep pockets as well as narrow root surfaces. All inserts are exchangeable. **QUICKFIX**



24.990.55

**ZEPF BIONIK** Prophylaxis Set 'M5 Deep Scaling', consisting of Gracey 1/2 M5, 7/8 M5, 11/12 M5, 13/14 M5, Scaler 204S and 1/3 Washtray

The set 'M5 Deep Scaling' consists of following instruments:



24.751.101GM5



24.201.01GM5

GRA 1/2 M5 Special Curette for front teeth, slightly angled, yellow



24.751.102GM5



24.751.107GM5



24.205.07GM5

GRA 7/8 M5 Special Curette for premolars/molars, more sharply angled, lightred-magenta



24.751.108GM5



24.751.111GM5



24.204.11GM5

GRA 11/12 M5 M5 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple



24.751.112GM5



24.751.113GM5



24.207.13GM5

GRA 13/14 M5 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue



24.751.114GM5



24.751.204L



24.208.04S

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green




24.751.204R







reddot design award  
winner 2010



## ZEPF BIONIK Prophylaxis Set 'Universal'

Unlike Gracey Curettes, **HELMUT ZEPF** Universal Curettes have two working surfaces or cutting edges. The Universal Set allows a quick and efficient prophylaxis treatment.

**24.990.60**

### ZEPF BIONIK

Prophylaxis Set 'Universal', consisting of Langer 1/2, 3/4, 5/6, M23, Universal Curette 204S and 1/3 Washtray. **QUICKFIX**

The 'Universal' Set consists of the following instruments:



24.751.101L



**24.210.01L**

**Langer**, # L 1/2,

Universal Curette for use on lower molars and premolars, black



24.751.102L



24.751.103L



**24.208.03L**

**Langer**, # L 3/4,

Universal Curette for use on upper molars and premolars, yellow-green



24.751.104L



24.751.105L



**24.201.05L**

**Langer**, # L 5/6,

Universal Curette for use on upper and lower front teeth, yellow



24.751.106L



24.751.123L



**24.207.23**

M 23 Universal Curette for use on upper and lower side teeth and supragingival dental plaque. Slim version, cobalt blue



24.751.123R



24.751.204L



**24.208.04S**

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green



24.751.204R





24.990.35

**ZEPF BIONIK** Prophylaxis Set 'Bionik'

**ZEPF BIONIK** Prophylaxis Set 'Bionik', consisting of Gracey 5/6, 7/8, 11/12, 13/14, Hygienist 6/7, Scaler 204S, PA Probe CPG 12 with **BIONIK** Universal Handle and 1/2 Washtray. **QUICKFIX**

The 'Bionik' Set consists of the following instruments:



24.454.01 CPG 12

graduation 3/6 / 9/12 mm

26.194.06

**BIONIK** Universal Handle, PEEK, for exchangeable inserts, single-ended, turquoise-brightblue



24.751.105G

GRA 5/6 Special Curette for front teeth/premolars, more sharply angled, red-purple

24.203.05G

5-1	1-5
5-1	1-5



24.751.106G



24.751.107G

GRA 7/8 Special Curette for premolars/molars, more sharply angled, lightred-magenta

24.205.07G

8-4	4-8
8-4	4-8



24.751.108G



24.751.111G

GRA 11/12 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple

24.204.11G

8-4	4-8
8-4	4-8



24.751.112G



24.751.113G

GRA 13/14 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue

24.207.13G

8-4	4-8
8-4	4-8



24.751.114G



24.751.107H

**Hygienist**, # H 6/7, Sickle Scaler, with opposed tips, for front teeth and premolars, yellow-green

24.208.06H

5-1	1-5
5-1	1-5



24.751.106H



24.751.204L

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green

24.208.04S

8-6	6-8
8-6	6-8



24.751.204R





reddot design award  
winner 2010

## ZEPF **BIONIK** Gracey Special Curettes

**HELMUT ZEPF** Gracey Curettes are special Curettes that have just a single working surface or cutting edge, and are thus suitable for removing concretions or dental plaque only.

The **ZEPF BIONIK** Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and handle versions.

**QUICKFIX**



<table border="0"> <tr> <td style="text-align: center;">3-1   1-3</td> </tr> <tr> <td style="text-align: center;">3-1   1-3</td> </tr> </table>	3-1   1-3	3-1   1-3	<table border="0"> <tr> <td style="text-align: center;">5-1   1-5</td> </tr> <tr> <td style="text-align: center;">5-1   1-5</td> </tr> </table>	5-1   1-5	5-1   1-5	<table border="0"> <tr> <td style="text-align: center;">5-1   1-5</td> </tr> <tr> <td style="text-align: center;">5-1   1-5</td> </tr> </table>	5-1   1-5	5-1   1-5	<table border="0"> <tr> <td style="text-align: center;">8-4   4-8</td> </tr> <tr> <td style="text-align: center;">8-4   4-8</td> </tr> </table>	8-4   4-8	8-4   4-8	<table border="0"> <tr> <td style="text-align: center;">8-4   4-8</td> </tr> <tr> <td style="text-align: center;">8-4   4-8</td> </tr> </table>	8-4   4-8	8-4   4-8
3-1   1-3														
3-1   1-3														
5-1   1-5														
5-1   1-5														
5-1   1-5														
5-1   1-5														
8-4   4-8														
8-4   4-8														
8-4   4-8														
8-4   4-8														
<p><b>24.751.101G</b></p> 	<p><b>24.751.103G</b></p> 	<p><b>24.751.105G</b></p> 	<p><b>24.751.107G</b></p> 	<p><b>24.751.109G</b></p> 										
<p><b>24.751.102G</b></p> 	<p><b>24.751.104G</b></p> 	<p><b>24.751.106G</b></p> 	<p><b>24.751.108G</b></p> 	<p><b>24.751.110G</b></p> 										
<p>GRA 1/2 Special Curette for front teeth, slightly angled, yellow</p>	<p>GRA 3/4 Special Curette for front teeth/premolars, slightly angled, signal orange</p>	<p>GRA 5/6 Special Curette for front teeth/premolars, more sharply angled, red-purple</p>	<p>GRA 7/8 Special Curette for premolars/molars, more sharply angled, lightred-magenta</p>	<p>GRA 9/10 Special Curette for premolars/molars, very sharply angled, turquoise-brightblue</p>										
<p><b>24.201.01G</b></p>	<p><b>24.202.03G</b></p>	<p><b>24.203.05G</b></p>	<p><b>24.205.07G</b></p>	<p><b>24.206.09G</b></p>										

Color Coding **ZEPF BIONIK** Gracey Special Currettes









**Incisors / Canines**

	<b>GRA 1/2</b>	$\frac{3-1}{3-1}$   $\frac{1-3}{1-3}$
	<b>GRA 3/4</b>	$\frac{5-1}{5-1}$   $\frac{1-5}{1-5}$
	<b>GRA 5/6</b>	$\frac{5-1}{5-1}$   $\frac{1-5}{1-5}$



**Premolars / Molars**

	<b>GRA 7/8</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$
	<b>GRA 9/10</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$
	<b>GRA 11/12</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$

	<b>GRA 13/14</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$
	<b>GRA 15/16</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$
	<b>GRA 17/18</b>	$\frac{8-4}{8-4}$   $\frac{4-8}{4-8}$

24.751.111G

24.751.112G

24.204.11G



GRA 11/12 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple

24.751.113G

24.751.114G

24.207.13G



GRA 13/14 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue

24.751.115G

24.751.116G

24.204.15G



GRA 15/16 Special Curette for use on all mesial surfaces of premolars/molars. Skewed like 13/14, opposite working surface, signal purple

24.751.117G

24.751.118G

24.207.17G



GRA 17/18 Special Curette for use on premolars/molars. Triple-skewed for optimal access to distal surfaces or deep pockets. Provides good access, even when mouth openings are restricted, cobalt blue





reddot design award  
winner 2010

## ZEPF **BIONIK** Universal Curettes






Unlike Gracey Curettes, **HELMUT ZEPF** Universal Curettes have two working surfaces or cutting edges, and thus allow using the same instrument on mesial and distal surfaces. All inserts are exchangeable.

The **ZEPF BIONIK** Handles are available in 10 different colors.

See page **03-02** and **03-03** for the article numbers of all **BIONIK** Handles available.

**QUICKFIX**



<table border="0"> <tr> <td style="text-align: center;">3-1   1-3</td> </tr> <tr> <td style="text-align: center;">3-1   1-3</td> </tr> </table>	3-1   1-3	3-1   1-3	<table border="0"> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">1-8</td> </tr> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">4-8</td> </tr> </table>	8-1   1-8	1-8	8-1   1-8	4-8	<table border="0"> <tr> <td style="text-align: center;">8-4   4-8</td> <td style="text-align: center;">4-8</td> </tr> <tr> <td style="text-align: center;">8-4   4-8</td> <td style="text-align: center;">4-8</td> </tr> </table>	8-4   4-8	4-8	8-4   4-8	4-8	<table border="0"> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">1-8</td> </tr> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">4-8</td> </tr> </table>	8-1   1-8	1-8	8-1   1-8	4-8	<table border="0"> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">1-8</td> </tr> <tr> <td style="text-align: center;">8-1   1-8</td> <td style="text-align: center;">4-8</td> </tr> </table>	8-1   1-8	1-8	8-1   1-8	4-8
3-1   1-3																						
3-1   1-3																						
8-1   1-8	1-8																					
8-1   1-8	4-8																					
8-4   4-8	4-8																					
8-4   4-8	4-8																					
8-1   1-8	1-8																					
8-1   1-8	4-8																					
8-1   1-8	1-8																					
8-1   1-8	4-8																					
24.751.102RC	24.751.114C	24.751.104RC	24.751.114MC	24.751.118MC																		
																						
<b>Columbia University</b> , # CU 2R/2L, Universal Curette for use on all front teeth, cobalt blue	<b>Columbia University</b> , # CU 13/14, Universal Curette suitable for all types of use, cobalt blue	<b>Columbia University</b> , # CU 4R/4L, Universal Curette for use on all side teeth, cobalt blue	<b>McCall</b> , # MC 13S/14S, Scaler for use on interdental spaces on front teeth and premolars, cobalt blue	<b>McCall</b> , # MC 17S/18S, Universal Curette for use on molars, cobalt blue																		
24.207.02C	24.207.13C	24.207.04C	24.207.13MC	24.207.17MC																		



**24.207.17MC** M 23 Scaler for use on upper and lower side teeth and supragingival dental plaque. Slim version, cobalt blue



24.751.123L

24.751.123R

8-4	4-8
8-4	4-8

-	-
8-4	4-8

8-4	4-8
-	-

3-1	1-3
3-1	1-3

8-1	1-8
8-1	1-8

24.751.101L



24.751.102L

24.210.01L

**Langer, # L 1/2,**  
Universal Curette for use on lower molars and premolars, black

24.751.103L



24.751.104L

24.208.03L

**Langer, # L 3/4,**  
Universal Curette for use on upper molars and premolars, yellow-green

24.751.105L



24.751.106L

24.201.05L

**Langer, # L 5/6,**  
Universal Curette for use on upper and lower front teeth, yellow

24.751.117L



24.751.118L

24.207.17L

**Langer, # L 17/18,**  
Universal Curette, cobalt blue







reddot design award  
winner 2010

**ZEPF BIONIK** Universal Titanium Currettes 

Universal Currettes with exchangeable, very delicate titanium inserts from **HELMUT ZEPF**, to remove the accumulated plaque film on the implant necks.

The titanium inserts are exchangeable.

The **ZEPF BIONIK** Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and handle versions. **QUICKFIX**



24.751.101L-TI



24.210.01L-TI

**Langer**, # L 1/2, Universal Curette  
for use on lower molars and premolars, black



24.751.103L-TI



24.208.03L-TI

**Langer**, # L 3/4, Universal Curette  
for use on upper molars and premolars, yellow-green



24.751.105L-TI



24.201.05L-TI

**Langer**, # L 5/6, Universal Curette  
for use on upper and lower front teeth, yellow



24.751.104LC-TI



24.207.04C-TI

**Columbia University**, # CU 4R/4L,  
Universal Curette for use on all side teeth, cobalt blue



## ZEPF **BIONIK** M5 Titanium Curettes

**HELMUT ZEPF** M5 Curettes have a 1st shaft which is about 3 mm longer. To remove the accumulated plaque film on the implant necks.

The titanium inserts are exchangeable.

The **ZEPF BIONIK** Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and handle versions. **QUICKFIX**

3-1	1-3
3-1	1-3

8-4	4-8
8-4	4-8

8-4	4-8
8-4	4-8

8-4	4-8
8-4	4-8

24.751.101GM5-TI



GRA 1/2 M5 Special Curette, for front teeth, slightly angled, yellow

24.201.01GM5-TI

24.751.107GM5-TI



GRA 7/8 M5 Special Curette, for premolars/molars, more sharply angled, lightred-magenta

24.205.07GM5-TI

24.751.111GM5-TI



GRA 11/12 M5 Special Curette, for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple

24.204.11GM5-TI

24.751.113GM5-TI



GRA 13/14 M5 Special Curette, for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue

24.207.13GM5-TI





reddot design award  
winner 2010

## ZEPF **BIONIK** Scaler

**HELMUT ZEPF** Sickle Scalers have ultrafine tips for supragingival use. Unlike Jacquette scalars, they have curved facial surfaces. With blunt tips, for general use. All inserts are exchangeable.

The **ZEPF BIONIK** Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and handle versions.

**QUICKFIX**

3-1	1-3
3-1	1-3

24.751.130



Scaler for use on front teeth,  
yellow-green

24.208.30S

5-1	1-5
5-1	1-5

24.751.107H



**Hygienist**, # H 6/7, Sickle Scaler with opposed tips,  
for front teeth and premolars, yellow-green

24.751.106H

24.208.06H

5-1	1-5
5-1	1-5

24.751.107HF



**Hygienist**, # H 6/7, Sickle Scaler with opposed tips, very fine version,  
for front teeth and premolars, yellow-green

24.751.106HF

24.208.06HF

8-1	1-8
8-1	1-8

24.751.102CI



**Mini-Kaplan**, # CI 2/3, Sickle Scaler with large facial surfaces  
matched to tooth contours for removing massive accumulations of dental plaque  
or plastic, cement, or adhesive residues from all interdental spaces, yellow-green

24.751.103CI

24.208.02CI

8-1	1-8
8-1	1-8

24.751.135UL



Sickle Scaler, # U 135, with small facial surfaces matched  
to tooth contours for use in all interdental spaces, yellow-green

24.751.135UR

24.208.35U



**24.209.04GX** Sickle Curette (Scaler), # GXC 4,  
with blunt tips for general use, grey



24.751.104XL

24.751.104XR

8-1	1-8
8-1	1-8

24.751.102TA



**Taylor**, # T 2/3, medium-sized Scaler with facial surfaces  
matched to tooth contours for use in all interdental spaces, yellow-green

8-1	1-8
8-1	1-8

24.751.204L



Sickle Scaler, # 204 S, for removing dental plaque  
from interdental spaces in the molar area, yellow-green

8-6	6-8
8-6	6-8

24.751.204LD



Sickle Scaler, # 204 SD, for removing dental plaque  
from narrow interdental spaces in the premolar and frontal area, yellow-green

5-1	1-5
5-1	1-5

24.751.123AL



Sickle Curette (Molar Scaler), # M 23A, for removing dental plaque  
from interdental spaces in the molar area. Also suitable for general use, yellow-green

8-1	1-8
8-1	1-8

24.751.103TA

24.208.02T

24.751.204R

24.208.04S

24.751.204RD

24.208.04SD

24.751.123AR

24.208.23A



Special Curettes



$\frac{3-1}{3-1} \mid \frac{1-3}{1-3}$



GRA 1/2

for use on front teeth, slightly angled

24.551.01

$\frac{5-1}{5-1} \mid \frac{1-5}{1-5}$



GRA 3/4

for use on front teeth/premolars, slightly angled

24.551.03

$\frac{5-1}{5-1} \mid \frac{1-5}{1-5}$



GRA 5/6

for use on front teeth/premolars, more sharply angled

24.551.05

$\frac{8-4}{8-4} \mid \frac{4-8}{4-8}$



GRA 7/8

for use on premolars/molars, buccal/lingual, more sharply angled

24.551.07





**24.551.09** GRA 9/10 for use on premolars / molars, buccal / lingual, very sharply angled



8-4	4-8
8-4	4-8



GRA 11/12

for use on all mesial surfaces of premolars / molars.  
Skewed to allow optimal placement on dental surfaces

**24.551.11**

8-4	4-8
8-4	4-8



GRA 13/14

for use on all distal surfaces of premolars / molars.  
Skewed to allow optimal placement on dental surfaces

**24.551.13**

8-4	4-8
8-4	4-8



GRA 15/16

for use on premolars / molars. Like 13/14, skewed,  
but with working surfaces also skewed in order to allow handling mesial surfaces

**24.551.15**

8-4	4-8
8-4	4-8



GRA 17/18

for use on premolars / molars. Triple-skewed for optimal access to distal surfaces or  
deep pockets. Provides good access, even when mouth openings are restricted

**24.551.17**



Universal Curettes



-	-
8-4	4-8

8-4	4-8
-	-

3-1	1-3
3-1	1-3



# L 1/2

**Langer** Curette, for use on lower molars and premolars

24.553.01



# L 3/4

**Langer** Curette, for use on upper molars and premolars

24.553.03



# L 5/6

**Langer** Curette, for use on upper and lower front teeth

24.553.05

Scaler



8-6	6-8
8-6	6-8



24.551.24S

# 204S

Sickle Scaler for removing dental plaque from interdental spaces in the molar area

5-1	1-5
5-1	1-5



24.561.67

# H 6/7

**Hygienist**, Sickie Scaler with opposed tips, and thus for suitable use on both mesial and distal surfaces on front teeth and premolars

5-1	1-5
5-1	1-5



24.565.33

# H 5/33

Scaler, double-ended, **Towner / Jacquette**





### Hirschfeld Periodontic Files

For removing very hard dental plaque, concretations, and deposits on root surfaces and for smoothing.



# 3/7, buccal and lingual

24.488.01



# 5/11, mesial and distal

24.488.02

### Gingivectomy Knives



**Gingivectomy Knife, # K 15/16**

**Kirkland** type. The concave sections of their contoured blades are particularly ideal for use in retromolar areas, while their tips are particularly ideal for use in interdental spaces in molar areas

24.437.01



**Gingivectomy Knife, # GF7**

**Goldman-Fox**, for long, diagonal, cutting paths. Their drop-shaped tips allow their use in retromolar areas as well

24.437.02



24.437.03

**Gingivectomy Knife, # GF3**

**Goldman-Fox**, lance-shaped, cutter for use in interdental spaces



24.437.04

**Gingivectomy Knife, # GF11**

**Goldman-Fox**, for use in the molar area. Sharply angled tips. Their very flat, long and slim lance-shaped handle allow fine cuts/incisions



24.437.07

**Gingivectomy Knife, # 3/4**

**Merrifield** type. Their flat, pointed, elliptical tips allow rapid and accurate rolling all the way from the ends of its tips down to the ends of their concave sections





Periodontal Chisels



**Ch Fedi 1**, working tips 1.5 mm

24.493.01



**Ch Fedi 2**, working tips 2.5 mm

24.493.02



**Ch Fedi 3**, working tips 3.5 mm

24.493.03



**Ochsenbein**, Chisels, # 1, 4 mm

24.490.01



**Ochsenbein**, Chisels, # 2, 4 mm

24.490.02



**Back Action Chisels**, working tips 3 / 4 mm

24.495.01



**Back Action Chisels**, working tips 4 / 5 mm

24.495.02



**Back Action Chisels**, working tips 3 / 5 mm

24.495.03



**Ochsenbein**, # 3, working tips 1.5 mm

24.491.01



**Ochsenbein**, # 4, working tips 4 mm

24.491.02



**Rhodes Back Action Chisel, straight**, # 36/37, working tips 4.3 mm

24.494.00

This periodontic Chisel is ideally suited to remove bone materials,  
as well as contouring bones





**24.926.10**

**Magnetic Sticks**

Once the first shaft is fixed in a right angle (use a vise with "Rounded Swing Head" for this purpose) the magnet stick is placed onto the facial surface. This will be carried out automatically. In so doing, you achieve the sharpening angle simply and accurately. As such you can now sharpen the curettes with precision.

Best results can be obtained with Natural Stone (Original Arkansas) and wetting slightly with Sharpening Oil 24.950.00.



**24.926.75**

**Test Probe, Acryl Glass**  
76 x 6 mm,  
PU = 6 pieces



**24.950.00**

**Sharpening Oil** 100 ml,  
for Original **ZEPF** and  
Arkansas Stones

**24.951.01**

**Vise**  
Vise on a ball socket, revolving in all directions,  
for installing on table with screw.

## Original Arkansas Sharpening Stones

### Original Arkansas Stone

The diameter of the Original Arkansas Stone is designed to fit the contour of the working ends of our luxation elevator 17.006.01 to 04 and those of our **ZEPF** Xtool-Elevator 17.007.01 to 07.

So do sharpen your luxation elevators regularly! The best results can be obtained in combination with our Sharpening Oil 24.950.00.



**24.914.10**

100 x 10/1 mm, conical

**24.914.25**

115 x 45 x 10/3 mm, wedge shape


**24.916.10**

100 x 25 x 6 mm, flat



**24.918.15**

115 x 40 x 10-2 mm, conical



**24.923.10**

110 x 10 mm, round



### 'India' Sharpening Stone




**24.919.15**

'India' multiform  
125 x 40 x 10-2 mm, conical, fine



reddot design award  
winner 2010



## ZEPF **BIONIK** Endo Set

The **HELMUT ZEPF** Endo Set contains extremely fine working tips to ensure a safe access to the delicate root apex.

The **ZEPF BIONIK** Handle is available in 10 different colors. See page **03-02** and **03-03** for article numbers of the different color and handle versions. **QUICKFIX**

**24.725.00**

### ZEPF **BIONIK**

Complete Kit for the retrograde microsurgical technique in the endodontic field, incl. washtray

The 'Endo' Set consists of the following instruments:



24.751.113C

Columbia, Universal Curette 13/14



24.751.114C



24.751.110

Scaler, double-ended, tip 45° / 90°

**24.725.07**



24.751.111



24.751.112L

Excavator surgical, double-ended, angled 1.4 mm, flat

**24.725.08**



24.751.112R



24.751.113L

Excavator surgical, double-ended, angled 1.2 mm, round

**24.725.09**



24.751.113R



24.751.105

Explorer, double-ended, # 16 and # 9

**24.725.20**



24.751.104





24.751.109

24.725.21

Micro Explorer, double-ended, tip 45° / 90°



24.751.108



24.751.148

24.725.58

Raspatory, double-ended



24.751.149



24.751.169

24.725.70

Retro-Instrument, plugger Ø 1.5 mm, spatula



24.751.168



24.751.167

24.725.71

Retro-Instrument, plugger Ø 1.5 mm, spatula



24.751.169



24.751.170

24.725.72

Retro-Instrument, plugger Ø 0.8 / Ø 0.5 mm, 130°, micro plugger



24.751.172



24.751.171

24.725.73

Retro-Instrument, plugger Ø 0.8 / Ø 0.5 mm, 130°, micro plugger



24.751.172



24.751.172

24.725.74

Retro-Instrument, plugger Ø 0.8 / Ø 0.5 mm, 65°, micro plugger



24.751.173



24.751.153

24.725.86

Combined Instrument, Raspatory-Scalpel-Dissection Tip



24.751.179



Anatomical Plate Forceps  
for all Endo purposes



**Anatomical Plate Forceps** acc. to Dr. Dirk Brozio


The full area contact generated by compressing the tweezers, ensures a safe support in each gripping angle. The Plate Forceps are featuring a much higher safety when gripping, holding and positioning fine and delicate objects. This problem has been solved by the patented design of the Plate Forceps as their working tips have circular surfaces with additional serrations inside. Easy and relaxed handling due to low holding forces to allow a safe and fast treatment.



**22.107.21** Anatomical Plate Forceps 180 mm



**22.031.08** London-College 150 mm



**19.561.13**

**Nerve-Canal Pliers**

Nerve-Canal Pliers for grasping fractured root-canal instruments or silver pins. The very fine, concave cutout on the working tip allows to remove even deep-lying fractured files.



**19.649.60**

**Surgical Aspirator**

with Luer Connector, curved, optimal for Endo-Tips, 175 mm long, Ø 4.2 mm



**24.074.13** Ø 3.0 mm



**24.074.15** Ø 5.0 mm



**24.074.16** 7.0 x 2.0 mm

### Micro Mirrors

Micro Mirror with rhodium front surface coating, for a distortion-free mirror image, without double reflection.

The Micro Mirrors are excellent aids in microsurgery and endodontics. Suitable for usage with enlarging glasses or OP-Microscopes.

All mirrors fit into commercially available mouth mirror handles with a diameter of M2.5 mm (see page 02-02).

### Plugger for the vertical condensation technique in endodontics



**19.509.10** Endo Plugger 3/5, yellow color marking = 3°, red color marking = 5°, length of the tips 28 mm, Ø 0.3 mm and Ø 0.4 mm




**19.509.20** Endo Plugger 7/10, blue color marking = 7°, grey color marking = 10°, length of the tips 28 mm, Ø 0.5 mm and Ø 0.9 mm




### Peet Splinter Forceps

The Peet Splinter Forceps is a clamp with perfect grip due to diamond coating. The universal S-curve, as known from La Grange Scissors, makes it particularly flexible in usage. The Peet Splinter Forceps 22.523.90D has a stronger curve (90°), which increases accessibility into the molar areas.



**22.523.13** 11.5 cm, diamond coated, La Grange curved



**22.523.90D** 11 cm, 90°, diamond coated, La Grange curved

## Root Canal Instruments

All figures are very flexible.



**19.516.00** Glick Root Canal Plugger for gutta percha application



**19.521.00** Root Canal Explorer DG 16 double-ended, round handle



## Root Canal Spreader

tip 23 mm



**19.513.03** Root Canal Spreader Ø 0.3 mm



**19.513.04** Root Canal Spreader Ø 0.4 mm



**19.513.05** Root Canal Spreader Ø 0.5 mm

### Root Canal Plugger


40°



**19.512.13** Luks Root Canal Plugger Ø 0.3 mm



**19.512.14** Luks Root Canal Plugger Ø 0.4 mm



**19.512.16** Luks Root Canal Plugger Ø 0.6 mm



**19.512.19** Luks Root Canal Plugger Ø 0.9 mm

### Root Canal Plugger

65°, graduation 5 / 10 / 15 / 20 mm



**19.512.03** Root Canal Plugger Ø 0.3 mm



**19.512.04** Root Canal Plugger Ø 0.45 mm



**19.512.06** Root Canal Plugger Ø 0.6 mm




**19.512.09** Root Canal Plugger Ø 0.9 mm





# 03 <sup>03-40</sup> Periodontology

+49 (0) 74 64 / 98 88 0



[zepi-dental.com](http://zepi-dental.com)



**MADE**  **IN GERMANY**

The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale

## ZEPF **BIONIK** Composite Sets



All Composite Tips feature the special **ZEPF** Onyx coating.

The reflection-free **ZEPF** Onyx coating is extra smooth, harder and more scratch-resistant than conventionally coated composite instruments. The popular handles in the **ZEPF BIONIK** design are made of lightweight, high-quality plastic material.

The **ZEPF BIONIK** Handles are available in 10 different colors. See page **03-02** and **03-03** for article numbers of the different color and handle versions.



reddot design award  
winner 2010



19.202.00

### CompoSMOOTH Complete Set

by Prof. Dr. Gabriel Krastl  
incl. Washtray 1/3  
and Soft Application  
Inserts in a box,  
as described on  
pages **04-02** to **04-05**

26.120.01Ti

### Small Composite Set

incl. Washtray 1/3  
as described on  
pages **04-02** to **04-05**

26.120.00Ti

### Big Composite Set

incl. Washtray 1/2  
as described on  
pages **04-02** to **04-05**



The **ZEPF BIONIK** Composite Sets

**26.120.01Ti** Small Composite Set; **26.120.00Ti** Big Composite Set; **19.202.00** CompoSMOOTH Set

The sets contain the accordingly marked Composite Instruments **X X X** :

# 1, Spatula 1.5 mm, small



24.751.320Ti

24.751.319Ti

**26.120.10Ti**

**X X X**



24.751.318Ti

24.751.321Ti

# 2, Spatula 2.8 mm, large

**26.120.11Ti**

**X X**

26.120.122Ti

26.120.121Ti

Spatula 1.8 mm / Beavertail Insert 2.6 mm

**26.120.12Ti**

**X**

24.751.323Ti

24.751.322Ti

# 1, Spatula 2.2 mm / Burnisher Ø 1.5 mm (pear-shaped) combination, small

**26.120.20Ti**

**X**

24.751.325Ti

24.751.324Ti

# 2, Spatula 2.4 mm / Burnisher Ø 1.9 mm (pear-shaped) combination, large

**26.120.21Ti**

**X**

24.751.325Ti

24.751.323Ti

# 1, Plugger Ø 1.5 mm / Burnisher Ø 1.9 mm (pear-shaped)

**26.120.25Ti**

**X X**

24.751.327Ti

24.751.326Ti

# 1, Condenser small Ø 1.6 mm / large Ø 2.5 mm

**26.120.30Ti**

**X**



**bionik**<sup>TM</sup>

reddot design award  
winner 2010

Fissure Former Ø 1.9 mm / Plugger Ø 1.5 mm (pear-shaped), combination



26.120.34Ti



24.751.329Ti

24.751.328Ti

# 2, Plugger, cone-shaped, to form the fissures,  
small Ø 1.8 mm / large Ø 2.2 mm

26.120.31Ti



26.120.322Ti

26.120.321Ti

Fissure Former Ø 1.9 mm / Ø 2.3 mm

26.120.32Ti



24.751.331Ti

24.751.330Ti

# 1, Plugger combination, cone-shaped, small, Ø 1.7 mm / small Ø 1.7 mm,  
with special bend for the molar region

26.120.40Ti



24.751.333Ti

24.751.332Ti

# 1, small Spatula Combination, 1.7 mm.  
Optimal access to the mesial and distal area due to special bend

26.120.50Ti



24.751.402Ti

24.751.401Ti

Plugger, ball Ø 0.9 mm / Plugger, ball Ø 1.3 mm

26.120.60Ti



24.751.404Ti

24.751.403Ti

Plugger, ball Ø 2.1 mm / Plugger, ball Ø 1.3 mm, blunt

26.120.70Ti







# CompoSMOOTH

THE SURFACE IS THE KEY...



Re-creating the original tooth as faithfully as possible is a challenging task for the material, the dental technician and the dentist. In case of direct composite restorations, the complete esthetic responsibility lies in the hands of the practitioner. Optimal instruments are the key to success.



19.201.11



19.201.21



19.201.31



**Soft Application Inserts for layering technique**  
for handle **19.200.00**  
QTY 12 pieces



19.202.00

**CompoSMOOTH Complete Set** in the box incl. Washtray 1/3, with Brush Holder, 3 x 12 Soft Application Inserts and 4 Composite Instruments



19.200.00

Brush Holder **ZEPF**-Line with push-out function



The new **CompoSMOOTH**, a special silicone brush, allows an effortless adaptation and modelling of the composite surface before polymerization. Even “sticky” composites can be adapted in an optimal way. The perfect surface morphology is created almost automatically by light pressure. The tooth shape is modeled in a way that reduces the subsequent polishing work to a minimum... and the result – optimal!



Brush Holder 30°  
Optionally available

**HELMUT ZEPF** developed this brush holder which is bent by 30° to get an optimal result in difficult-to-reach places. This instrument is not included in the set, but it can optionally complete the set in a profitable way.



**19.200.30**

Brush Holder curved 30° **ZEPF**-Line with push-out function



## ATTIN Compo Knives

to remove composite residues in filling treatment

With the ATTIN Compo Knives in the **ZEPF BIONIK** Handle, instruments have been specially developed for removing composite filling residues. Coated with **nanopal®** these instruments have a surface hardness of 4500 Vickers. Every dentist removes composite filling residues in different ways. Some use curettes, others excavators and sometimes scalpel blades are used. Curettes and scalers are usually too weak, i.e. there is a high risk of breakage. Scalpel blades have a high level of hardness, are correspondingly sharp and are good to use. But there are only a few angles available, so they do not allow ergonomic working.

The new ATTIN Compo Knives have addressed this requirement, i.e. strong blades manufactured at the correct angles, so all quadrants can be optimally reached.

With the new **ZEPF nanopal®** coating, the surface has a hitherto unknown hardness. The cutting performance is therefore guaranteed for a long period. Should an insert ever become blunt, it is easy to replace only this instrument insert.

### Advantages:

- Only two instruments for all quadrants
- **ZEPF nanopal®** coating for maximum cutting performance and lifetime
- Instrument inserts are exchangeable
- Glare-free surface



24.710.010X

ATTIN Compo Knife for buccal and lingual surfaces, in **ZEPF BIONIK** Handle black, exchangeable inserts with **nanopal®** coating



24.710.020X

ATTIN Compo Knife for mesial and distal surfaces, in **ZEPF BIONIK** Handle yellow green, exchangeable inserts with **nanopal®** coating



**BIONIK**  
ZEPF




reddot design award  
winner 2010

### Micro Composite Spatulas – superfine spatulas with **ZEPF nanopal®** coating



In the case of direct composite restorations, the entire aesthetic responsibility lies in the hands of the practitioner.

With the new micro-composite spatulas in 1.1 mm and 1.6 mm, the practitioner is provided with highly flexible ultra-fine spatulas for precise modeling of delicate structures.



The new **ZEPF nanopal®** coating offers you a very good contrast to the used material. The polished surface is easy to clean and extremely scratch-resistant.



reddot design award  
winner 2010

**BIONIK Universal Handle** made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.

The exchangeable working tips inserted in the ergonomic **BIONIK** handle offer highest economy and best tactile handling.



2:1



Micro Composite Spatula, width 1.1 mm


**26.120.13Ti**



Micro Composite Spatula, width 1.6 mm

**26.120.14Ti**





Amalgam Gun



Pear-shaped Plugger





26.428.01

plastic



26.428.02

plastic



26.428.03

metal



26.428.04

metal

### Ball-shaped Plugger



26.200.00 # 0



26.200.01 # 1



26.200.02 # 2



26.200.03 # 3



26.200.04 # 4







## Spatula



# 13

**26.200.13**

fine version, 1.6 mm

## Condenser

**HELMUT ZEPF** Filling Instruments are well-balanced, i.e., the offsets of their blades are symmetric about the longitudinal axes of their handle, which keeps their blades from twisting under load.



# 35

**26.200.35**



# 36

**26.200.36**



# 37

**26.200.37**

### Heidemann Spatula



# 0

**26.260.00**

flexible, 2.0 mm

# 1

**26.260.01**

flexible, 2.5 mm

# 2

**26.260.02**

flexible, 3.0 mm

### Cement Spatula



**26.130.01**

4.5 mm

**26.130.02**

6.0 mm


**26.130.03**

8.0 mm



## Excavators

Excavators in different angles to remove softened dentine during cavity preparation.





**24.733.18** # 18

**24.733.19** # 19

**24.733.20** # 20




**24.709.45** # 145/146

**24.709.41** # 141/142

**24.709.39** # 139/140

**24.709.35** # 135/136





### Anatomic Ehrlicke for Upper Jaw

The choice of the impression tray and the impression technique will influence the final result significantly.

If polyethers are used, we are recommending non-perforated impression trays.

#### Regulars (BO)



**28.631.00**

a = 55 mm,  
b = 39 mm,  
SUP B0

**28.631.01**

a = 65 mm,  
b = 52 mm,  
SUP B1

**28.631.02**

a = 71 mm,  
b = 60 mm,  
SUP B2

**28.631.03**

a = 73 mm,  
b = 63 mm,  
SUP B3

**28.631.04**

a = 80 mm,  
b = 73 mm,  
SUP B4

#### Edentulous (UO)



**28.634.01**

a = 65 mm,  
b = 56 mm,  
SUP U1

**28.634.02**

a = 68 mm,  
b = 61 mm,  
SUP U2

**28.634.03**

a = 72 mm,  
b = 65 mm,  
SUP U3

#### Partials, depressed centers (PO)



**28.632.01**

a = 62 mm,  
b = 51 mm,  
SUP P1

**28.632.02**

a = 72 mm,  
b = 54 mm,  
SUP P2

**28.632.03**

a = 73 mm,  
b = 60 mm,  
SUP P3

#### Functional impressions (FO)



**28.633.01**

a = 61 mm,  
b = 50 mm,  
SUP F1

**28.633.02**


a = 67 mm,  
b = 55 mm,  
SUP F2

**28.633.03**

a = 77 mm,  
b = 63 mm,  
SUP F3







### Anatomic Ehrlicke for Lower Jaw

The choice of the impression tray and the impression technique will influence the final result significantly.

If polyethers are used, we are recommending non-perforated impression trays.

#### Regulars (BU)



**28.636.00**

a = 61 mm,  
b = 44 mm,  
INF B0

**28.636.01**

a = 72 mm,  
b = 51 mm,  
INF B1

**28.636.02**

a = 78 mm,  
b = 54 mm,  
INF B2

**28.636.03**

a = 82 mm,  
b = 58 mm,  
INF B3

**28.636.04**

a = 83 mm,  
b = 65 mm,  
INF B4

#### Edentulous (UU)



**28.638.01**

a = 71 mm,  
b = 58 mm,  
INF U1

**28.638.02**

a = 70 mm,  
b = 58 mm,  
INF U2

**28.638.03**

a = 74 mm,  
b = 59 mm,  
INF U3

#### Partials, depressed centers (PU)



**28.637.01**

a = 64 mm,  
b = 53 mm,  
INF P1

**28.637.02**

a = 71 mm,  
b = 59 mm,  
INF P2

**28.637.03**

a = 80 mm,  
b = 59 mm,  
INF P3




### Modeling Knife for Impressions

Silicone Knife with cutting loop.



**28.121.00**



### Perforated Anatomic Ehrlicke for Upper Jaw

A-Silicone putties can be applied in perforated impression trays, as the perforation intensifies the rotation of the material in the impression tray.

#### Regulars (BO)



**28.601.00**

a = 55 mm,  
b = 39 mm,  
SUP B0

**28.601.01**

a = 65 mm,  
b = 52 mm,  
SUP B1

**28.601.02**

a = 71 mm,  
b = 60 mm,  
SUP B2

**28.601.03**

a = 73 mm,  
b = 63 mm,  
SUP B3

**28.601.04**

a = 80 mm,  
b = 73 mm,  
SUP B4

#### Edentulous (UO)



**28.604.01**

a = 65 mm,  
b = 56 mm,  
SUP U1


**28.604.02**

a = 68 mm,  
b = 61 mm,  
SUP U2

**28.604.03**

a = 72 mm,  
b = 65 mm,  
SUP U3

#### Partials, depressed centers (PO)



**28.602.01**

a = 62 mm,  
b = 51 mm,  
SUP P1

**28.602.02**

a = 72 mm,  
b = 54 mm,  
SUP P2

**28.602.03**

a = 73 mm,  
b = 60 mm,  
SUP P3

#### Functional impressions (FO)



**28.603.01**

a = 61 mm,  
b = 50 mm,  
SUP F1


**28.603.02**

a = 67 mm,  
b = 55 mm,  
SUP F2

**28.603.03**

a = 77 mm,  
b = 63 mm,  
SUP F3





### Perforated Anatomic Ehrlicke for Lower Jaw

A-Silicone putties can be applied in perforated impression trays, as the perforation intensifies the rotation of the material in the impression tray.

#### Regulars (BU)



**28.606.00**

a = 61 mm,  
b = 44 mm,  
INFB0

**28.606.01**

a = 72 mm,  
b = 51 mm,  
INFB1

**28.606.02**

a = 78 mm,  
b = 54 mm,  
INFB2

**28.606.03**

a = 82 mm,  
b = 58 mm,  
INFB3

**28.606.04**

a = 83 mm,  
b = 65 mm,  
INFB4

#### Edentulous (UU)



**28.608.01**

a = 71 mm,  
b = 58 mm,  
INFU1

**28.608.02**

a = 70 mm,  
b = 58 mm,  
INFU2

**28.608.03**

a = 74 mm,  
b = 59 mm,  
INFU3

#### Partials, depressed centers (PU)



**28.607.01**

a = 64 mm,  
b = 53 mm,  
INFP1

**28.607.02**

a = 71 mm,  
b = 59 mm,  
INFP2

**28.607.03**

a = 80 mm,  
b = 59 mm,  
INFP3



## Impression Trays for Implantology acc. to Helfgen

- simple handling
- open and closed implant impression
- putty-wash impression possible
- precision enhancement
- also universally usable in case of special indications
- only one impression session required
- sterilizable
- different sizes
- time and cost efficient



### Upper Jaw

**28.640.01**

SUP 1

**28.640.02**

SUP 2

**28.640.03**

SUP 3

**28.640.04**

SUP 4



## Functionality of the Impression Trays for Implantology acc. to Helfgen



**1.** In the area of the prepared teeth, retraction cords are placed. Smooth, retention free screws are twisted into the implants.



**2.** On its lateral sides the covered tray is coated with adhesive. Then the tray is charged with putty material.



**3.** For the primary impression, the charged tray will be pressed until the cover rests on the smooth implant screws.



**4.** After the removal of the primary impression, the smooth screws will be exchanged for the complete impression posts.



**Lower Jaw**

**28.645.01**

INF 1

**28.645.02**

INF 2

**28.645.03**

INF 3

**28.645.04**

INF 4



**28.640.10**

Perforator



**5.** The tray cover is removed and the impressed screw channel is extended with the perforator.



**6.** For undisturbed repositioning, the perforated channel may be extended further using a super-coarse mill.



**7.** After the impression areas have been surrounded by lighth-body material, the repositioned impression may be filled additionally via the perforations of the cap channels, if required.



**8.** Once the material has cured, the positioning screws are loosened, and the finished impression can be removed.



# 04 <sup>04-20</sup> Conservation

+49 (0) 74 64 / 98 88 0

## Impression Tray for Partial Impressions

**28.663.02**

# L2, A = 50 mm

**28.664.02**

# R2, A = 50 mm

**28.663.03**

# L3, A = 55 mm

**28.664.03**

# R3, A = 55 mm

**28.661.01**

# L1, A = 46 mm

**28.662.01**

# R1, A = 46 mm

**28.661.02**

# L2, A = 50 mm

**28.662.02**


# R2, A = 50 mm

**28.661.03**

# L3, A = 55 mm

**28.662.03**

# R3, A = 55 mm



### Stolley with screw

**28.671.00**

perforated

**28.672.00**

non-perforated



### Stolley with bolt


**28.681.00**

perforated

**28.682.00**

non-perforated







19.015.50

**Ivory** Rubber Dam Set consisting of: 19.015.00, 19.037.01, Teflon Instrument Support for 16 Rubber Dam Clamps, washtray 1/1



19.125.00

Rubber Dam Frame, size M, approx. 10 cm x 9.5 cm



19.037.01

**Ivory** Rubber Dam Forceps, jaw width 30 mm, twisted handle



19.010.00

**Ainsworth,** Rubber Dam Punch Forceps, stainless steel



19.015.00

**Ivory,** Rubber Dam Punch Forceps, 17 cm, punch disc with 6 holes, stainless steel

## Brush Holder DBGM

**Its most important features...**

Our **ZEPF** Brush Holder is used for applying liquid treatment agents (enamel or dentine adhesion agents, acids, lacquers, or fluoridation agents) to dental surfaces or cavities.

**1 Reverse-angle instrument****2 Back-action-instrument****3 Straight instrument****19.199.00**

Brush Holder

**Its features at a glance**

- Includes a dual brush receptacle and an original **ZEPF** scaled handle.
- Universal use on both upper and lower jaws and on all dental surfaces and cavities.
- No need for plastic applicators (reduces waste).
- May be disinfected and sterilized by using any standard procedure.
- Virtually unlimited service life.
- Designed for optimal ergonomics and general-purpose use.
- Suitable for all regular brush inserts (single use).
- Used in all areas of dentistry, especially adhesive restoration work.



### Tofflemire Matrix Retainer

Manufactured from stainless steel.



**19.060.00** Universal



**19.063.01** Junior 1, straight



**19.062.00** Senior

### Tofflemire Matrix Bands for 19.060.00

Manufactured from top-quality, 0.035 mm gauge, stainless steel, packaging unit: 12 ea. of each size.



**19.061.01**

# 1



**19.061.03**

# 3



**19.061.02**

# 2



**19.061.13**

# 13



### Articulating Paper Forceps



**22.101.15**



**22.100.15** Miller, straight



**22.101.15** Miller, curved

**BIONIK**<sup>ZEPF</sup> Retraction-Thread Plugger

Retraction threads are placed to repress or retract the gingiva from the tooth neck.

Prior to taking an impression for the preparation of crowns, the thread is adapted around the prepared tooth and the gingiva.

The **ZEPF BIONIK** Instruments feature specially adapted shapes, helping the dentist to place the threads in a time-saving way; this is useful as threads are tending to get thinner.



**BIONIK**<sup>ZEPF</sup> red dot design award winner 2010

**BIONIK Universal Handle** made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.

The exchangeable working tips inserted in the ergonomic **BIONIK** handle offer highest economy and best tactile handling.



**24.548.01** Universal Thread Plugger with angled working tips, microserrated



**24.548.02** Suture Applicator for distal / mesial use, microserrated and specially adapted to anatomy



**24.548.03** Suture Applicator for buccal / lingual use, microserrated and specially adapted to anatomy



**24.548.04** Universal Thread Plugger with round tips, microserrated





## EASY CONTACT POINT Instruments by HELMUT ZEPF



26.123.01 3.1 mm wide, in **BIONIK** Handle, black



26.123.02 3.8 mm wide, in **BIONIK** Handle, yellow-green

**EASY CONTACT POINT Hand Instrument**  
for premolars, for perfect forming of  
contact points in MO or DO restorations



**EASY CONTACT POINT MOD Pliers**  
for perfect forming of contact points while  
preparing a composite restoration



26.122.00 MOD Pliers for premolars

26.122.10 MOD Pliers for molars



**Composites** are not easy to process. The modeling of clinically ideal contact points in particular is a big challenge for the practitioner. The Easy Contact Point Instruments will help to simplify this work step.

These instruments are available in two sizes as pliers for MOD filling, i.e. as premolar and as molar pliers. To be used as hand instruments for MO or DO fillings. Also available in two sizes for premolars and molars. The treatment period for a composite filling can therefore be considerably reduced.

**The related economic benefit is evident.**

## Universal Finishing Clamp "Work smart not hard"



The **ZEPF** Finishing Clamp is an innovative holding instrument for finishing strips of all kinds. The instrument has been designed with ergonomics and functionality uppermost and contributes significantly to easing work involving finishing strips.

The treatment is pleasant for the patient because the tongue area is not restricted by the dentist's fingers and does not aggravate choking. Its main application is in the area of approximate composite fillings; apart from this the instrument is well suited for separation, the correction of filling surpluses in approximal area as well as the application of dental floss.

**Fields of Application:**

- 1) Completion of approximal composite fillings.
- 2) Separating by means of steel-carbon strips or diamond skived steel strips.
- 3) Correction of filling over-hangs in the approximal area.
- 4) Removal of matrix strips after laying fillings.
- 5) Clamping dental floss for interdental plaque removal, especially in difficult access spots in the lateral tooth area.
- 6) Clamping dental floss for removal of cement residues from the interdental area after cementing crowns / bridges.

**23.120.12**

**ZEPF** Finishing Clamp, QTY 2 pieces  
DBGM acc. to Dr. Peter Müller, Ebersbach

## Universal Forceps & Universal Tweezers

No treatment unit should lack these Universal **HELMUT ZEPF** Pliers and Tweezers. They are used for securely grasping provisional plastic items, bridges, nerve instruments, impacted matrices, attaching inlays, setting interdental wedges, etc. Usable on both upper and lower teeth. Their TC-jaws provide a secure grip.



**22.281.15TC** Universal Tweezers, with TC insert, 14 cm




**19.281.15TC** All-Purpose Pliers, with TC insert, 14.5 cm

## Peet Splinter Forceps



**22.523.13** 11.5 cm, diamond coated, **La Grange** curved



**22.523.90D** 11 cm, 90°, diamond coated, **La Grange** curved

# 04 <sup>04-28</sup> Conservation

+49 (0) 74 64 / 98 88 0




[zepi-dental.com](http://zepi-dental.com)



**MADE IN GERMANY**

The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale







PATENTED

12.300.08

**Benex<sup>®</sup> II** Extractor  
acc. to Dr. med., med. dent. Benno Syfrig



## Extraction System

### **Benex<sup>®</sup> II**

acc. to Dr. med., med. dent. Benno Syfrig

Pursuing logically the quest of gentle extraction, **HELMUT ZEPF** Medizintechnik GmbH has developed a new, patented (Pat. No. CH 696 458) **Benex<sup>®</sup>** extraction system in close collaboration with Benno Syfrig Dr. med., med. dent from Switzerland. You will find further information, application examples and the **Benex<sup>®</sup>** user forum at:

[www.benex-dent.com](http://www.benex-dent.com)



**Picture 1**  
Longitudinal extraction with **Benex II** step by step:  
Pivot tooth extracted due to root fracture



**Picture 2**  
Longitudinal extraction with **Benex II** step by step:  
Axial removal



**Picture 3**  
Longitudinal extraction with **Benex II** step by step:  
Soft and hard tissues preserved



**Picture 4**  
Longitudinal extraction with **Benex II** step by step:  
Soft tissue,  
12 weeks after extraction




**Picture 5**  
Longitudinal extraction with **Benex II** step by step:  
Alveolar ridge,  
12 weeks after extraction

## Extraction System


### **Benex II**

acc. to Dr. med., med. dent. Benno Syfrig




In modern dental treatment, implantology following extraction is increasingly favoured. Consistent with the principle of minimal invasion, conserving soft and hard tissue structures is a must. Starting with extraction. The modified **Benex II** guarantees a gentle and simple extraction of roots in the whole mouth. It is nearly impossible to harm the soft tissue and the surrounding bone. Due to the longitudinal extraction, **Benex II** is an optimal basis for direct implantation. It is also a valuable help for retarded implantation after the extraction with the **Benex II** system. Studies made after the use of **Benex II** prove that the reossification of the extraction alveole is advancing optimally. This is a great advantage for the retarded implantation.

The new **Benex II** is now available in a washbasket complying with the RKI guidelines. That way, the requirements of optimal cleanability and sterilization were taken into account. You will find further information, application examples and the **Benex** user forum at: [www.benex-dent.com](http://www.benex-dent.com)



**12.302.00** **Benex II** Extraction System



**12.303.00** **Benex II** Basic Kit





## Alveolar Ridge Preservation with **Benex® II**

### What does it mean?


Alveolar Ridge Preservation means the treatment of the dental alveolus after extraction. 3 months after the **Benex®** extraction you find a considerably better ridge relation than with conventional gentle extractions.

The **Benex®** finds its successful application in both, private practices and universities. The **Benex®** has achieved an excellent status worldwide as basis for a subsequently successful implantation.

The new support for the dismantled **Benex®** System in a washbasket guarantees an optimal cleanability of **Benex®** in a washing machine or in an ultrasonic bath. All components can be fixed safely in the support.


Upon cleaning, the system can be sterilized in assembled condition.

In addition to the **Benex®** components, an optional periosteum, an Xtool and an optional **Benex®** Pole Extractor can be placed in the support.




**12.302.00**



**Benex® II** Extraction System,  
consisting of:  
see  in the table of  
page 05-04/05

**12.303.00**



**Benex® II** Basic Kit,  
consisting of:  
see  in the table of  
page 05-04/05




### Optional Instrumentary



**12.300.11**

**Benex®** Pole Extractor



**12.300.45** **Benex®** Blade

**47.525.51** Driver Guide FD

**47.525.55**

Ratchet with demountable handle



Illustration	Article Description	Order Quantity
	<p> <b>12.302.00</b></p> <p><b>Benex<sup>®</sup> II</b> Extraction System, consisting of:  <b>Benex<sup>®</sup> II</b> Extractor, 2 Pullropes 48 mm, Driver Guide,                      Screw short 1.6 mm + 2.1 mm,                      Screw long 1.6 mm + 2.1 mm,                      1 Drill ea. for 1.6 mm, 2.1 mm Screws,                      Quadrant Support, 85.195.10 Washbasket with Lid,                      12.302.01 Tray / Rack for <b>Benex<sup>®</sup> II</b></p>	<p>1 piece</p>
	<p> <b>12.302.01</b></p> <p><b>Benex<sup>®</sup> II</b> Tray / Rack</p>	<p>1 piece</p>
	<p> <b>85.195.00</b></p> <p>Washbasket 1/1 with Lid and Press Button Lock</p>	<p>1 piece</p>
	<p> <b>12.303.00</b></p> <p><b>Benex<sup>®</sup> II</b> Basic Kit, consisting of:                      Extractor, 2 Pullropes 48 mm, Driver Guide,                      Screw short 1.6 mm + 2.1 mm,                      Screw long 1.6 mm + 2.1 mm,                      1 Drill ea. for 1.6 mm + 2.1 mm Screws,                      Quadrant Support, 85.194.10 Washbasket with Lid</p>	<p>1 piece</p>
	<p> <b>85.194.10</b></p> <p>Washbasket 1/2 with Lid and Press Button Lock</p>	<p>1 piece</p>
	<p>  <b>12.300.08</b></p> <p><b>Benex<sup>®</sup> II</b> Extractor</p>	<p>1 piece</p>
	<p><b>12.300.15</b></p> <p>Replacement Support Disc, 8 mm (PTFE), optional</p>	<p>1 piece</p>
	<p><b>12.300.16</b></p> <p>Support Disc, diagonally right, optional</p>	<p>1 piece</p>
	<p><b>12.300.17</b></p> <p>Support Disc, diagonally left, optional</p>	<p>1 piece</p>
	<p>  <b>12.300.20</b></p> <p>Pullrope, 48 mm</p>	<p>2 pieces</p>

Illustration	Article Description	Order Quantity
	 <b>12.300.30</b> Diamond coated Drill for Screws Ø 1.6 mm 12.300.60 and 12.300.70	2 pieces (1  )
	<b>12.300.35</b> Diamond coated Drill for Screws Ø 2.1 mm 12.300.65 and 12.300.75	2 pieces (1  )
	 <b>12.300.47</b> Driver Guide, short	1 piece
	 <b>12.300.60</b> Screw, Ø 1.6 mm, 10 mm, S = Short	2 pieces (1  )
	<b>12.300.65</b> Screw, Ø 2.1 mm, 10 mm, SF = Short & Fat	2 pieces (1  )
	 <b>12.300.70</b> Screw, Ø 1.6 mm, 16 mm, L = Long	2 pieces (1  )
	<b>12.300.75</b> Screw, Ø 2.1 mm, 16 mm, LF = Long & Fat	2 pieces (1  )
	 <b>12.300.80</b> Quadrant Support for <b>Benex</b> to bridgeover bigger gaps and for the universal molding	1 piece
	<b>12.300.11</b> <b>Benex</b> Pole Extractor, optional	1 piece
	<b>47.525.55</b> Ratchet with demountable handle, optional	1 piece
	<b>47.525.51</b> Driver Guide FD, optional	1 piece
	<b>12.300.45</b> <b>Benex</b> Blade for Driver Guide FD, optional	1 piece





## Application of the Extraction System

**1.** Anaesthesia. Cutting periodontal fibres (Sharpey fibres) in the sulcus by using the Periotome or the **HELMUT ZEPF Xiod**.

**2.** Strong, large roots must be loosened / luxated by axial movements within 30 sec., using a slim elevator / twister (**Xiod** from **HELMUT ZEPF**). Without using transversal movements. In case of multi-rooted teeth, the roots are divided and extracted separately.

**3.** Drilling with the diamond coated twist drill should be in the axis and center of the root fragment. It should be approx. 7 mm in the hard tissue, deeper drilling will not be necessary. Drilling is performed with water-cooling. In order to remove drilling chips more easily, an inward and outward movement is recommended for deep drilling.

**Recommended rpm:**

**500 - 700 rpm**

**REF 12.300.30 max. 3000 rpm**

**REF 12.300.35 max. 2200 rpm**

**4.** According to circumstances, the short or long extraction screw with screwing support **REF 12.300.47** is inserted.

**5.** The extractor is positioned on the adjacent crowns: The opening of the round, revolvable segment plate is adjusted in vestibular direction ensuring a good view of the extraction screw. After the pullrope has been hooked into the extraction screw, it is guided over the reverse roller and fixed to the hook of the extraction slide. Under slight traction – so that the rope does not hang out – the instrument is placed on the adjacent teeth by turning the hand screw. During positioning it is important to see that both the screw and the rope do have the same axial direction.

**6.** Once the extractor is positioned properly, the extraction is carried out by turning the hand screw. In case of strong, long roots the periodontal fibres have to be pre-stretched for 30 seconds by applying a sub-maximum traction.







**ZEPF** *Xcision*  
Dr. Maty Design

The exclusive design and 25% reduced weight make the **ZEPF Xcision**-Instrument-Line light as a feather.

The ergonomic handle design enables uniform power transmission during pressing, pulling and rotary movements and is equally suited for both right handed as well as left handed practitioners. The unique tip design adapts exactly to the tooth and is beyond comparison to other instruments.

The smooth handle with circular openings makes the **ZEPF Xcision**-Instrument-Line extraordinarily easy to be cleaned since there are no more hygiene-critical zones as with instruments with serrated handles.

The ideal handling and tactual sensation is guaranteed.

From design to functionality, this product line answers all your concerns. The **ZEPF Xcision** Handle is a registered model of **HELMUT ZEPF**, which has been developed with Dr. Maty.





## Extracting Forceps



### Pattern

All figures from **HELMUT ZEPF** are available in the **Xcision** Pattern



### Diamond-Coating

All extracting forceps are available with diamond-coating for better grip. For ordering etc. just add to the item number the letter **D**.




### Teflon Disc

The wear-resistant Teflon Disc eliminates wear and tear in the joints and provides a light action at all times.



### Grooved Gripping Surfaces

Grooved gripping surfaces provide a secure grip and prevent slipping.





# 2




# 7




# 17



# 18



# 67LX



# 67RX




# 05 <sup>05-10</sup> Extraction

+49 (0) 74 64 / 98 88 0




# 73A



**12.073.01Z**



# 33A




**12.033.01Z**

The slim, compact design of these **ZEPP Xision** Extraction Forceps allows easy accessing molar areas, even when mouth openings are restricted.




# 67A



**12.067.01Z**




# 51A



**12.051.01Z**



# 13




**12.013.00Z**






# 22



12.022.00Z




# 87



12.087.00Z



# 79



12.079.00Z




# 05 <sup>05-12</sup> Extraction



+49 (0) 74 64 / 98 88 0



# 34




(A) 12.034.00Z



(A) 12.021.90Z




# 34A



(A) 12.034.01Z




# 35



(A) 12.035.00Z




# 35A




(A) 12.035.01Z





# 67

(A) 12.067.95Z



# 79


(A) 12.079.95Z



Xsion




# 36



(A) 12.036.00Z



# 36A



(A) 12.036.01Z



### Secure-Line

Our special **HELMUT ZEPF** Extracting Forceps in our modern **ZEPF Xcision** Design have tapered jaw tips. Their fine, sharp tips which have been anatomically shaped to match perfectly the teeth and allow to reach deep and large contact areas, which in turn provides better mechanical advantages and a more secure grip. Since these special **HELMUT ZEPF** Extracting Forceps have been designed for performing luxations, they have longitudinal grooves only on their jaws' gripping surfaces. The easy handling and superior "feel" of all our **ZEPF Xcision** Lines of Extracting Forceps are of prime importance for this product line!




# 34N

**12.034.07Z**




# 35N

**12.035.07Z**




# 36N

**12.036.07Z**




# 34M

**12.034.08Z**




# 35M

**12.035.08Z**



# 36M

**12.036.08Z**




### Rescue-Line

No reason to panic! These forceps will allow you to carry out any extraction and work more efficiently even under complicated circumstances. If teeth break during extraction, these are the tools you need to rapidly, safely, solve your problems.

These forceps have special all-purpose jaws designed to cover a broad range of applications and have sharp pointed tips that allow separating the tips of roots from surrounding tissue by slightly twisting them and then securely trapping the extracted roots in the gaps between their jaws. The article numbers of extracting forceps with serrated edges are amended by 'ZS'.




**12.067.90Z**



**12.045.15Z**

**12.045.15ZS**



**12.051.15Z**

**12.051.15ZS**



**12.044.15Z**






### Witzel All-Purpose Root-Splinter Forceps diamond-tipped

Our special forceps for extracting root splinters from both upper and lower jaw have diamond-tipped jaws for the best possible grip, and are the ideal complement to our Rescue-Line.

If their diamond tips should ever become worn, simply contact our retipping service, who will put new diamond tips on them for a fixed charge.



14.700.01Z




Witzel, 15 cm  
diamond-tipped




14.700.01




Root- and Splinter Forceps Sequester ZEPP Xcision-Design



**12.059.00Z**



**14.700.10Z**



**14.701.10Z**





# 05 <sup>05-18</sup> Extraction

+49 (0) 74 64 / 98 88 0



tu

The **ZEPF twist EX** Kit



**12.701.00Z** Complete Kit

The Kit consists of:



3.2.1. | 1.2.3.

**12.034.00Z**

**Twist Ex 1**

Extracting Forceps for upper front teeth and incisors, deep-grip



5.4. | 4.5.

**12.035.00Z**

**Twist Ex 2**

Extracting Forceps for upper premolars, deep-grip



# VISTEX



5.4.3.2.1 | 1.2.3.4.5.

**12.036.00Z**

**Twist Ex 3**

Extracting Forceps for  
lower front teeth,  
deep-grip



5.4.3.2.1 | 1.2.3.4.5.

**12.036.01Z**

**Twist Ex 4**

Extracting Forceps for  
lower front teeth and  
incisors, deep-grip



8 | 8.

**12.079.95Z**

**Twist Ex 5**

Extracting Forceps for  
lower molars,  
deep-grip



8 | 8.

**12.067.95Z**

**Twist Ex 6**

Extracting Forceps for  
upper molars,  
deep-grip



### Extracting Forceps, American Pattern



**Diamond Version**

All forceps are also available in the diamond version. For ordering etc., just add a **D** to the article number



3.2.1. | 1.2.3.

# 1

**Standard**

**14.001.00**




3.2.1. | 1.2.3.

# 1A

**Henahan**

**14.001.01**



7.6. | 6.7.

# 10S

**14.010.09**



7.6. |

# 18R

**Harris**

**14.018.16**



7.6. | 6.7.

# 23

**14.023.00**

### Extracting Forceps, American Pattern



# 17

**Standard**

**14.017.00**



# 53L

**14.053.15**



# 53R

**14.053.16**



# 18L

**Harris**

**14.018.15**



### Extracting Forceps, American Pattern



2.1. | 1.2.

# 65

14.065.00



5.4.3.2.1. | 1.2.3.4.5.

# 69

**Tomes**

14.069.00



5.4. | 4.5.

# 101

**Hull**

14.101.00



5.6.7.

# 88L

**Nevius**

14.088.15



7.6.5.

# 88R

14.088.16



### Extracting Forceps, American Pattern



# 150

**Cryer**

**14.150.00**

**14.150.00D**



# 150S

**Cryer**

**14.150.05**



# 151A

**Cryer**

**14.151.01**



# 151S

**Cryer**

**14.151.05**



# 151

**Cryer**

**14.151.00**

**14.151.00D**

### Extracting Forceps, American Pattern



8. | 8.

# 210S

**14.210.05**



7.6. | 6.7.

# 217

**14.217.00**



5.4.3.2.1. | 1.2.3.4.5.

# 150AB

**14.150.10**



5.4.3.2.1. | 1.2.3.4.5.

# 151AS

**14.151.11**



5.4.3.2.1. | 1.2.3.4.5.

# 150AS

**14.150.11**

### Extracting Forceps, American Pattern




# 10AS

**14.010.11**



5.4.3.2.1 | 1.2.3.4.5.



# 222

**14.222.00**



# 222AS

**14.222.11**



7.6.5.4 | 4.5.6.7.

# 151AB

**14.151.10**

### Pedodontic Extracting Forceps

These pedodontic extracting forceps have been designed to be as small as possible in order to avoid frightening younger patients with large, aggressive-looking instruments, thereby providing relaxed working conditions.

**Further RoBa-Design Pedodontic Extracting Forceps are illustrated on page 05-32!**



# ZEPF **roba** EDITION PATENTED

**onyx**  
DESIGN

## **ZEPF RoBa-Edition**

by dentist Beck

Dedicated to the long-standing employees Mr. Horst Roos and Mr. Reinhold Bacher, who worked for Helmut Zepf for more than 50 years since their time as trainee.

The **ZEPF** RoBa-Edition completes the innovative advancement of the famous **ZEPF Xision** Extracting Forceps. It has been developed under the aspects of a secure and gentle appliance.

The problem of tooth fractures during extraction is considerably reduced due to the innovative geometry of the beaks.

The new **ONYX** coating makes the impact-resistant surface of these extracting forceps almost indestructible.

Compared with other methods, in **ONYX** coating the carrier material is applied in a more gentle way, as **ONYX** coating in comparison to other coatings is performed with significantly less influence of heat.

The surface shows excellent sliding features to reliably counteract contamination. An incrustation of proteins etc. is not possible.

The matt-finished black surface not only prevents reflection of the OT light, but also guarantees an optimal contrast in the OR environment during extraction.



**ZEPF**



# ZEPF roba EDITION PATENTED

With the patented RoBa-Edition **HELMUT ZEPF** introduces a new generation of extracting forceps. Deduced from the **ZEPF Xisio** Instruments the RoBa-Edition has been especially developed in consideration of easy and gentle extraction.

The patented RoBa-Edition according to Dentist Beck is the consequential advancement of conventional extracting forceps with the advantages of the tapered deep-grip extracting forceps. The modified beaks according to Dentist Beck fit exactly on the teeth which ensures a maximum grip in the appliance. These new beaks are available for all figures in upper and lower jaw (incisors, premolars, molars and wisdom teeth).


Due to the fact that all teeth show a convex crown contour (upper jaw: labial, buccal, palatal and in lower jaw: labial, buccal, lingual), the beaks have been developed under this anatomical conditions. The handle is a protected design from **HELMUT ZEPF**, which was developed in cooperation with Dr. Maty, Germany.




- ① The serrated jaws grip onto into the teeth and avoid a “riding” in-between the tooth crown and the inner contour of the beak.



- ② Concavely elaborated inner contours of the forceps beak fit in the convex tooth contour. With deep grip in the alveolus on the neck of the tooth or on the crown, the RoBa Edition ensures a parallel and maximum grip in any situation. Root fracture almost can be excluded.



- ③ The different deeply elaborated inner contours ensure maximal adaptation on the teeth in different actualities. No tilting of the teeth while rotary and / or lifting movement.



- ④ Tapered outside contour of the beak affords deep grip even subgingival.



### Black Finish Coating

**Design meets functionality.**

Users with highest demands will appreciate the elegant, black finish providing the instrument with a non-reflecting, extremely smooth and scratch-resistant surface. The article number is complemented by **Tl**.

1



12.234.07ZTI PATENTED



### Diamond Version

All RoBa-Edition extracting forceps in the classic satin-metallic finished surface are available with diamond coating for a better grip.

The lower part of the **ZEPF X-Design** Handle is gold-plated. For ordering etc., just add a **D** to the article number.

2



12.234.07ZD PATENTED



RoBa Extracting Forceps




3.2.1. | 1.2.3.

**12.234.07Z**

**12.234.07ZD**

**12.234.07ZTI**




3.2.1. | 1.2.3.

**12.234.08Z**

**12.234.08ZD**

**12.234.08ZTI**



5.4. | 4.5.

**12.235.07Z**

**12.235.07ZD**

**12.235.07ZTI**



8. | 8.

**12.279.90Z**

**12.279.90ZD**

**12.279.90ZTI**




3.2.1. | 1.2.3.

**12.236.07Z**

**12.236.07ZD**

**12.236.07ZTI**




3.2.1. | 1.2.3.

**12.236.08Z**

**12.236.08ZD**

**12.236.08ZTI**



5.4. | 4.5.

**12.213.00Z**

**12.213.00ZD**

**12.213.00ZTI**



5.4 | 4.5.

12.235.08Z

12.235.08ZD

12.235.08ZTI



7.6.

12.217.00Z

12.217.00ZD

12.217.00ZTI



6.7.

12.218.00Z

12.218.00ZD

12.218.00ZTI



8. | 8.

12.267.01Z

12.267.01ZD

12.267.01ZTI



7.6. | 6.7.

12.222.00Z

12.222.00ZD

12.222.00ZTI



7.6. | 6.7.

12.221.90Z

12.221.90ZD

12.221.90ZTI



Rescue-Line

W

12.045.15ZS

12.045.15ZSTI



Rescue-Line

W

12.051.15ZS

12.051.15ZSTI






**Children Forceps** RoBa-Edition

Extracting Forceps modif. by Dentist Beck

These deciduous teeth extraction forceps have been designed to be as small as possible in order to avoid frightening younger patients with large, aggressive-looking instruments, thereby providing relaxed working conditions.

The patented Deciduous Teeth RoBa-Edition Forceps according to Dentist Beck are the consequential advancement of conventional extracting forceps with the advantages of the tapered deep-grip extracting forceps. The modified beaks according to Dentist Beck fit exactly onto the teeth which ensures a maximum grip during the appliance.



The wear-resistant Teflon® disc eliminates wear and tear in the joints and provides a light action at all times.



## Refreshingly Innovative

The new generation of extracting forceps in the patented **ZEPF exLOG** Design was designed to meet the special requirements of gentle removal of teeth. To meet these requirements, we composed a programme of 11 extracting forceps figures out of more than 400 existing figures. These were chosen according to anatomy, ergonomics and hygiene.



Pat. U.S. 7,318,725 B2

**exLOG**

**exLOG** Extracting Forceps



# 34

3.2.1. | 1.2.3.

15.034.00



# 34A

3.2.1. | 1.2.3.

15.034.01



# 35A

5.4. | 4.5.

15.035.01



The **exLOG** Forceps offer an excellent anatomic fit and only need enough pressure so they do not slip out of the hand. The forceps guarantee a balanced axial luxation, better periodontal fibre dilatibility and increased sense of touch. They reduce traumata of surrounding tissue.

The assimilated handles allow an individual and equal power transmission for left- and right-handed surgeons during pressing, pulling and turning movements.

Due to the smooth handles and the possibility of dismantling, the **exLOG** Forceps can be cleaned extremely well. So there are no hygiene-critical areas any more like they are known from forceps with conventional lock. Especially with automatic reprocessing in a washtray the disassembly is a great advantage as they need less space.



### All Advantages on One View:

- excellent anatomic adaptation on the tooth surface
- tapered beaks for less trauma and protection of the alveolar locus
- linear serrated jaws for equal axial luxation
- better fibre dilatibility and increased sense of touch
- optimal cleaning through the demountability of the forceps into two parts (RKI-compliant)
- long lasting, patented, high precision joint for radial and axial mechanical load
- made out of one piece (5-axis CNC-milling) for ultra high precision
- no maintenance of the joint necessary

Focus on the **exLOG**, the standard of tomorrow.



A NEW STANDARD IS DEFINED

**exLOG**



**exLOG**  
PATENTED



**ZEPF**  
**roba**  
EDITION  
PATENTED

### ZEPF EXLOG RoBa Edition Extracting Forceps

With the new **exLOG** RoBa Edition **ZEPF** introduces a new generation of patented extraction forceps. Two patented extraction forceps are combined into one.

The EXLOG Forceps characterized by the fact that it's easy to disassemble and the RoBa characterized by its patented jaws.

It made sense to combine both patents as the combination results in a type of forceps which is easier to clean than ever before and additionally offers the dentist a functional extraction tool which leaves no desire unfulfilled.

These patented forceps are the consequent development of conventional forceps with the advantage of tapered and deep grip extraction forceps. The modified jaws exactly match the tooth and guarantee a maximum grip during the application.





# 05 05-38 Extraction

+49 (0) 74 64 / 98 88 0

**ZEPF EXLOG RoBa Edition Extracting Forceps**

**exLOG**  
PATENTED



**ZEPF roba**  
EDITION  
PATENTED



3.2.1. | 1.2.3.

**15.234.07**

**15.234.07D**

# 34N



3.2.1. | 1.2.3.

**15.234.08**

**15.234.08D**

# 34M



5.4. | 4.5.

**15.235.07**

**15.235.07D**

# 35N



5.4. | 4.5.

**15.235.08**

**15.235.08D**

# 35M



7.6.

**15.217.00**

**15.217.00D**

# 17



6.7.

**15.218.00**

**15.218.00D**

# 18



8. 8.

**15.267.01**

**15.267.01D**

# 67A



8. 8.

**15.279.90**

**15.279.90D**

# 79A



3.2.1. | 1.2.3.

**15.236.07**

**15.236.07D**

# 36N



3.2.1. | 1.2.3.

**15.236.08**

**15.236.08D**

# 36M



5.4. | 4.5.

**15.213.00**

**15.213.00D**

# 13



7.6. | 6.7.

**15.222.00**

**15.222.00D**

# 22



**exLOG**

PATENTED



**ZEPF**  
**roba**  
EDITION  
PATENTED

## ZEPF EXLOG RoBa Edition Extracting Forceps

This new development involves all figures for maxilla and mandible (incisors, premolars, molars and wisdom teeth).


As every tooth shows a convex crown shape (maxilla: labial, buccal, palatal – in the mandible: labial, buccal, lingual), the jaw was developed according to these anatomical conditions.

- excellent anatomical adaption on the neck of the tooth surface
- tapered jaws for less traumatization and for conservation of the alveolus
- better fibre dilatibility and increased sense of touch
- optimal cleaning due to the possibility to disassemble the forceps into two pieces (RKI compliant)
- long life time, patented, high precision joint for radial and axial pressure
- produced from one piece (5-axis CNC milling) and therefore ultra precise
- no maintenance of the joint



**The following problems might occur if the extraction forceps are not suitable:**

- root fracture
- crown fracture
- damage of the soft tissue caused by bruising
- damage of the alveolar ridge and the buccal bone lamella




**Advantages of deep-grip extraction forceps:**

- due to the specially shaped jaws it is easy to place the forceps subgingivally directly on the root (below the gingival margin)
- parallel contact on the root
- atraumatic, as the soft tissue is not bruised
- root fractures are avoided
- slim jaw design for subgingival grip without bruise of the soft tissues

**Xtod** Instruments

**Xtod**  
Acc. to Dr. Detlef Hildebrand



THE ORIGINAL



In the illustrations an extraction under use of the **Xtod** Instruments is shown.

**IMPORTANT:** Complete removal of all inflammable and convective tissue structures.


- ① Initial loosening of the desmodontal fibres. Apply the X-Desmo-Tool first approximately then buccally and palatally (pencil handle).
- ② Then progressive luxation with the X-Luxa-Tool (first narrow then wide). Ideal positions: Approximal (mesial or distal) to the tooth which should be extracted!
- ③ Complete luxation of an upper right molar with support of a wide X-Luxa-Tool. Gentle extraction without root fractures!
- ④ Inspection of the empty tooth socket and curettage with support of the X-Spoon.



 Instruments  
Acc. to Dr. Detlef Hildebrand




## THE ORIGINAL

The implantology with immediate insertion after the tooth extraction is more and more a focus of interest in modern dentistry. It appears to be more than necessary to protect soft and hard tissue structures already during the extraction phase and to follow the principles of minimal invasiveness. Here is an ideal complement for this:

The  Instruments! In contrast to existing instruments this clearly arranged and universal Xtool Set supports you during the gentle and uncomplicated extraction of teeth which cannot be preserved.

### Modern therapy methods require modern instruments!

- Color coding for clear handling.
- Universal and complete extraction instruments in one tray.
- Ergonomic handle design (pencil-design) prevents unintended slipping during usage.
- Direct and controlled power transmission to prevent tooth and root fractures.
- Non-traumatic tooth extraction without injuring surrounding structures.




 Luxa-Tool, straight, 2.5 mm, for front teeth and upper jaw, green metallic



 Luxa-Tool, straight, 4.5 mm, for front teeth and upper jaw, green metallic



 Luxa-Tool, curved, 2.5 mm, for lower jaw, blue metallic

### Black Finish Coating

#### Design meets functionality.

Users with highest demands will appreciate the elegant, black finish providing the instrument with a non-reflecting, extremely smooth and scratch-resistant surface. The article number is complemented by **TI**.

straight

17.007.01

17.007.01TI

straight

17.007.02

17.007.02TI


curved

17.007.03

17.007.03TI








✂-Luxa-Tool, curved, 4.5 mm, for lower jaw, blue metallic

curved

17.007.04

17.007.04TI




✂-Desmo-Tool, straight, 4.0 mm, for initial loosening of the desmodontal fibres, yellow metallic

straight

17.007.05

17.007.05TI



✂-Luxa-Tool, straight, 3.0 mm, green metallic

straight

17.007.06

17.007.06TI



✂-Luxa-Tool, curved, 3.0 mm, blue metallic

curved

17.007.07

17.007.07TI



✂-Approximal Root Elevator, curved, 2.5 mm, # 77S, distal elevator, purple metallic

curved





17.008.01

17.008.01TI



# 05 <sup>05-44</sup> Extraction

+49 (0) 74 64 / 98 88 0



-Approximal Root Elevator, curved, 2.5 mm, # 77RS, mesial elevator, purple metallic

curved

17.008.02

17.008.02TI



-Approximal Root Elevator, curved, 4.5 mm, # 77L, distal elevator, yellow metallic

curved

17.008.03

17.008.03TI



-Approximal Root Elevator, curved, 4.5 mm, # 77RL, mesial elevator, yellow metallic

curved

17.008.04

17.008.04TI




-Syndesmotome, curved, 4.0 mm, for distal access, purple metallic

curved

17.008.05

17.008.05TI






-Syndesmotome, curved, 4.0 mm, for mesial access, purple metallic

curved

17.008.06

17.008.06TI



✂-Syndesmotome, curved left, 4.0 mm, for lingual/buccal luxation, yellow metallic

curved

17.008.08

17.008.08TI



✂-Syndesmotome, curved right, 4.0 mm, for lingual/buccal luxation, yellow metallic

curved

17.008.09

17.008.09TI



✂-Apical Desmotome, mesial bending, 3.0 mm, for apical access to the deep-lying root stump, brown metallic

curved

17.008.10

17.008.10TI



✂-Apical Elevator, mesial bending, 2.5 mm, for apical access to the deep-lying root stump, brown metallic

curved

17.008.11

17.008.11TI



✂-Separator, straight, 4.0 mm, for the luxation of separated roots, purple metallic

straight

17.008.90

17.008.90TI





17.009.00

H-Tool Set  
acc. to Dr. Hildebrand



## H-Tool Set

acc. to Dr. Hildebrand

The new H-Tools developed by Dr. Hildebrand are a continuation of the successful X-Tool concept.

The instrument tips are very flat and sharp pointed.

The instruments are inserted along the root axis and the alveolar cavity is widened by advancing the H-Tool apically along the root of the tooth to be extracted with gentle hammer blows.

The light ferrozell hammer with a diameter of 35 mm enables work to be carried out safely.

Thanks to the extremely light construction, this hammer produces a far less unpleasant feeling in the patient than using a hammer with hard plastic inserts or in the worst case with a metal head.





Content: H-Tool Set

**Illustration**

**Article Description**

**Description**



**17.009.00**

H-Tool Set acc. to Dr. Hildebrand organized in a washbasket, including a Ferrozell hammer and H-Tools, consisting of:

Complete set



**41.503.01**

Hammer, Ferrozell head Ø 35 mm, 100 g, total weight 180 g, 250 mm long, fitting washbasket

1 piece



**17.009.01**

H-Tool # 1, straight, tip 3.5 mm, green ball

1 piece



**17.009.02**

H-Tool # 2, straight, tip 2.5 mm, green ball

1 piece



**17.009.05**

H-Tool # 5, straight, tip 3.0 mm, gold colored ball

1 piece



**85.195.00**

Washbasket 1/1 as rack for the remaining components

1 piece



**85.181.04**

Profile, high, universal 130 mm / for 8 instruments


2 pieces




**85.181.05**

Profile, high, universal 81 mm / for 5 instruments

2 pieces







**17.007.00**

**Complete Set**  
consisting of  
17.007.01 - 17.007.05  
and 41.855.01Z  
in the washtray



Lucas Scraper, 2.5 mm, double-ended, 17.5 cm

**41.855.01Z**



■ **X-Desmo-Tool (yellow):**

The X-Desmo-Tool easily penetrates into the periodontal gap with its pointed tip and initially loosens the Sharpey's Fibres. The modified pencil handle and the handy shaft shape offer a depth sensibility like never experienced before without destroying related structures.

■ **X-Luxa-Tool-3 (blue):**

bent + narrow  
for tooth loosening

■ **X-Luxa-Tool-1 (green):**

straight + narrow:  
A delicate and controlled power transmission guarantees a specific loosening and luxation of the tooth without any risk of crown or root fractures.

**Ideal position:** approximal (mesial or distal) to the tooth which is to be extracted.

■ **X-Luxa-Tool-2 (green):**

straight + wide:  
Complete, non-traumatic luxation of upper molars (e.g. tooth 16). The ergonomic instrument shape ensures a gentle extraction without tooth fractures or any damage to the alveolar wall.

■ **X-Luxa-Tool-4 (blue):**

bent + wide:  
for tooth luxation

■ **Lucas Schaber ZEPF-Line:**

Inspection and curettage of the empty dental alveolus. Complete removal of all inflamed and connective tissue fibres.

**ZEPF-XioD-Tray**

DBGM acc. to Dr. Detlef Hildebrand

**“Extraction in its most pleasant way”**

The **ZEPF-XioD-Tray** offers a universal instrument set for medical tooth extraction. The **XioD** instrumentation includes six different instruments:



**17.007.05**  
straight



**17.007.02**  
straight



**17.007.01**  
straight




**17.007.03**  
curved



**17.007.04**  
curved



**41.855.01Z**  
curved

**ZEPF FLEX-EX** Power Perioste**26.690.10** **ZEPF FLEX-EX** Power Perioste

While using new materials, we were successful in the development of the **ZEPF FLEX-EX** Power Perioste, a symbiosis of Power Perioste, Elevator and Xtool.

The flexible working tip will enable you to build up a phenomenal pressure for the luxation in a radial direction and a perfect match to the contour of the tooth at the same time without bending. The name stands for the excellent product features united in this instrument.

**ZEPF** Power Perioste

The Power Periostes allow a gentle loosening of ligaments in the sulcus.

The handle allows optimal power transmission and controlled luxation.

**26.690.01** Power Perioste, P1 XL, purple**26.690.02** Power Perioste, P2 XL, mesial, blue**26.690.03** Power Perioste, P3 XL, distal, green

# 05 <sup>05-50</sup> Extraction

+49 (0) 74 64 / 98 88 0

## Ergonomical and heavy

Heavy, ergonomic handle design with exchangeable tips, for optimal access to all quadrants.



**26.182.01**

P1, straight, Ø 2.5 mm,  
2.5 x 17.8 mm



**26.182.02**

P2, straight, Ø 2.5 mm,  
1.7 x 14 mm



**26.182.03**

P3, angulated, Ø 2.5 mm,  
1.7 x 12.5 mm



**26.182.04**

P4, mesial/distal angulated,  
Ø 2.5 mm, 1.7 x 12.5 mm



**26.182.00** Periotome Handle



**17.045.00**

Approximal Desmotome, # 0, straight, 3 mm, exchangeable, M4 x 0.5, single-ended



**17.045.04**

Approximal Desmotome, # 4, distal bending, 3 mm, exchangeable, M4 x 0.5, single-ended



**17.045.05**

Approximal Desmotome, # 5, mesial bending, 3 mm, exchangeable, M4 x 0.5, single-ended



**41.834.11**

Hemingway Sharp Spoon, double-ended, exchangeable, stainless steel, ZEPF-Line

## ZEPF-Line 2 in 1 Periotomes

The 2 in 1 Periotomes acc. to Dr. Karl-Ludwig Ackermann are saving time as they are reducing the annoying exchange of instruments.



**26.182.23** Periotome Combination P3/P2  
ZEPF-Line, double-ended, exchangeable inserts



**26.182.24** Periotome P4 / straight Sharp Spoon Ø 3.0 mm  
ZEPF-Line, double-ended, exchangeable inserts

## ZEPF-Line Periotomes

### For the Separation of the Sharpey's Fibers in the Sulcus

Before the usage of any root elevator or extraction forceps it is necessary to separate the Sharpey's Fibers in the sulcus with a periotome in order to do an atraumatic tooth extraction. To do so, the periotome is to be pulled through the sulcus.

The correct application saves the gingiva and the periosteum. The special design in the grip area guarantees a pleasant grip and extremely easy handling.



**26.182.11** ZEPF-Line, exchangeable



**26.182.12** ZEPF-Line, exchangeable



**26.182.13** ZEPF-Line, exchangeable



## Root Elevators

Root elevators are used for the surgical tooth extractions. They are used to luxate the tooth in the osseous alveolus and to expand the alveolus walls. They are also used to open the gingival sulcus prior to the tooth extraction.

Straight instruments are used in the anterior region and in the maxillary area. Curved root elevators are ideal for the back teeth in the mandible.

## The Workmanship

The shafts of **HELMUT ZEPF** Root Elevators are welded onto their hollow handles, and each and every one is checked for leakage at their welded joints.

This manufacturing method virtually eliminates the leakage compared to cheap root elevators with pressed-in shafts.



**Bein**  
(B) 17.001.01  
(S) 17.001.11



**Bein**  
(B) 17.001.02  
(S) 17.001.12





**Bein**  
(B) 17.001.03  
(S) 17.001.13

**Bein**  
(B) 17.001.00  
(S) 17.001.10

## The Handle Versions

Except for the Xtool-Series, the Elevators from **HELMUT ZEPF** mainly differ in their 5 different handle designs such as: 'Bein', 'Carpal', 'Standard', 'Flohr', 'Mini'.

These are handle versions which can be assigned easily due to their letter coding:



**Gärtner**  
(B) 17.013.00




**Gärtner**  
(B) 17.013.01



**Gärtner**  
(B) 17.013.02



### Modified Root Elevator Beck



### Instructions




- ① Because of the elliptical shape of the instrument tip, it is easy to penetrate the interdental space with this instrument.
- ② Due to the shape, by turning the instrument through 180° it is possible to luxate in four directions: 2 x mesially and 2 x distally.
- ③ **Attention!** These instruments must not be used as a lever, as shown e.g. in picture 3. Due to the special shape, an over-strengthening of the tip can cause breakage. We cannot be held responsible for damages caused by improper use.

The elevator works during the luxation step with 5-7 supporting points (Hypomochlion), which avoids slipping through because of the different surfaces around the radius, instead of a common round-edged instrument, which works with 1-2 supporting points only.

This makes the Beck Root Elevator much more effective.





### Heidbrink Root-Splinter Elevators

All-purpose instruments for gently extracting root splinters.

**Straight** (without picture):

(M) 17.051.01

(S) 17.052.01

**Angled:**



(M) 17.051.02

(S) 17.052.02



(M) 17.051.03

(S) 17.052.03



(F) 17.053.02

(F) 17.053.03



### ZEPF-Line Heidbrink Root-Splinter Elevators


The fine working tips of the Heidbrink Root-Splinter Elevators allow the palpation and mobilization even of small root remnants.

**Example for serrations:**



17.055.01 Heidbrink

17.056.01 Heidbrink, serrated



17.055.02 Heidbrink

17.056.02 Heidbrink, serrated



17.055.03 Heidbrink

17.056.03 Heidbrink, serrated


### Root Elevator No. 195

The drop-shaped, blunt working end makes the new **ZEPF** Root Elevator No. 195 ideal for the separation and luxation of roots. The tapered working end allows its special use in the molar region in all quadrants. It can also be used for initial loosening of the desmodontal connection.

Due to its geometry and smooth luxation and rotary motion, the root fragment to be removed will be moved very easily in "crestal direction" (in relative terms!). The luxated fragment can therefore be grasped easily with deep-gripping forceps or with Luer bone rongeur forceps.



Picture:  
Courtesy of Dr. Florian Steck



(S) **17.195.00** Root Elevator No. 195

### Lindo-Levien Root Elevators

The LINDO-LEVIEN Root Elevators are pushed into the periodontal gap in apical direction until the serrations will grip on the roots. The root is extracted via a barb effect by straight pulling without leverage.



4.0 mm



(S) **17.395.01** # LLL

3.5 mm



(S) **17.395.02** # LLM

3.0 mm



(S) **17.395.03** # LLS

4.0 mm



(S) **17.396.01** # LLLC

3.5 mm



(S) **17.396.02** # LLMC

3.0 mm









(S) **17.396.03** # LLSC



# 05 05-56 Extraction

+49 (0) 74 64 / 98 88 0

-  **B** Bein
-  **C** Carpal
-  **S** Standard
-  **F** Flohr
-  **M** Mini








**24.923.10**  
Original Arkansas Stone  
**For further information,  
please refer to page 03-33!**

(F) **17.010.03** Flohr

(F) **17.010.02** Flohr






 3.0 mm  <b>(S) 17.100.35</b> Seldin	 2.0 mm  <b>(S) 17.100.46</b> Seldin	 2.0 mm  <b>(S) 17.100.60</b> Seldin	 3.0 mm  <b>(S) 17.100.61</b> <b>(B) 17.101.61</b>	 4.0 mm  <b>(S) 17.100.62</b> <b>(B) 17.101.62</b>	 4.0 mm  <b>(S) 17.100.57</b>
--	--	--	--	--	--






### Elevators for axial luxation

These elevators for axial luxation have been developed as an alternative to classic elevators. The instrument must not be used as a lever.

Furthermore the gentle removal of the teeth should be reached by **axial luxation** and cutting the Sharpey's fibres.





-  **B** Bein
-  **C** Carpal
-  **S** Standard
-  **F** Flohr
-  **M** Mini

### Gärtner and Hylin Root Elevators



**Gärtner 12.5 cm**  
**(B) 17.014.00**



**Gärtner 12.5 cm**  
**(B) 17.014.01**



**Gärtner 12.5 cm**  
**(B) 17.014.02**



**Hylin**  
**17.020.01**








**Hylin**  
**17.020.02**



**17.410.03** Chompret Syndesmotome, # 3 with hollow handle

### Apical Root Elevators



-  **B** Bein
-  **C** Carpal
-  **S** Standard
-  **F** Flohr
-  **M** Mini

(S) 17.301.00

(S) 17.304.00

(S) 17.302.00

(S) 17.303.00



**17.677.16** Apical Root Elevator, # 77R, ideal for wisdom teeth, serrated



**17.677.17** Apical Root Elevator, # 77, ideal for wisdom teeth, serrated



# 05<sup>05-60</sup> Extraction


+49 (0) 74 64 / 98 88 0

Revolving Chisel Vienna Pattern




## Root Elevators Cryer and Winter

Claw elevators are ideal to extract molars in the mandible after separation of the roots.



The bend of the working ends, combined with the shortened tips, allows a gentle lifting of the opposite root without contact to the neighboring crown.

The special claw elevators are ideal to luxate roots if an apical access is possible from the neighboring alveolus, e.g. if a root has already been removed and if the empty alveolus can be used as access. It is recommended first to remove the root which is bent less.



(S) **17.100.39**  
Cryer

(S) **17.100.40**  
Cryer



# 05 <sup>05-62</sup> Extraction


+49 (0) 74 64 / 98 88 0



[zepi-dental.com](http://zepi-dental.com)



**MADE IN GERMANY**



The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale






## **HELMUT ZEPF** Oral Surgery and Maxillofacial Instruments

This chapter for Cranio-Maxillo-Facial Surgery includes all instruments required for reconstruction of traumata, diseases, bone fractures, malformations and deformations of the teeth, the oral cavity and for the jaw as well as the face.

The **ZEPF** Forceps



**22.200.15**




**Standard**

- 22.200.12** 12 cm    **22.200.15** 15.5 cm
- 22.200.13** 13 cm    **22.200.20** 20 cm
- 22.200.14** 14.5 cm



**Standard, fine**

- 22.230.13** 13 cm
- 22.230.14** 14.5 cm




**Semken-Taylor**

- 22.278.12** 12.5 cm
- 22.278.15** 15 cm



**Semken-Taylor, curved**

- 22.279.15** 15 cm



**Suture Forceps**

- 22.106.01** 15.5 cm



**De Bakey**

- 50.226.16** modif. 16 cm



**De Bakey**

- 50.229.16** modif. 16 cm



Atraumatic Tissue Forceps acc. to Dentist Beck



**22.824.17** 17.5 cm


Due to their specially shaped working tips, the Tissue Forceps allow an easy and gentle grip and fixation of the tissue flap. There is no additional traumatism of the soft tissue. The Atraumatic Tissue Forceps can be used in all fields of dentistry and odontology (in surgery, parodontology and implantology).



**Semken**

**22.480.12** 12.5 cm

**22.480.15** 15 cm



**Semken, 30° curved**

**22.481.12** 12.5 cm

**22.481.15** 15 cm



**Tissue Forceps, fine, 1 x 2 teeth**



**22.408.11** 11.5 cm

**22.408.16** 16 cm



**22.408.13** 13 cm

**22.408.20** 20 cm

**22.408.14** 14.5 cm




**Tissue Forceps, standard, 1 x 2 teeth**



**22.400.13** 13 cm

**22.400.14** 14.5 cm



**Micro-Adson**  
**22.272.15** 15 cm




**Micro-Adson**  
**22.488.12** 12 cm, 1 x 2 teeth  
**22.488.15** 15 cm, 1 x 2 teeth




**Micro-Adson**  
**22.489.00** 15 cm, 1 x 2 teeth, with suture plate

**22.489.01** 15 cm, anatomical, fine spring



**Micro-Adson**  
**22.489.00M** 15 cm, 1 x 2 teeth, with suture plate




**Potts Smith**  
**22.450.18** 18 cm, 1 x 2 teeth




**Gerald**  
**22.430.17** 17.5 cm, 1 x 2 teeth



**Gillies**  
**22.416.15** 15 cm, 1 x 2 teeth



**Adson**  
**22.270.12** 12 cm



**Adson**  
**22.310.12** 12 cm, TC  
**22.310.15** 15 cm, TC



**Adson**  
**22.486.12** 12 cm  
**22.486.15** 15 cm




**Adson**  
**22.488.20** 15 cm





**Backhaus**

**23.709.11** 11 cm



2.0 mm

**23.098.14**

**23.099.14**



**Allis 5 x 6 teeth**

**23.782.15** 15 cm

**53.034.19** 19 cm

**53.034.25** 25 cm



**Allis 5 x 6 teeth**

**23.781.15** 15 cm





**Gross**

**23.740.20** 20 cm, straight

**23.741.20** 20 cm, curved




**Kelly 14 cm**



**Halstead-Mosquito** 12.5 cm

**Micro-Halstead** 12 cm





**Hartmann** 10 cm



**Jones**

**23.705.09** 9 cm





**Rochester-Pean** straight

- 23.106.14** 14 cm
- 23.106.16** 16 cm
- 23.106.18** 18 cm

**Rochester-Pean** curved

- 23.107.14** 14 cm
- 23.107.16** 16 cm
- 23.107.18** 18 cm



**Kocher** 14 cm

- 23.104.14**
- 23.105.14**



The **ZEPF** Retractor

pat. pend. by Dr. Peter Müller, Ebersbach




**37.443.00** Retractor acc. to Dr. Peter Müller

**Clear, non-tiring retraction in every situation**

Retraction of the cheek, lips, tongue and mucoperiosteal flap.  
The **ZEPF** Retractor is a “quality product from Tuttlingen” and bears the name **HELMUT ZEPF** as seal of quality.

- ergonomic handle
- low-weight, very well-focused instrument
- innovative design
- multipurpose usage
- good view
- smooth surface, manufactured from one piece
- all common disinfection and sterilization methods possible



**37.445.01** Hilger

Retractor, for all Mouth Mirror Handles Ø 2.5 mm

**24.089.02** Mouth Mirror Handle, ergonomic, hollow, stainless steel



**Silicone Mouth Gag**

**37.258.40** small

**37.258.43** big



**Langenbeck**

**37.351.02** # 2, Finger Protector, chromium-plated, not stainless



**Cawood-Minnesota**  
mod. by Dr. Müller  
**37.437.17** 16.5 cm



**Cawood-Minnesota**  
**37.437.15** 15.5 cm

### Vestibulum Retractor

acc. to Dr. Müller, Tuttlingen

Working end made of stainless steel,  
handle M4.5 mm,  
Dr. Ti, made of titanium.

The Vestibulum Retractor acc. to Dr. Müller,  
Tuttlingen can be used in the dental field  
for all activities for which it is necessary to  
have a very good view as well as the best  
possible dryness.



The application in periodontology as well  
as in oral surgery is possible as the  
Vestibulum enables you to retract a com-  
plete quadrant. This offers a very good  
view on your field of work. The instrument  
can also be used to model the edges in  
the acrylic technique. The relative drying  
is possible with one hand which offers a  
better moulding.

The instrument can be used in many ways  
and is very easy to apply. This makes it  
very economical.



**37.444.01**



**Special features of the**


**Maty Cheek and Lip Retractors:**

- suitable for a wide variety of applications
- lightweight
- easy to use
- patient-friendly
- no traumatization of the oral cavity
- usable on upper or lower jaws
- ergonomically designed, saves time, thereby cutting costs
- does not need to be removed when work is interrupted since design prevents the dropping out

**Maty Cheek and Lip Retractor**

The light weight, versatility and anatomically shaped jaws of this instrument makes it suitable for use in a wide variety of applications in all areas of dentistry.

In prosthodontics, for safe impression technique, determining upper / lower jaw mismatches, fitting crowns, bridges, inlays, etc



**37.454.00**

Maty Cheek and Lip Retractor, 17.5 cm

- In orthodontics, for fitting brackets, etc.
- In general dentistry, for filling teeth, root-canal work, etc.
- In oral surgery, for outpatient surgery (apicoectomy, osteotomy, tumor and bone surgery, etc.), preprosthodontic surgery, traumatology, implantology (enossal implants, sinus lifting, GBR techniques, etc.)

Due to its diverse application possibilities and easy handling (no specialists required to retract lips, cheeks etc.) the retractor also contributes significantly to cost-efficiency.


Quality **MADE IN GERMANY**.

Our all-purpose cheek and lip retractor is yet another top-quality, high-precision, all-purpose instrument "Made by **HELMUT ZEPF** Medizintechnik GmbH".




**37.454.02**

Maty Cheek and Lip Retractor for children







**Sternberg**

- 37.429.12** Lip Retractor, 12 cm
- 37.429.14** Lip Retractor, 14 cm
- 37.429.16** Lip Retractor, 16 cm

**Kim Retractor**

The Kim Retractor is very useful to retract the soft tissue flap in a wisdom tooth extraction. The working end is rounded, angled by 45° and serrated in the support region, thus allowing an optimal access to this area under excellent support on the bone.




**Molt Mouth Props**

- 37.261.11** Pedo Prop, 11.2 cm
- 37.261.14** Adult Prop, 14 cm

**Rowe Disimpaction Forceps 24 cm**

- 60.150.24** left variant
- 60.151.24** right variant



**Denhart Mouth Retractor**

**37.271.00**  
11 cm, with exchangeable silicone inserts



**19.270.50**  
Replacement Inserts for Denhart Mouth Retractor (1 pair)



**37.446.04**  
Retractor acc. to Kim, flat, 45° angled, 10.5 mm wide





**38.452.00** Bowdler-Henry's

Rake Retractor for impacted lower wisdoms



**38.465.15** Obwegeser

Retractor for mouth, jaw and face surgery, flexible, 15.5 cm



**Obwegeser** Retractor for mouth, jaw and face surgery, flexible, 16 cm

**38.467.08** 8 mm

**38.467.10** 10 mm



**Wieder** Tongue Depressor

**37.426.01** # 1, small

**37.426.02** # 2, big





**Middeltdorpf Retractor, 20 cm**

**37.441.01**

15 x 15 mm

**37.441.02**

20 x 22 mm

**Senn-Miller Retractor, 16 cm**

**38.076.16**

3 prongs, sharp

**38.078.16**

3 prongs, blunt

**Ragnell-Davis Retractor**

**38.074.14**

8 x 4 and 15 x 5 mm


**38.471.15** Tessier 15 cm  
Mobilization Hook, left

**38.473.15** Tessier 15 cm  
Mobilization Hook, right



## Kocher-Langenbeck

Retractor, 21.5 cm



## Langenbeck

Retractor, 21 cm



## Combined Retractor and Cheek Retractor





by Schäfer

### 1 instrument – 2 functions!

The combined retractor is suited for an optimized retraction of lips and the cheek during surgery like implantations and root-tip resections.

**Schäfer** Retractor and Cheek Retractor


**37.440.00** 23 cm





### Obwegeser

Soft Tissue Hook, curved, 22 cm






**38.427.22** Spina-Nasalis  
Retractor, 10 x 42 mm, 22 cm

### Obwegeser

Retractor, curved,  
concave blade, 22 cm



concave blade



### Laster Special Retractor

Special retractor for upper impacted wisdom teeth

The shape of the handle allows to retract the cheek and the mucoperiosteum and to hold another instrument in the same hand simultaneously.

scale 2:1  
micro serration



**37.438.15**

Laster special retractor for upper impacted wisdom teeth, sandblasted handle, polished working tip and micro serration, 100 mm

### ZEPF Vestibulum Retractor

acc. to Kapogianni

The **HELMUT ZEPF** Vestibulum Retractor according to Kapogianni is mainly used for the region of the lateral teeth in the upper jaw.



It is meant for the atraumatic holding of the prepared mucoperiosteal flap which is usually retracted in the area of the crista zygomaticoalveolaris. The crista often develops a distinctive osseous bow which makes it impossible to hold it away with a straight retractor.

This instrument is of great advantage especially during operations like the direct sinus lift, big augmentative interventions or other operations in the area from the cuspid to the rear lateral teeth.

Because of the three-dimensional arrangement of both retracting elements of this Vestibulum Retractor, the mucosa is retracted safely and a trauma due to continuous slipping is excluded. Of course, this retractor can be used for anatomically similar bone structures for safe and atraumatic working.




**38.448.50**

#### Vestibulum Retractor

by Kapogianni, to retract the prepared mucoperiosteal flap



### Williger Raspatories



**41.874.04** 4 mm, 16 cm

**41.874.16** 6 mm, 16 cm

### Elevators



**Seldin 41.877.23** Elevator, # 23, 20 cm

**Freer 41.864.02** Elevator, # 2, 5.5 mm, 20 cm

**Freer 41.864.01** Elevator, # 1, 4 mm, 18.5 cm



Lucas Scraper double-ended, 17.5 cm



**Version Z**

non-serrated

**Version ZS**

serrated



Lucas **41.855.00Z** | Scraper, 1.5 mm | **41.855.00ZS** serrated



Lucas **41.855.01Z** | Scraper, 2.5 mm | **41.855.01ZS** serrated



Lucas **41.855.02Z** | Scraper, 3.0 mm | **41.855.02ZS** serrated



Lucas **41.855.04Z** | Scraper, 5.0 mm

Hemingway  
Sharp Spoon



**Hemingway**  
Sharp Spoon,  
16.5 cm

**41.845.11** 

# 11, 2.5 mm

**41.845.22** 

# 22, 3.0 mm

**41.845.33** 

# 33, 3.5 mm






## ZEPF -Raspatories

### Perfectly done.

**HELMUT ZEPF** Periosteal Elevators have a well-balanced design.

The lame-design handles have a very handy shape. They are extremely easy to rotate, and due to the smooth surface, hygiene problems known from conventional handles are avoided.



Prichard

**An arrester and raspatory, all in one.**

Usable in all types of periodontic surgery, osteotomy, or root-tip resections. Its sharp, rounded tip is used for preparing papilla / loose tissue for excision. In periodontic treatments, its blunt tip allows arresting several flaps of loose tissue simultaneously. The curvature of its blunt tip makes it also a popular choice for osteotomies in the molar area (8-area), as well as for mirror rasps, since its contacting surfaces are highly polished. Lingual surfaces may be very easily reached.



**Prichard 41.878.11** Raspatory, PPR3, Retractor straight, 17.5 cm



**Prichard 41.878.12** Raspatory, PPR3, Retractor 30° angled, right



**Prichard 41.878.13** Raspatory, PPR3, Retractor 30° angled, left



**Prichard 41.878.14**  
Retractor, left / right combination, 30° angled, double-ended, 17.5 cm

## Glickmann

### Periosteal Elevator and Flap Knife in one instrument.

The flap knife is as sharp as a scalpel. (It has to be resharpened regularly!). Small additional cuts can be made in the interdental area. You do not have to switch to a standard scalpel. The delicate, round and sharp working tip is used to peel off / to cut the flap.



— 4 mm —

**Glickmann 41.862.21** Combination-Instrument, Knife / Raspatory, # 24G, 17.5 cm

## Combination-Instruments

Spiculum Raspatory and round Periosteal Elevator, 17.5 cm



— 2.8 mm —

— 2.4 mm —

**41.864.30**



— 4.2 mm —

— 3.8 mm —

**41.864.40**



— 4.2 mm —

— 3.8 mm —

**41.864.50** curved



— 8 mm —


— 11 mm —

**41.862.14** Raspatory combination, ZEPF-Line, with drill hole to place pins in the membrane



Micro Friedmann

Micro Bone Rongeur Forceps




**42.315.16** 30°, 15.5 cm

**42.316.15** 90°, 14.5 cm



**Micro Friedmann**  
Bone Rongeur Forceps

Bone Rongeur Forceps




**42.358.15** 30°

**42.360.15** 45°


**42.362.15** 90°

**Blumenthal**  
Bone Rongeur Forceps, 15.5 cm



**42.315.16S**

**Micro Friedmann**  
with La Grange  
Bending (s-shape)  
30°, 15.5 cm




**42.324.15**

**42.326.15** # 1

**42.328.15** # 2

**Luer**  
Bone Rongeur Forceps, 15 cm

### Bone Rongeur Forceps



**42.321.90**

90°, 15 cm

**42.320.14**

30°, 14 cm

**42.320.15**


30°, 15 cm

**Mini Friedmann**  
Bone Rongeur Forceps



**42.650.18**

**Beyer** 18 cm  
Bone Rongeur Forceps,  
double action



**42.334.17**

# 4A, 17 cm

**42.332.14**

# 4, 14 cm

**Cleveland**  
Bone Rongeur Forceps




**42.652.18**

**Zaufal-Jansen** 18 cm  
Bone Rongeur Forceps,  
double action





### Bone Cutting Forceps



**42.404.16** # 5, 16.5 cm

**42.406.14** # 5S, 14 cm


**Cleveland**  
Bone Cutting Forceps



**42.620.18** straight

**42.621.18** curved

**Ruskin-Liston** 18.5 cm  
Bone Cutting Forceps,  
double action



**42.646.15**

**42.647.15**

**Böhler** 15 cm  
Bone Rongeur Forceps and Bone  
Cutting Forceps, double action



### ZEPF Blade Holder Drop-Control

The **ZEPF** Drop-Control® Blade Holder combines the design of the regular blade holder 46.007.00 with a new and revolutionary function. With reference to the mechanism of a ball pen, the blade will be dropped off by pushing the button at the end.



The object of this development was a simplified application with the same diameter of the blade holder. Therefore there is no need to adapt to a new application / ergonomics for our regular blade holder! The **ZEPF** 'Drop-Control®' Blade Holder perfectly fits into our **ZEPF** Design product range for surgery, implantology and microsurgery thanks to its diameter, design and ergonomics.



By pressing the button at the end of the blade holder the mechanism which lifts the blade is triggered off. The blade is pushed forward so that it falls safely and controlled in a tray or cup.

#### Controlled dropping of the blade

Afterwards the one-hand ejection function moves back in its initial position. After cleaning and sterilization you can insert a new blade – as usual.

The advantage lies in the fact that the used blade can be removed in a safe and controllable way in order to prevent a contaminated injury or infection.



Patent No.: 10 2014 101 658

**46.007.02**


**46.007.08**  
New Design

### Drop-Control



## Scalpel Blades

Supplied in packs of 100 pieces, sterile



# 10  
**46.014.10\***


# 11  
**46.014.11\***

# 12  
**46.014.12\***

# 12d  
**46.014.12D\***

# 15  
**46.014.15\***

# 15c  
**46.014.15C\***



**46.007.00** Scalpel Handle **ZEPP**-Line, straight, for blades # 10 -15, 14.5 cm



**46.007.01** Scalpel Handle, **ZEPP**-Line, angled, for blades # 10 -15, 14.5 cm



**46.007.40** Parallel Blade Holder, **ZEPP**-Line, distance 1.5 mm

**46.007.45** Parallel Blade Holder, **ZEPP**-Line, distance 2.0 mm




### Safety Blade Remover

**46.005.65**


This practical tool allows safe replacing of scalpel blades.




1 Place the blade remover



2 Press the blade remover



3 Lever the blade upwards




4 Pull the blade forward and throw it in a containment



**Klingex**


**46.005.70**

Safety Blade Remover




**1**

Place the blade



**2**

Lift the blade by pressing



**3**

Pull the blade forward

### Micro Surgical Scalpel Blades

Supplied in packs of 25 pieces, sterile



# 63

**46.016.03\***



# 64

**46.016.04\***



# 67

**46.016.07\***



# 69

**46.016.09\***



**46.013.05Z**

Scalpel Handle, titanium, **ZEPF-Line**, light weight, for blades # 10-15, 13.5 cm



**46.013.00Z**

Micro Surgical Scalpel Handle, titanium, **ZEPF-Line**, 13.5 cm | **46.013.05** stainless steel



**46.010.03**

Scalpel Handle, # 3, massive, 12.5 cm





**46.010.04**

Scalpel Handle, solid, # 3, for blades no. 10 - 15 including scale 0 - 6 cm



**ZEPF** -Line Instruments

acc. to PD Dr. Weng, 17.5 cm



**46.035.05**

Papillex by PD Dr. Weng, Papilla Elevator, exchangeable


**46.035.00**

Papilla Elevator for preparation of fine soft tissue structures, inserts, exchangeable

**41.864.20**

Gingiva Retractor

**ZEPF** 3D-Blade Holder



**3D-Blade Holder**

Our **HELMUT ZEPF** 3D-Blade Holder will allow you to position blades easier than ever before!

In designing this blade holder, particular attention was devoted to make it easy to use, clean and sterilize.

**46.007.05**

3D-Blade Holder Handle **ZEPF**-Line, 12.5 cm

**46.007.50**

Pivoted Head for 3D-Blade Holder, exchangeable, incl. Allen Key, AF 2.0

**46.007.10**

3D-Blade Holder Handle with Pivoted Head, 12.5 cm

**46.007.11**

Allen Key, AF 2.0

Attachments acc. to Dr. Hildebrand, Berlin

**Blade Holder**



**46.007.20**

for standard blades # 10-15

**Gingiva Retractor**




**46.007.30**

small



**46.007.31**

big





## ZEPF Onyx Scissors


**onyx**

The Onyx coating offers a 3-5 times higher surface hardness compared to traditional scissors. In combination with the "Supercut" grinding (see page 06-32), this guarantees an extremely long product life and application with very high precision and wear resistance.

The extraordinary surface smoothness is leading to an easy slide of the scissor blades even under highest strain. Due to the physical / chemical combination of the coating, no undesirable reaction will be caused during sterilization or usage of solvents. Furthermore, the anti-glare surface avoids disturbing light reflections.

The article numbers are complemented by **TISC**. For further information on the illustrated scissors, please refer to the following pages.





**What is  ?**

SC stands for "Supercut" and means that scissors with that designation have been specially ground, not only to make them sharper than ordinary scissors, but to yield a much better cutting angle (cf. the accompanying illustrations). One ring is golden.

**What is  ?**

TC stands for "Tungsten Carbide", a material whose superior strength wear resistance and hardness are its major properties that distinguish it from conventional materials. Both rings are golden.



**La Grange**  
double curved, 11.5 cm



**46.057.11**

serrated edge



**46.057.11SC**

serrated edge




**46.057.11TISC**

serrated edge



**Iris Scissors**  
extra large rings, 11.5 cm



curved:

**46.051.11**

serrated edge



**46.051.11SC**

serrated edge



**46.051.11TC**

**46.050.11TC**


serrated edge




**46.051.11TISC**

**46.050.11TISC**

serrated edge




**Joseph Scissors**  
curved, serrated, 14 cm



**46.081.16**

serrated edge



**46.081.16SC**

serrated edge



**46.081.16TISC**

serrated edge



### Fine Preparation Scissors

The curved blunt Preparation Scissors are used for preparation in the least traumatic way of separating tissue into connective tissue layers.

The surgeon pushes the scissor parallel to the skin or to the level of the layers which should be separated (picture 2), opens the scissor and pulls it back in an opened position.

The tissue layers are separated by spreading movements of the scissor blades and the required layer is opened (picture 3).

The tip of the scissor is usually facing the less sensitive structures.

In the second instance the scissor is used for cutting.




1



2




3



46.069.11


**Fine Preparation Scissors**

curved, 11.5 cm



**Goldman-Fox**

curved, 13 cm



curved: **46.201.13**



**46.201.13SC**



**46.201.13TC**



**46.201.13TISC**

straight:

**46.200.13**

serrated edge


**46.200.13SC**

serrated edge

**46.200.13TC**


**46.200.13TISC**

serrated edge



**Goldman-Fox**

compound curved, 13 cm



**46.207.13**

serrated edge




**46.207.13SC**

serrated edge




Scissors



**Locklin Scissors**

serrated, offset tips, 16 cm




**46.111.16**

serrated edge



**46.111.16SC**

serrated edge



**Kelly Scissors**

curved, serrated, 16 cm



**46.077.16**

serrated edge



**46.077.16SC**

serrated edge



**46.077.16TC**

serrated edge




**46.077.16TISC**

serrated edge



**Metzenbaum Preparation Scissors**

# 1, blunt/blunt, curved, 14 cm



**46.431.14**

serrated edge



**46.431.14SC**

serrated edge




**46.431.14TISC**

serrated edge






**Tower Point Scissors**  
tapered tips, curved, 12 cm



**46.221.12**




**Metzenbaum-Fino**  
blunt/blunt, round, 14.5 cm




straight: **46.516.14**

curved: **46.517.14**



**Spencer**  
Ligature Scissors




9 cm: **46.640.09**


13 cm: **46.640.13**



**Dean**  
Howard Müller, 17 cm




**46.121.17**



**46.123.17**

serrated edge



**46.123.17SC**

serrated edge



**46.123.17TC**

serrated edge



**46.123.17TISC**

serrated edge








**Surgical Scissors**  
# 2, straight, blunt / blunt

13 cm:

**46.402.13**

14.5 cm:

**46.402.14**



**Surgical Scissors**  
# 3, straight, pointed / pointed

13 cm:


**46.404.13**

14.5 cm:

**46.404.14**



**Universal Crown Scissors**  
12 cm




**46.685.12**



**46.885.12TC**




**Beebee**  
Crown Scissors,  
straight, pointed, 10 cm



**46.674.10**



**Beebee**  
Crown Scissors,  
curved, pointed, 10 cm



**46.675.10**

## Needle Holder

### Lichtenberg

The inside of the blades of our Lichtenberg Needle Holders is especially constructed with a scooped-out design to reduce weight to a minimum. This also improves the balance.



**Lichtenberg-Ryder 3/0 - 4/0**  
straight, with detent and latching mechanism



17 cm:

**41.318.17TC**



17 cm:

**41.317.17TC**



**Mathieu 2/0 - 4/0**  
straight with TC



14 cm:

**41.310.14TC**

17 cm:

**41.310.17TC**

**Mathieu 3/0 - 4/0**  
straight without TC



14 cm:

**41.262.14**

17 cm:

**41.262.17**



14 cm:

**41.264.14**

17 cm:

**41.264.17**




## Needle Holder

### Swedish Model

A very fine needle holder which can also be used as micro needle holder.

The flexible grip ends increase tactile feeling and reduce the "cracking" of the three-step lock.



**Needle Holder** 4/0 - 5/0  
Swedish Model, straight

15 cm: **41.246.15TC**



**Mayo-Hegar** 3/0 - 4/0  
straight

14 cm: **41.258.14TC**


16 cm: **41.258.16TC**

18 cm: **41.258.18TC**

14 cm: **41.256.14**

16 cm: **41.256.16**

18 cm: **41.256.18**



**Derf** 3/0 - 4/0  
straight




12.5 cm:

**41.362.12**



12.5 cm:

**41.240.12**




**Ryder** 3/0 - 4/0  
straight



15 cm:

**41.352.15TC**



**Crile-Wood** 3/0 - 4/0  
straight



15 cm:

**41.252.15TC**



18 cm:

**41.252.18TC**




15 cm:

**41.250.15**




### Surgical Aspirators


Curved, with slot against sucking in, 17.5 cm



**19.649.15** Ø 1.5 mm




**19.649.30** Ø 3.0 mm



**19.649.50** Ø 5.0 mm


### SINUS-Line

The specially bent Sinus-Line Aspirators with titanium tip were developed by Dr. Maty.



**19.651.15** Surgical Aspirator, titanium tip, Ø 1.5 mm

**19.651.30** Surgical Aspirator, titanium tip, Ø 3.0 mm



**19.651.13** Surgical Aspirator, with slot, titanium tip, Ø 1.5 mm

**19.651.14** Surgical Aspirator, with slot, titanium tip, Ø 3.0 mm



**19.651.15M** Surgical Micro Aspirator, titanium tip, Ø 1.5 x 15 mm, modified tip by Dr. Shakibaie-M.







**85.252.140**

Round Bowl, stainless steel,  
Ø 80 mm x 40 mm high,  
content 0.14 l



**85.264.350**

Round Bowl, stainless steel,  
Ø 116 mm x 50 mm high,  
content 0.35 l

### Syringes and Cannulas



**19.700.00**

Adjusting Screw with  
slot, compatible for all  
cartridge syringes

**19.710.18**

Cartridge Syringe  
Breech-Loading-System,  
3 aspiration hooks,  
1.8 ml, with ring



**Frazier**

Suction Cannula, 18 cm

**19.641.02** Ø 2 mm

**19.641.03** Ø 3 mm




## Retraction-Thread Plugger

The ergonomic shape of the instrument tips allows plugging of the thread even in difficult spots.

The notch at the tips make it substantially easier to tie the thread around the tooth, the thread remains in the pocket and does not stick to the instrument.

The plugger is made of stainless steel and has the new **ZEPF BIONIK** Handle.



**24.548.01** Retraction-Thread Plugger, exchangeable

## Probes

Antrum Probe



**19.576.13** Ø 1.5 mm, 13 cm

**19.574.14** Ø 1.0 mm, 14.5 cm

**19.576.14** Ø 1.5 mm, 14.5 cm

**19.574.16** Ø 1.0 mm, 16 cm

**19.576.16** Ø 2.0 mm, 16 cm

## Luniatschek




**19.600.18** Cotton Plugger, 1.8 mm, fine, 17.5 cm



**19.600.25** Cotton Plugger, 2.5 mm, wide, 17.5 cm



**Universal Crown Scissors**  
12 cm




46.685.12



46.885.12TC

### Miller Bone- & Alveolotomy File

Parallel cut, 17.5 cm



41.881.01 # 1



41.881.02 # 2



31.760.11

Wire Cutting Pliers,  
max. 0.7 mm,  
hard steel inserts,  
12.5 cm



### Wire Seizing / Ligature Pliers and Fracture Splint



**41.905.00** 100 cm  
Fracture Splint



**41.914.16**  
Wire Sizing Pliers / Ligature Pliers,  
16 cm, with TC inserts



**41.916.15** 15 cm

Wire Sizing Pliers / Ligature Pliers



**41.917.15** 15 cm

Wire Sizing Pliers / Ligature Pliers  
with TC inserts

## Mirrors for Interoral Photography

Titanium-coated front surface for very clear picture.



**24.058.01**

Mirror for adults,  
palatal pictures,  
width 6.8 cm



**24.058.02**

Mirror for children,  
palatal pictures,  
width 5.5 cm



**24.058.03**

Mirror for lateral  
pictures,  
width 3.5 cm



**24.058.04**

Mirror for lingual  
pictures,  
width 5.4 cm



for occlusal pictures  
Big Mirror, 6.8 cm



for lingual pictures  
Small Mirror, 5.5 cm

**24.058.10**

1 pair of Mirrors,  
stainless steel, polished





## ZEPF Bone Holding Forceps

acc. to Dr. Howard Gluckman



23.105.50

**ZEPF** Bone Holding Forceps  
acc. to Dr. Howard Gluckman




### Dr. Howard Gluckman

Specialist in Periodontics, Implantology and Oral Medicine  
Director of Implant & Aesthetic Academy, Cape Town, South Africa

“Bone holding forceps that I have tried so far are always very difficult to handle and some require 2 hands to use them effectively. A big problem for me was that the forceps usually got in the way and made screwing the bone blocks into position difficult. This inspired me to create a bone holding forceps that allowed one to effectively hold the bone plate or the bone block and at the same time having adequate space for the bone screws and driver.

The holder is easy to use with one hand due to the ratchet design and firmly grips either the bone plate or block on its own, thereby allowing fixation of the plate at the desired distance from the bone; if you utilise the Khoury technique; or to hold both bone block and recipient site thereby enabling easy bone fixation. The bone vice is designed to work with both large and small blocks.”





**41.501.01**  
with exchangeable plastic inserts,  
Ø 25 mm, light metal handle, by Dr. Vollmer

**41.500.17** Hammer, lead-filled, Ø 20 mm, 140 g, 16.5 cm

**41.500.17M** Hammer, massive, Ø 20 mm, 130 g, 16.5 cm

**41.506.17**  
**Mead** Hammer with exchangeable plastic inserts, 19 cm

### Hammer, Ferrozell

The big hammer lies perfectly in the hand. Due to its (woodlike) material consistency, it offers a superior feeling in osteotomizing. No feel of metal, no loosening of plastic inserts – You always have the feeling of hitting perfectly and of regulating the pressure and the speed...

A true miracle of dental surgery and a must for each OT Set – not only for “big” surgeons!




**41.503.00**  
Hammer, Ferrozell, head Ø 42 mm, 170 g,  
total weight 240 g, 260 mm long



**41.503.01**  
Hammer, Ferrozell, head Ø 35 mm, 100 g,  
total weight 180 g, 250 mm long, fitting washbasket







The **ZEPF** ECO ImplaTool Set  
acc. to Dr. Hildebrand  
in cobalt-blue or lightred-magenta



24.961.06

24.961.05



Content: **ZEPF** ECO ImplTool Set





The **ZEPF** ECO ImplTool Set in cobalt-blue **24.961.05** or lightred-magenta **24.961.06**.

Out of his own experience Dr. Hildebrand came up with a complete instrument set for the whole oral surgery and the treatment in the implantology and periodontology. No matter if classical or new conceptions, like sinus elevation or microsurgical interventions, all demands can be covered.

Special raspatories, elevators and dissecting instruments enable and simplify surgical procedures and mainly non-traumatic operations. The exchangeable working tips inserted in the ergonomic **BIONIK** handle offer highest economy and best tactile handling.

Clearly organized in a washbasket – so everything is always easily at hand for the practitioner.



 <p>24.751.178</p> <p>24.751.520W</p>	<p>Dissector, blunt   Papillex</p>	 <p>24.751.512</p> <p>24.751.179</p>	<p>Back Action 90°   Scalpel, sharp, 4 mm</p>	 <p>24.751.177</p> <p>24.751.176 S</p>	<p>Plunger, 5 mm   Spoon, 6 mm</p>	 <p>24.751.126</p> <p>24.751.150</p>	<p>Prichard Raspatory, 4 mm   Prichard Spatula</p>
<p><b>46.036.11</b></p> <p><b>46.036.21</b></p>		<p><b>41.853.11</b></p> <p><b>41.853.21</b></p>		<p><b>41.854.11</b></p> <p><b>41.854.21</b></p>		<p><b>41.854.12</b></p> <p><b>41.854.22</b></p>	





24.072.22.

MEGAduo Mouth Mirror Insert,

26.194.07

26.194.05

BIONIK Universal Handle single-ended



41.751.012LU

Curette Lucas, 2.5 mm

41.751.011LU

41.855.20

41.855.22



24.751.155

Sinus Elevator, double-ended, acc. to Ho-Hi

24.751.156

41.854.13

41.854.23



24.751.107HF

Hygienist, very fine version # H6 | # H7

24.751.106HF

24.207.06HF

24.205.06HF



24.455.06

Probe # 16 | PA Probe North Carolina CNC

24.098.03A

24.853.14

24.853.24



Content: **ZEPF** ECO ImplaTool Set



4/0 - 8/0

**41.200.17TC**

**Micro Needle Holder**  
ZEPF-Line, with lock & protected inner spring, SpinLock, stainless steel, 17.5 cm, TC



**46.081.16SC**

**Joseph Scissors**  
curved, micro serrated, SuperCut, 14 cm



Patent No. 10 2014 101 658

**46.007.02**

**Drop-Control** Scalpel Blade Holder



0.6 mm



**22.489.00**

**Micro-Adson**  
1 x 2 teeth, with suture plate, 15 cm



**22.025.03**

**Tweezers**  
with stop-pin, ergonomic, 15 cm

## Bone Scraper

Collecting autologous bone material.


In oral surgery bone replacements and bone structures are often combined with autologous bone pieces during augmentations in order to use their osteoinductive effect. The Bone Scraper is the perfect instrument for an easy and quick collection of autologous bone structures. It enables you to scrape, collect and transplant the patients' own bone. Everything can be done without the usage of bone filter, trephine bur, saw or bone mill.

The blade makes a collection of cortical and spongy bone possible. The bone is collected in a chamber during the scraping and at the same time the bone is being mixed with blood. The bone material can be implanted directly out of the Bone Scraper which has been sterilized before.

## ZEPF Bone Scraper II




By using the Bone Scraper, instruments like bone filters, trephines, saws and bone mills are no longer necessary. Its blades allow a fast harvesting of cortical and cancellous bone. The cost-efficient disposable blade offers the practitioner an always sharp and economical instrument.



**47.957.00** Ø 10 mm, ZEPF-Line, in closed position, 15.6 cm

Open position, the bone material can easily be taken out of the chamber

**47.957.01** Spare blade for 47.957.00



- ← **Spare Blade**  
replacements, available in quantities of:  
**47.957.30**  
PU 3 pieces  
**47.957.50**  
PU 5 pieces

- ← **Sleeve**  
**47.957.70**

- ← **Bone Scraper II**  
ZEPF-Design, with sleeve and disposable blade  
**47.957.10**  
straight version  
**47.957.15**  
angled version →

- ← **Bone Scraper II Handle**  
**47.957.60**  
straight version  
**47.957.65**  
angled version →

- Essential advantages:**
- ergonomic
  - easy cleaning
  - quickly replaceable blade
  - simple application
  - cost-efficient



New Osteotome Kit



47.937.00

New Osteotome Kit





### Content: New Osteotome Kit



**47.502.10**

Screwdriver Handle with extension,  
RA-Hex connection with shock absorption,  
for screwing and hammering application

#### Screw-Osteotome Inserts RA-Hex connection with shock absorption



**47.937.10**

Ø shank 2.7 mm,  
Ø tip 2.0 mm



**47.937.11**

Ø shank 3.2 mm,  
Ø tip 2.7 mm

#### New Osteotome Inserts RA-Hex connection with shock absorption, graduation 7/10/13/15/18/20 mm



**47.937.12**

Ø shank 3.7 mm,  
Ø tip 3.2 mm



**47.937.13**

Ø shank 4.2 mm,  
Ø tip 3.7 mm



**47.937.14**

Ø shank 5.0 mm,  
Ø tip 4.2 mm



#### Without illustration

**85.182.50**


1/3 Washtray System

**47.937.01**

Tray for New Osteotome Kit

### Optional Accessories

not included in the set



**47.937.05**

Ø shank 5.0 mm,  
Ø tip 4.2 mm



**47.950.03**

Pin Applicator, short,  
to apply titanium pins




**85.255.02**

Storage Box  
for 10 titanium pins







**47.099.50**

Bone Splitting System  
acc. to Dr. Vollmer & Dr. Valentin



## Bone Splitting System



acc. to Dr. Vollmer & Dr. Valentin

A successful implantation primarily depends on sufficient bone in the region of the alveolar process and especially on the quality of the bone. Only a stable bone structure can guarantee a safe anchorage of the implant.

In addition to modern augmentation methods, the bone splitting technique is becoming more and more important.

The principle is based on the creation of a similar alveolar cavity in the maxillary crest with a good potential of regeneration.

For this indication, the experienced implantologists Dr. Vollmer and Dr. Valentin have developed exactly adapted system components for different anatomical situations in co-operation with the company .



At first, the maxillary crest which has become too small due to atrophy is being separated in its longitudinal direction by diamond discs. Thereafter, it is split carefully by means of chisels. In doing so, the lateral cortical bone lamellae are preferably displaced in labial direction.



After these preparatory steps, small wedges are inserted in the gap. In each case, two wedges are used as placeholders for the drilling of the implant bed and the insertion of the implant.

While drilling, the bone lamellae are reliably prevented from springing back. Upon insertion of the implants and removal of the inter-implantary wedges, the remaining gaps can be filled with augmentation material in order to allow an augmentation and, in opportune cases, an immediate and simultaneous implantation.

### Content: Bone Splitting System



**47.949.11** Pointed Chisel 4 mm



**47.949.12** Pointed Chisel 6 mm



**47.949.13** Pointed Chisel 8 mm



# 07 <sup>07-10</sup> Implantology

+49 (0) 74 64 / 98 88 0

## Hammer



**41.501.01** acc. to Dr. Vollmer  
Hammer with light metal handle and  
exchangeable plastic inserts Ø 25 mm

## Separating Discs



**47.099.08**

Separating Disc Ø 8 mm



**47.099.10**

Separating Disc Ø 10 mm




## Wedge Applicator




**47.099.20** Wedge Applicator

## Inter-Implantary Wedges




**47.099.31**

Wedge 2 mm /  
2.2 mm, green




**47.099.32**

Wedge 2 mm /  
3.5 mm, red



**47.099.33**

Wedge 3 mm /  
2.2 mm, yellow





**47.099.34**

Wedge 3 mm /  
3.5 mm, blue

### Back Action Chisel

Modified as Bone Scraper in different widths, to gain autologous bone during operation.



### Bone Fitting Set









acc. to Dr. Hohl & Dr. Hildebrand

**47.949.95**

Bone chisels are used to gain bone chips, to shape bone structures and to widen bones from the cranial side. The pointed chisels are used for the first widening of the maxillary crest. The flat chisels smoothen and shape bone structures.



Content:  
Bone Fitting Set

-  pointed
-  **47.949.11** (4.0 mm)
  -  **47.949.12** (6.0 mm)
  -  **47.949.13** (8.0 mm)
-  flat
-  **47.949.21** (4.0 mm)
  -  **47.949.22** (6.0 mm)
  -  **47.949.23** (8.0 mm)







**Osteotome Set**  
with exchangeable inserts

**47.961.00**

- 1 x washtray 85.184.26
- 2 x handle 17.700.00
- 12 x insert (as illustrated)

**See pages 10-01 to 10-05**  
**for washtrays, washbaskets**  
**and Tray-in-Tray-System!**



**17.700.40**




**17.700.00** Handle for exchangeable inserts



**47.961.20**



**17.700.45** Clamping Screw



convex	concave	Ø A	Ø B	grading
<b>47.961.20</b>	<b>47.962.20</b>	2.0 mm	2.0 mm	9/11/13/16
<b>47.961.28</b>	<b>47.962.28</b>	2.3 mm	2.8 mm	9/11/13/16
<b>47.961.33</b>	<b>47.962.33</b>	2.8 mm	3.3 mm	9/11/13/16
<b>47.961.38</b>	<b>47.962.38</b>	3.4 mm	3.8 mm	9/11/13/16
<b>47.961.43</b>	<b>47.962.43</b>	3.9 mm	4.3 mm	9/11/13/16
<b>47.963.50</b>	<b>47.962.50</b>	5.0 mm	5.0 mm	-
<b>47.963.60</b>		6.0 mm	6.0 mm	-

**Hollow Cylinder Osteotomes** acc. to Dr. Vollmer & Dr. Valentin

With the ejector, which will be positioned at the distal end, the gained bone material can be implanted efficiently in another place. Comparable with solid osteotomes it comes to a condensing of the bone in order to get a better primary stability for the implant in a cancellous bone.



**47.750.03** Ø 3 mm

**47.750.04** Ø 4 mm



**47.750.13** Ejector Ø 3 mm

**47.750.14** Ejector Ø 4 mm





Osteotome Set

**47.940.00**


straight



Osteotome Set

**47.940.01**

angulated



always including

**85.180.00**

Washtray 1/1, for max. 16 hand instruments  
incl. 2 silicone rubbers and instrument retainer, 275 x 178 x 24 mm



**Article Description**

**47.940.00**

Osteotome Set, straight

**concave straight**




**47.942.20** Ø 2.0

**47.942.28** Ø 2.3 - 2.8

**47.942.33** Ø 2.8 - 3.3

**47.942.38** Ø 3.4 - 3.8

**47.942.43** Ø 3.9 - 4.3



**convex straight**


**47.944.20** Ø 2.0

**47.944.28** Ø 2.3 - 2.8

**47.944.33** Ø 2.8 - 3.3

**47.944.38** Ø 3.4 - 3.8

**47.944.43** Ø 3.9 - 4.3



**Article Description**

**47.940.01**

Osteotome Set, angulated

**concave angulated**




**47.943.20** Ø 2.0

**47.943.28** Ø 2.3 - 2.8

**47.943.33** Ø 2.8 - 3.3

**47.943.38** Ø 3.4 - 3.8

**47.943.43** Ø 3.9 - 4.3



**convex angulated**


**47.945.20** Ø 2.0

**47.945.28** Ø 2.3 - 2.8

**47.945.33** Ø 2.8 - 3.3

**47.945.38** Ø 3.4 - 3.8


**47.945.43** Ø 3.9 - 4.3



OST-Sets – **V**ariable **G**eometry **O**steotomes  
acc. to Pavel Krastev DDS



**PATENTED**



**Advantages of the VGO Osteotomes**

- ZERO HEAT PRODUCED!
- ALWAYS PASSIVE ENTRANCE!
- DECREASED CRESTAL STRESS!
- FULL CONTROL OF RATE OF DILATION!  
since hand-piece is not used at constant speed


- REVOLUTIONARY FLEXIBILITY OF USE  
All Osteotomes on the market may look alike, but they are **not!** We offer a unique stepped formula for tip escalation and a revolutionary flexibility of use like no other system on the market.

**3 MAIN MODES OF USE!**

**ZEPF VGO MODE: PASSIVE ENGAGEMENT (Stepped Escalation)**

**ZEPF HYBRID MODE: PASSIVE ENGAGEMENT (Linear Escalation)**

**ZEPF STANDARD MODE: PASSIVE ACTIVE ENGAGEMENT / NON ENGAGEMENT  
not recommended**



**Bone is Gold: PASSIVE WAVE DILATION SYSTEM**

acc. to Pavel Krastev DDS

How do we manage the osteotomy ATRAUMATICALLY?  
How do we manage the osteotomy for greater implant success? Bone is Gold, so how do we hurt the bone less? How do we mallet less, as to make procedure less unpleasant for our patients?

Let us control the bone as opposed to having the bone control us.


**Because of the overlapping diameters of the VGO Osteotomes, you are able to passively engage the previously made intrabony cavity, even when you didn't use the full length of the tip.**

**PASSIVE ENGAGEMENT** – successive osteotome fits freely into the previous intrabony cavity and becomes active at a point deeper than crestal bone, as is currently done by the new **ZEPF VGO** way.

**PASSIVE ACTIVE ENGAGEMENT** – when a traditional Summers Osteotome is used to full working depth of tool, the next tip will engage previously made intrabony cavity passively and will start being active immediately as it progresses further into cavity.

**NON ENGAGEMENT** – when next osteotome is used, it simply does NOT fit the intrabony cavity created by previous osteotome. This is what occurs when traditional Summers Osteotomes are used to partial depth of tip.





**47.990.00**

VGO OST-Set – straight, in a Washbasket with Lid (REF 85.194.22) containing:

**ANTERIOR VGO OST-Set**

with 7 straight screw osteotome inserts, numbered from 0-6

- Tips have first 8 mm threaded
- To produce micro cuts in bone
- Increased bleeding and better angiogenesis
- No malleting needed
- Tip-0 is unique in straight kit (Ø 1 - Ø 2 mm)
- Tip-0 to accommodate thin anterior ridges
- Provides precision marking tips for immediate placement

**Included in both sets:**



**17.710.00**

Z-Shape Universal handle & instrument holder for inserts with HEX-adapter, AF4, sandblasted, 2 pieces included in the set



**47.990.06**

Precision Marking Tip, bent, scale 8/10/13/16 mm




**47.990.08**

Precision Marking Tip, straight, scale 8/10/13/16 mm

**Straight Screw Osteotomes in the VGO OST-Set**

Exchangeable with Hex Connection for Z-Shape Universal handle



**47.990.10**

Screw Osteotome Insert straight, size 0, tapered Ø 1 - 2 mm, convex shank Ø 2 mm, scale 8/10/13/16 mm

**47.990.20**

Screw Osteotome Insert straight, size 1, tapered Ø 1 - 3 mm, convex shank Ø 3 mm, scale 8/10/13/16 mm

**47.990.30**

Screw Osteotome Insert straight, size 2, tapered Ø 2 - 3 mm, convex shank Ø 3 mm, scale 8/10/13/16 mm

**47.990.40**

Screw Osteotome Insert straight, size 3, tapered Ø 2 - 4 mm, convex shank Ø 4 mm, scale 8/10/13/16 mm

**47.990.50**

Screw Osteotome Insert straight, size 4, tapered Ø 3 - 4 mm, convex shank Ø 4 mm, scale 8/10/13/16 mm


**47.990.60**

Screw Osteotome Insert straight, size 5, tapered Ø 3 - 5 mm, convex shank Ø 5 mm, scale 8/10/13/16 mm

**47.990.70**

Screw Osteotome Insert straight, size 6, tapered Ø 4 - 5 mm, convex shank Ø 5 mm, scale 8/10/13/16 mm






**47.991.00**

VGO OST-Set – angulated, in a Washbasket with Lid (REF 85.194.22) containing:

### POSTERIOR **VGO** OST-Set

with 8 angulated osteotome inserts, numbered from 1-8

- No threads since turning motion limited
- 5 mm mark placed on all tips to mark threshold for crestal lift
- 5 mm is minimum available bone recommended for crestal lift
- Tips have same taper as tips 1-6 for straight kit
- Two additional tips (7 and 8) to accommodate wider ridges typically found in posterior area
- Provides precision marking tips for immediate placement




**47.990.06**

**47.990.08**

### Application of the Precision Marking Tips

To be used during immediate placement surgery to initiate osteotomy offset towards palatal. Rotary drills usually slide down bone due to angle at which the osteotomy is initiated.



### Angulated Osteotomes in the **VGO** OST-Set

Exchangeable with Hex Connection for Z-Shape Universal handle

- 47.991.10** Osteotome Insert angulated, size 1, tapered Ø 1 - 3 mm, convex shank Ø 3 mm, scale 5/8/10/13/16 mm
- 47.991.20** Osteotome Insert angulated, size 2, tapered Ø 2 - 3 mm, convex shank Ø 3 mm, scale 5/8/10/13/16 mm
- 47.991.30** Osteotome Insert angulated, size 3, tapered Ø 2 - 4 mm, convex shank Ø 4 mm, scale 5/8/10/13/16 mm
- 47.991.40** Osteotome Insert angulated, size 4, tapered Ø 3 - 4 mm, convex shank Ø 4 mm, scale 5/8/10/13/16 mm
- 47.991.50** Osteotome Insert angulated, size 5, tapered Ø 3 - 5 mm, convex shank Ø 5 mm, scale 5/8/10/13/16 mm
- 47.991.60** Osteotome Insert angulated, size 6, tapered Ø 4 - 5 mm, convex shank Ø 5 mm, scale 5/8/10/13/16 mm
- 47.991.70** Osteotome Insert angulated, size 7, tapered Ø 4 - 6 mm, convex shank Ø 6 mm, scale 5/8/10/13/16 mm
- 47.991.80** Osteotome Insert angulated, size 8, tapered Ø 5 - 6 mm, convex shank Ø 6 mm, scale 5/8/10/13/16 mm






## 3D One Step Augmentation & Implantation acc. to Dr. Bernd Giesenhagen

In co-operation with Dr. Giesenhagen, the company **HELMUT ZEPF** has developed a new set for the One Step Vertical Augmentation with ring-shaped bone transplants.

The aim of this development is an accelerated implant treatment. Thereby, the safety of the implantological success as well as the convincing result for the patient and the user have priority. In many cases, this new augmentation method can be used to build up the bone base for the insertion of one or more implants.

Particularly suitable for the vertical augmentation of the highly atrophied and distal mandible (pic. 2). With this newly introduced technique, perfectly fitting ring-shaped bone transplants are removed from the chin-, retro-molar region or from the palatal area (pic. 1) by means of trephines and fixed immediately in the receiving area (pic. 3) with a screw implant.



**3D BONE RING**  
technique

**47.500.31**

Complete Set with washbasket 85.184.18 and instruments; without optional accessories



Dr. Bernd Giesenhagen, the inventor of this procedure, and **HELMUT ZEPF** have selected a special range of instrumentation for precise and time-saving steps of treatment in order to ensure an optimal function.

## Application

The local cortical bone structure with spongy parts of vital cells guarantees a safe fixation with short healing time.

The filling of possibly existing cavities is usually made by spongy chips taken from the donor area or by bone substitutes.

For an additional coverage of the augmented area with a barrier membrane we recommend our **HELMUT ZEPF** Augmentation Kit 47.966.00.

3D One Step Augmentation & Implantation acc. to Dr. Bernd Giesenhagen



**47.520.22** Adenoid Curette Ø 3 mm, 30° angled, double-ended



**47.520.23** Adenoid Curette Ø 3 mm



**47.520.25** Ring Breaker, small/large, double-ended



**Trepines, short**

**08.910.13S** inner Ø 5 mm

**08.910.08S** inner Ø 6 mm

**08.910.09S** inner Ø 7 mm

**08.910.10S** inner Ø 8 mm

**08.910.11S** inner Ø 9 mm



**Trepines, with fixation support**

**08.910.13F** inner Ø 5 mm

**08.910.08F** inner Ø 6 mm

**08.910.09F** inner Ø 7 mm

**08.910.10F** inner Ø 8 mm

**08.910.11F** inner Ø 9 mm



**08.910.22**

Plain Milling Cutter Ø 6 mm



**85.251.04**

Mixing Cup, stainless,  
with POM Lid, Ø 4 cm

Optional Accessories  
not included in set



**47.099.25**

Ring Applicator for rings with Ø 5 mm and Ø 7 mm, extendable to Ø 9 mm by means of a metal ring – see article 47.099.26



**47.099.26**

Metal Ring for Ring Applicator 47.099.25 – for holding bigger bone rings with Ø 9 mm

## Trephines

Trephines are used for a gentle and precise removal of an implant. They are used to win bone texture and to excavate implants accurately. The trephines are manufactured of stainless steel.

The grading is visibly laser-marked onto the burs and guarantees a secure depth orientation.

The windows in the body offer a better view for the excavation of the implants and make it easier to reject fragments. The bur stand offers a safe and perfectly clean storing and easy positioning through a snap-in system.

The marking of the rack allows a fast and uncomplicated identification of the trephines.



**08.910.10**

	Ø Inside	Ø Outside	Teeth	Body Length	Grading
<b>08.910.01</b>	1.7 mm	2.3 mm	7	22 mm	7/10/13/16
<b>08.910.02</b>	2.3 mm	2.8 mm	7	22 mm	7/10/13/16
<b>08.910.03</b>	2.8 mm	3.3 mm	9	22 mm	7/10/13/16
<b>08.910.04</b>	3.3 mm	3.8 mm	9	22 mm	7/10/13/16
<b>08.910.05</b>	4.0 mm	4.5 mm	11	22 mm	7/10/13/16
<b>08.910.06</b>	4.3 mm	4.8 mm	11	22 mm	7/10/13/16
<b>08.910.07</b>	4.8 mm	5.8 mm	9	22 mm	7/10/13/16
<b>08.910.13</b>	5.0 mm	6.0 mm	11	22 mm	7/10/13/16
<b>08.910.08</b>	6.0 mm	7.0 mm	12	22 mm	7/10/13/16
<b>08.910.09</b>	7.0 mm	8.0 mm	18	22 mm	7/10/13/16
<b>08.910.10</b>	8.0 mm	9.0 mm	18	22 mm	7/10/13/16
<b>08.910.11</b>	9.0 mm	10.0 mm	18	22 mm	7/10/13/16
<b>08.910.12</b>	10.0 mm	11.0 mm	19	22 mm	7/10/13/16



## Bur Stand for Trephines



**85.070.01** 8.5 x 5.0 cm

for 6 burs, shaft Ø 2.35 mm

**85.070.05** 8.5 x 4.5 cm

for 6 short burs, shaft Ø 2.35 mm



**08.912.75**

	Ø Inside	Shaft	Description
<b>08.911.30</b>	3.0 mm	2.35 x 15 mm	Trephine short
<b>08.912.50</b>	5.0 mm	2.35 x 15 mm	Trephine short
<b>08.912.75</b>	7.5 mm	2.35 x 15 mm	Trephine short
<b>08.912.10</b>	10.0 mm	2.35 x 15 mm	Trephine short

## Mucosa Membrane Punches suitable for hand piece (Dimensions are the inner diameter)



**85.070.05** Suitable Bur Stand

for 6 Mucosa Membrane Punches



**08.920.06**

<b>08.920.03</b>	Ø 3.0 mm	<b>08.920.06</b>	Ø 6.0 mm
<b>08.920.04</b>	Ø 4.0 mm	<b>08.920.13</b>	Ø 3.5 mm
<b>08.920.05</b>	Ø 5.0 mm	<b>08.920.16</b>	Ø 6.5 mm

## ZEPF Bone Crusher

With this Bone Crusher we introduce a proven alternative to the more complex bone mill. Insert the bone piece into the crusher and use the Pusher in order to crush the bone. If necessary, you may additionally use the hammer 41.509.00.



**47.955.00**

Bone Crusher, Body, Sleeve, Pusher, Baseplate Ø 20 mm, stainless steel



**47.955.10**

Teflon Support for Bone Crusher  
After using the hammer, turn the Pusher 90° and crush again. With this movement the cutting edge is turned on the bone. After that, the desired result should be achieved.

## Bone Mill Forceps

### For gaining autogenic bone material.

In order to correct bone defects, an intraoral harvesting of bone is often necessary. Pieces of bone may be gained with trephines or chisels. It is the aim of the Bone Mill Forceps to cut bone material into small pieces so that a maximum volume of bone chips can be achieved. The “grainy” consistency of bone chips created will ensure that it is adapted most favourably to osseous embedding.



**47.958.03**

Handle Bar with Screw

**47.958.01**

Upper Titanium Milling Part, rigid

**47.958.04**

Lower Titanium Milling Part, rotating

**47.958.00**

**ZEPF** Bone Mill Forceps, Titanium Milling Part, demountable

### Advantages of the Bone Mill Forceps:

- Titanium Bone Mill Inserts
- Mill Inserts are detachable and exchangeable
- no loss of bone material
- conform to the RKI guidelines because of easy cleaning
- specially designed new forceps, which allow parallel closing of the working parts, which allows a maximum milling result
- stop screw avoids direct contact of the milling parts, due to this protection the milling parts will last longer





# ZEPF *bonemill* ( ) ( )

**47.954.01**

**ZEPF Bone Mill,**  
to crush autologous bones,  
with helically toothed milling part



**47.954.55**

Extension Bar for the  
rotary handle 47.954.50,  
to increase the lever  
effect

**47.954.35**

**Helical toothed Milling Part**

for Bone Mill 47.954.01 and to be mounted in 47.954.00 / 47.954.01  
(This new milling part can be ordered and subsequently be mounted  
in an older type of Bone Mill by the user himself).



## ZEPF Bone Mill

Bone Mill, to crush autologous bones. In order to correct bone defects, bone harvesting is necessary elsewhere. Bigger bone pieces or bone-blocks can be removed by using trephines.

The **ZEPF** Bone Mill allows to crush bone in order to produce the greatest possible volume of bone graft. The grainy consistence of the produced bone graft guarantees an optimal adaption on the bone.

The extension bar which can be adapted on the rotary handle facilitates an optimized power transmission and torque. The new Bone Mill with helical toothed milling part makes milling easier.

**Advantages of the  
HELMUT ZEPF Bone Mill:**

- easy handling
- quick assembly / disassembly without additional tools
- no loss of bone material (even in the case of small quantities)
- easy cleaning



## Sinus Elevators

acc. to Dr. Meiselbach

The 3 Sinus Elevators acc. to Dr. Meiselbach enable a gentle and atraumatic sinus floor elevation in all areas.

Due to their special shaping the Elevators are an ideal addition to the Universal Sinus Instruments.



**41.848.51** Sinus Elevator 1 acc. to **Dr. Meiselbach**, 2.3 mm, blunt



**41.848.52** Sinus Elevator 2 acc. to **Dr. Meiselbach**, 3.0 mm / 2.3 mm, blunt



**41.848.53** Sinus Elevator 3 acc. to **Dr. Meiselbach**, 2.3 mm, blunt



**41.868.07** **Kirsch**, Sinus 7, Plugger Ø 5.0 mm, Spoon 8 x 10 mm, Titanium **ZEPF**-Line Handle, double-ended, 17.5 cm



**47.530.00** Cleaning Instrument to collect autologous bones

## Universal Sinus Instruments

For implantological treatment in the maxilla, in case of missing vertical bone in the direction of sinus maxillaris.

### Advantages:

- angled instruments ergonomically and anatomically optimised
- atraumatic preparation and lifting of the sinus mucosa
- effective working due to a wide range of different angles



**41.848.01**

Sinus Elevator, double-ended, 4.8 mm / 4.2 mm, blunt



**41.848.02**

Sinus Elevator, double-ended, 6.5 mm / 4.0 mm, sharp



**41.848.03**

Sinus Elevator, double-ended, 7.3 mm / 8.0 mm, sharp




**41.848.05**

Sinus Elevator, double-ended, 4.4 mm / 8.5 mm, blunt



**41.848.08**

Sinus Elevator, double-ended, 4.2 mm / 3.6 mm, blunt

**41.847.00**

Sinus Lift Instrument Set  
for microscopically guided elevation of  
the sinus bottom acc. to Dr. Shakibaie-M.  
incl. 1 x washbasket 85.195.00 and  
instruments illustrated on page 07-26/27



## Microsurgical Sinus Lift Instruments

**For microscopically guided elevation of the sinus bottom acc. to Dr. Behnam Shakibaie-M.**

For the development of the new microsurgical sinus lift instruments acc. to Dr. Shakibaie-M., we resorted to the approved conventional shapes of sinus lift instruments.

The new instruments are approx. 60% smaller, they were sharpened and the surface was abraded. Under appropriate optical magnification and illumination of the operation field (operation microscope or magnifying glass), those features offer the following essential advantages:

- The reduction of the instrument size allows the preparation of a minimized antral window without restricting the qualities of elevation or augmentation.
- The sharpening of the instruments allows a precise initial fracture of the bone layer which is as thin as parchment. The initial fracture is possible as soon as the window is prepared by rotating the instrument, without injuring the Schneider's membrane.
- The delicate coarseness of the surface of the instruments prevents the unpleasant reflection of light from the operating microscope or the magnifying glass.

In addition, the working tips of the instruments were bent in accordance with the reduced sinus lift window.

Finally, the instruments were also numbered and color-coded to allow an easy, chronological use.

Thus, the surgeon is able to increase the safety during elevation of the sinus bottom and to apply this technique in a minimally invasive way for the patient.


Pictures by Dr. Behnam Shakibaie-M.



## Microsurgical Sinus Lift Instruments acc. to Dr. Shakibaie-M.

**41.847.00**

Sinus Lift Instrument Set for microscopically guided elevation of the sinus bottom double-ended, acc. to **Dr. Shakibaie-M.** contains following components:

**41.847.08** Sinus Lift Instrument # 1, sharp, 2.9 / 2.4 mm, green**41.847.01** Sinus Lift Instrument # 2, sharp, 2.9 / 2.9 mm, black**41.847.05** Sinus Lift Instrument # 3, sharp, 2.8 / 2.9 mm, 45° curved, blue**41.847.02** Sinus Lift Instrument # 4, sharp, 2.8 / 3.8 mm, white**41.847.03** Sinus Lift Instrument # 5, sharp, 3.6 / 4.2 mm, orange**41.847.10** Sinus Lift Instrument # 6, sharp, 2.3 / 2.3 mm, red**41.847.09** Sinus Lift Instrument # 7, sharp, 2.1 / 2.1 mm, yellow



**08.906.014C**

Diamond, 014C, round, Ø 1.4 mm



**08.906.016C**

Diamond, 016C, round, Ø 1.6 mm



**08.906.018C**

Diamond, 018C, round, Ø 1.8 mm



**85.251.03**

Mixing Cup, stainless steel,  
with plastic lid, Ø 40 mm,  
2 pieces included in the set



**41.868.08M** Micro Sinus Plugger, Plugger

Ø 3.5 / Ø 2.6 mm, titanium handle, blue,  
double-ended, 17.5 cm,  
acc. to **Dr. Shakibaie-M.**



**41.868.09** Micro Sinus Spoon, Spoon

Ø 8x10 / Ø 4x6 mm, titanium handle, blue,  
double-ended, 17.5 cm,  
acc. to **Dr. Shakibaie-M.**




**19.651.15M** Micro Sinus Aspirator

Sinus-Line, titanium tip modified  
acc. to **Dr. Shakibaie-M.**







**24.995.01**

Complete Set incl. 1 x washbasket with lid 85.195.00 and partition for Sinus Instrument Set acc. to **Prof. Dr. Dr. Stiller**



**Sinus Instrument Set** acc. to Prof. Dr. Dr. Stiller

Immediate sinus floor elevation with or without bone cover

The Sinus Instrument Set has been developed together with Prof. Dr. Dr. Stiller and is particularly suited for difficult maxillary sinus structure (septa, maxillary pillars, scarred mutations in change with intact maxillary sinus mucosa).



**Advantages of the system:**

- Instruments which are adapted and adjusted perfectly to the anatomical conditions in the maxillary sinus.
- Flexible working ends. Instruments are pre-bended for the normal antral anatomy.
- Two different kinds of instruments with blunt and sharp edges for dissecting mucosa on plane and rough internal surface of the maxillary sinus.



**41.822.01**



**41.822.02**



**41.822.03**



**41.822.04**



**Surgical Aspirator**

Sinus-Line, slotted, titanium tip, acc. to Dr. Maty

- 19.651.13** Ø 1.5 mm
- 19.651.14** Ø 3.0 mm



**41.822.05** **Stiller** Sinus Elevator, universal, 6.0 mm, Titanium **ZEPF-Line**, blue, double-ended, 19.5 cm



**41.822.11** **Stiller** Sinus Elevator, sharp, 4.0 mm, bendable, Titanium **ZEPF-Line**, red, double-ended, 19.5 cm



**41.822.22** **Stiller** Sinus Elevator, sharp, 2.5 mm, bendable, Titanium **ZEPF-Line**, red, double-ended, 19.5 cm



**41.822.33** **Stiller** Sinus Elevator, sharp, 3.0 mm, bendable, Titanium **ZEPF-Line**, red, double-ended, 19.5 cm



**41.868.07** **Kirsch**, Sinus 7, Plugger Ø 5.0 mm, Spoon 8 x 10 mm, Titanium **ZEPF-Line** Handle, double-ended, 17.5 cm



**85.251.04**  
Mixing Cup, stainless steel, with plastic lid, Ø 40 mm

**85.251.14**  
Mixing Cup without plastic lid, stainless steel, Ø 40 mm



**08.906.029C**  
Diamond, 029C, round, Ø 2.9 mm




**08.906.023C**  
Diamond, 023C, round, Ø 2.3 mm



**08.902.031HF**  
HB Drill, 031HF, round





### Sinus Instrument Set acc. to Dr. Kirsch

**24.995.00**

Complete Set incl. 1 x washbasket with lid 85.195.00 and arrangement for Sinus Instrument Set acc. to **Dr. Kirsch**

Washtrays and washbaskets, Tray-in-Tray-System, see pages 10-01 to 10-05!



**41.868.01** **Kirsch**, Sinus 1, Elevator 25°, Titanium **ZEPP**-Line Handle, double-ended



**41.868.02** **Kirsch**, Sinus 2, Elevator 60°/60°, Titanium **ZEPP**-Line Handle, double-ended



**41.868.03** **Kirsch**, Sinus 3, Elevator 90°, Titanium **ZEPP**-Line Handle, double-ended



**41.868.04** **Kirsch**, Sinus 4, Elevator 120°/120°, Titanium **ZEPP**-Line Handle, double-ended





**85.251.04**

Mixing Cup, stainless steel,  
with plastic lid, Ø 40 mm

**85.251.14**

Mixing Cup without plastic lid,  
stainless steel, Ø 40 mm



usable on  
both sides



**41.868.05**

**Kirsch**, Sinus 5, Elevator 90°/90°/60°, Titanium **ZEPF**-Line Handle, double-ended



**41.868.06**

**Kirsch**, Sinus 6, Elevator 90°/90°, Titanium **ZEPF**-Line Handle, double-ended



**41.868.07**

**Kirsch**, Sinus 7, Plugger Ø 5.0 mm, Spoon 8 x 10 mm,  
Titanium **ZEPF**-Line Handle, double-ended



**41.868.08**

**Kirsch**, Sinus 8, convex Plugger Ø 4.5 mm, plane Plugger Ø 2.7 mm,  
Titanium **ZEPF**-Line Handle, double-ended




**24.747.03**

Universal Raspatory, exchangeable inserts



Augmentation Kit



**47.966.00**

Augmentation Kit



Reasons for reconstruction of alveolar ridge arise out of defects in the jaw ridge areas. The most frequent causes are: Atrophy of the alveolar ridge and extraction defects.

Out of esthetic reasons alone, in visible areas, these defects need to be reconstructed.

The augmentation is carried out with autologous bone and titanium foil. The bone implants are covered with a titanium foil after application. To avoid dislocation of the augmentation material below the membrane, the membrane is fixed with at least 2 pins.

The titanium pins with 3 mm or 5 mm length are taken out of the storage box by means of the applicators and pressed into the bone through the foil or membrane.



**85.255.02**

Storage Box for 10 titanium pins, optional



**Illustration****Article Description****Order Quantity****47.966.00**

1 set

Augmentation Kit, consisting of:  
 Pin Membrane Probe, Pin Applicator,  
 Perforation Raspatory, Sinus 7 Instrument,  
 Titanium Pin 3 mm (10 pieces) / 5 mm (5 pieces),  
 Sinus Elevator # 2, Mixing Cup, Storage Box,  
 1/2 Washbasket with Lid 85.194.15

**47.520.00**

1 piece

Pin Membrane Probe with **ZEPF**-Design handle

**47.520.01**

1 piece

Pin Applicator

**47.520.02**

1 piece

Perforation Raspatory

**47.520.03**

1 piece

Sinus 7 Instrument acc. to Kirsch,  
 Spoon Ø 6.0 mm / flexible Plugger Ø 5.0 mm

**47.560.03**

5 pieces

Titanium Pin, 3 mm (10 pieces included in the set)

**47.560.05**

5 pieces

Titanium Pin, 5 mm (5 pieces included in the set)

**47.847.12**

1 piece

Pin Remover to remove membrane pins

**85.251.04**

1 piece

Mixing Cup, stainless steel, with plastic lid, Ø 4 cm

**85.256.00**

1 piece

Storage Box, for 5 soft tissue pins  
 and 10 titanium pins

**85.255.02** **OPTION**

1 piece

Storage Box for 10 titanium pins, optional,  
 if a compact solution is requested



### **ZEPF** Augmentation Material Applicator



The Augmentation Material Applicator supports the fractional filling of the subantral area with particulate augmentation material. To compact the augmentation material you use a sinus plugger.

The instrument with diameter of 5 mm is loaded laterally.



The augmentation material can be applied precisely with the injecting mechanism.

The instrument can be taken apart for optimal cleaning.




**19.714.16**

**ZEPF** Augmentation Material Applicator Ø 5 mm, straight, with a lateral opening to insert the augmentation material



### Drilling Sleeves acc. to Prof. Dr. Yildirim



**08.915.05**

outer Ø: 3.0 mm;  
inner Ø: 2.05 mm;  
length: 10 mm (10 pieces)

**08.915.02**

outer Ø: 3.5 mm;  
inner Ø: 2.55 mm;  
length: 10 mm (10 pieces)

### ZEPF Flag Holder

Flag Holder for easy and rapid control of parallelism of implant drillings.



**08.917.05** 5 mm

for front teeth and premolars



**08.917.07** 7 mm

for molars



**08.917.13** 13 mm

for checking a bridge; 2 piles as implant and bridge link, premolar



**08.917.20** 20 mm

for checking a rack supply in the lower front with a minimal distance of 20 mm for both implants



**08.917.00**

Flag Holder Kit consisting of 08.917.05 - .20 in bur stand



## Krekeler Sliding Caliper

Acc. to Prof. Dr. med. dent. Gisbert **Krekeler**  
 Modif. Dr. med. dent. Sven Marcus Beschnidt

The Sliding Caliper combines a variety of functions in one instrument, thus facilitating the positioning of implants and enlarging the precision.

The measuring rods have a thickness of exactly 1.5 mm and allow immediate control of the maximum diameter of the implant which has to be inserted. (In order to assure maximum stability, please chose the largest diameter). Scientific examinations proved that the wall of the bone should have a thickness of at least 1.5 mm in order to avoid bone resorption after implantation. If the sliding caliper with its two measuring rods is inserted in the interproximal gap and opened in such a way that the measuring rods touch the respective root of the neighbor teeth, the maximum possible diameter of the future implant is shown on the marking IN. The upper marking OUT shows the determined outside dimension.

The new locating screw, at the end of the caliper, allows a fixation of the measured result. This practice-oriented development represents a significant relief with regard to a **more precise, quick and and secure work.**




**31.693.10**

Sliding Caliper acc. to Prof. Dr. med. dent. Gisbert **Krekeler** for measuring of implants with locating screw



**OUT** shows the determined outside dimension ( $\varnothing$  1.5 mm), **IN** shows the inner diameter.



Locating screw for a safe fixation of the measured result.



The hole serves as drilling gauge and drilling guide. The marking allows the determination of the ridge.

### Metal Ruler

**48.286.08** Metal Ruler, 100 mm



**48.666.20** Metal Ruler, 200 mm



### Bone Caliper



**31.691.13**

Bone Caliper for measuring the maxillary bone, radial scaling on the shanks of the ring handles, 13 cm





## Palatal Knife

acc. to Dr. med. dent. Iman Mizani, MS

The novel Palatal Knife offers an innovative alternative to the conventional scalpel for the preparation of connective tissue graft.


The special design of the instrument promotes faster and safer graft removal. At the same time, the risk of injury to the palatine artery and perforation of the palatal flap is minimized.

### Special features:

- angled cutting edge, perpendicular to the palatal bone
- ergonomic, angled instrument neck / shaft
- depth gauge (graduation) for precise dimensioning

### Advantages over conventional removal methods:

- enhanced safety through reduced risk of injury to the palatine artery and perforation of the palatal mucosa
- simple and ergonomic handling
- fast, precise preparation of the graft
- consistently uniform thickness of the connective tissue graft
- abrading work and cutting in difficult-to-reach places



**46.040.15**

Palatal Knife  
acc. to Dr. med. dent. Iman Mizani, MS

### Application:



① Singular palatal incision and formation of a flap



② Preparation to gain connective tissue, using the instrument



③ Dissection of the prepared connective tissue below the flap, removal of connective tissue as soon as the base is detached from the palatal bone



## Implant Guide


for the posterior tooth region, according to Wiedemann

This method quickly and effectively finds the optimal position for the implants in the posterior region.

Here, a standard tooth width is assumed.


Premolars 8 mm, molars 10 mm, so 1/2 premolar = 4 mm, 1/2 molar = 5 mm

The standard tooth widths used are neither scientifically nor individually 100% correct, but these values deliver highly usable implant positions particularly on edentulous jaws.



**31.683.00**

Drilling Template  
acc. to Wiedemann



### Distance between drilled holes

- **8 mm:** From the center of one premolar to the center of the next premolar (1 x 4 mm + 1 x 4 mm), e.g. center of number 4 to center of number 5.
- **9 mm:** From the center of one premolar to the center of a molar (1 x 4 mm + 1 x 5 mm), e.g. center of number 5 to center of number 6.
- **10 mm:** From the center of one molar to the center of the next molar (1 x 5 mm + 1 x 5 mm), e.g. center of number 6 to center of number 7.

If no premolar is available as a starting point then a canine can also be used. For this, a distance between the mesial end of the working part and the first hole of exactly 4 mm was chosen (1/2 premolar width).






[zepi-dental.com](http://zepi-dental.com)



**MADE IN GERMANY**

The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale



**ZEPF** Tunneling Instruments







2 NEW **ZEPF** Tunneling Instruments!

**Tunneling Instruments with a new angle**

By request of several users, the modified **BIONIK™** Tunneling Instruments from **HELMUT ZEPF** have now been supplemented with two new instruments. The instruments curved beyond the working tip allow even better access, especially in the posterior tooth region. Available in two sizes, depending on the extent of tunneling, the user can now select the ideal instrument for his / her purposes.



**46.040.00**

**Set for tunneling technique,**

consisting of:  
1/3 Washtray,

Tunneling Instruments

# 1 upper jaw 46.040.01,

# 2 lower jaw 46.040.02,

# 3 upper /lower jaw

combination 46.035.20



Tunneling Instrument # 3, 1.8 mm, 45° angled

**46.040.03**



Tunneling Instrument # 4, 2.5 mm, 45° angled

**46.040.04**




**BIONIK** ZEPF



reddot design award  
winner 2010





**46.040.30**

**Set for tunneling technique**

with 3 Tunneling Instruments like Set 46.040.00, Micro Surgical Scalpel Handle 46.013.00Z and Periosteal Elevator 41.864.30 (ZEPF-Line, round-tip 2.8 mm, lance-tip 2.4 mm)

**ZEPF Tunneling Instruments**

In microsurgery, **HELMUT ZEPF BIONIK™** Tunneling Instruments find their application in the preparation of flaps or subsequent reconstructions of the alveolar ridge or for root coverings with a connective tissue graft. The instruments allow a minimally invasive tunneling preparation to avoid large openings. Due to the fine shape delicate tunneling incisions in the tissue are possible.



Tunneling Instrument # 1, for upper jaw, 18 cm

**46.040.01**



Tunneling Instrument # 2, for lower jaw, 18 cm

**46.040.02**



Tunneling Instrument combination # 3, upper/lower jaw, straight 1.8 mm, angled 1.7 mm, 18 cm

**46.035.20**



Periodontal Knife for the first access in tunneling technique in the front tooth region

**46.040.07**



Periodontal Knife for tunneling technique in the lateral tooth region. The slightly curved, pointed working tips are ideal to dissect in the lateral tooth region

**46.040.08**



Periodontal Knife with double angle to work in lateral tooth regions where access is difficult.

**46.040.09**



Double-Action Instruments



**22.830.17** Double-Action Micro Forceps, transmitted, **ZEPF-Line**, 17.5 cm, 1 x 2 teeth, thread plate 10 mm, jaw width 0.6 mm, SpinLock



**41.017.17** Double-Action Micro Needle Holder, transmitted, **ZEPF-Line**, 17.5 cm, tungsten carbide, serrated, jaw width 0.6 mm, SpinLock



**What is the ZEPF SpinLock?**

The parallel lock known from standard needle holders has been replaced with the new SpinLock technology. This avoids that the suture material gets caught up on the needle holder.

conventional lock



The **HELMUT ZEPF** Double-Action Instruments are consisting of a Micro Needle Holder and a pair of Micro Forceps.

The instruments were technically modified in the region of the instrument lock. The usual parallel screw lock has been replaced by a new axially turned lock to reliably prevent the suture material from sticking to the needle holder during knotting.

**Advantages of the Double-Action Instruments**

- double transmission to allow tactile handling
- made of special stainless steel
- needle holder with tungsten carbide insert to guarantee a long service life
- due to the round shape, the rotation is considerably facilitated, in particular during suturing, contrary to usual flat micro needle holders
- the turned design prevents threads from getting stuck

**onyx****ZEPF** Micro Scissors

Onyx-coated scissors offer a 3-5 times higher surface hardness. In combination with the "Supercut" grinding, this guarantees an extremely long product life and application as well as a very high precision and wear resistance. The extraordinary surface smoothness is leading to an easy slide of the scissor blades even under highest strain.

Furthermore, the anti-glare surface avoids disturbing light deflections. The extremely smooth surface prevents adhesion of proteins.



**Micro Scissors** sharp/sharp, 45° angulated, **ZEPF-Line**, 16 cm

**46.321.16** stainless steel

**46.321.16TISC** **onyx**



**Micro Scissors** sharp/sharp, curved, **ZEPF-Line**, 17 cm

**46.319.17** stainless steel

**46.319.17TISC** **onyx**



**Suture Removal Scissors**  
acc. to Dentist Beck



The newly developed **HELMUT ZEPF** Suture Removal Scissors are combining two functions in one instrument.

**Sectioning and Retaining**

The curved micro scissors won recognition for periodontal microsurgery. They are qualified for controlled cuts in the soft tissue and their main task is the sectioning of the suture (ill. 1).

They are curved for an ideal access to all oral regions. One blade of the scissors is micro-serrated to prevent the soft tissue and the thread from slipping off (ill. 2).

The new trademarked gripping function allows the scissors to be used for the sectioning of the suture and subsequent thread removal without requiring a second instrument (ill. 2).



1



2



**46.319.17N**

Suture Removal Scissors with retaining function for suture removal by Dentist Beck, micro-serrations, sharp/sharp, **ZEPF-Line**, curved, SpinLock, 17.5 cm

**Needle Holder**  
acc. to Dr. Kirsch



5/0 - 8/0

Needle Holder by Dr. Kirsch, lock, double spring, SpinLock, 17.5 cm, TC



**41.200.17TC-K** straight



**41.201.17TC-K** curved



### Macro / Micro Needle Holder



**41.010.17TC-M** Macro Needle Holder 18 cm, TC  
macro bit 11 x 2.0 mm, straight, **ZEPP**-Line, lock



#### What is TC ?

TC stands for "Tungsten Carbide", a material whose superior strength wear resistance and hardness are its major properties that distinguish it from conventional materials.



#### Micro Needle Holder

**ZEPP**-Line, with lock and protected inner spring, SpinLock, TC



**41.200.15TC** stainless steel, 16 cm

**41.200.17TC** stainless steel, 17.5 cm



**41.201.15TC** stainless steel, 16 cm

**41.201.17TC** stainless steel, 17.5 cm





## Micro Needle Holder



5/0 - 8/0



**41.010.17TC** Micro Needle Holder

TC, straight, **ZEPP**-Line, lock, SpinLock, 17.5 cm



5/0 - 8/0



**41.011.17TC** Micro Needle Holder

TC, curved, **ZEPP**-Line, lock, SpinLock, 18 cm



5/0 - 8/0

**41.015.17** Micro Needle Holder

Hold'n'Cut by PD Dr. Weng, combined with scissors, SpinLock, TC



The front part of the Hold'n'Cut Micro Needle Holder holds the end of the needle when entering the flap.



The front part of the needle holder, together with the micro surgical tweezers, holds the thread ends when knotting.



The back part of the Hold'n'Cut Micro Needle Holder offers scissors for the cutting of the thread ends without changing the instrument or needing any additional scissors.



### Micro Forceps with Diamond Coating

Some forceps can also be ordered with diamond coated tips for better grip.



**Cooley** 18 cm

**22.815.17** stainless steel



**Cooley** 18 cm

**22.816.17** stainless steel



**Tissue Forceps** 1 x 2 teeth, 17.5 cm

**22.811.17** stainless steel

**22.811.17D** diamond-tipped



**Tissue Forceps** 1 x 2 teeth, 17.5 cm

**22.810.17** stainless steel

**22.810.17D** diamond-tipped





### Micro Forceps with Diamond Coating

Some forceps can also be ordered with diamond coated tips for better grip.



**Micro Suture Forceps** outer Ø ring: 2 mm, 18 cm

**22.814.17** stainless steel



**Dressing Forceps** smooth, 18 cm

**22.821.17** stainless steel  
**22.821.17D** diamond-tipped



**Dressing Forceps** smooth, 18 cm

**22.820.17** stainless steel  
**22.820.17TC** TC inserts  
**22.820.17D** diamond-tipped



**Tissue Forceps Atraumatic**, smooth, ring 1 x 0.5 mm, 18 cm

**22.812.17** stainless steel


## ImpacTray

acc. to PD Dr. Weng, Starnberg

The ImpacTray acc. to PD Dr. Weng makes micro as well as macro surgical operations possible in implantology, periodontology and augmentation surgery.

The amount of necessary instruments is reduced to a minimum by developing and putting together an efficient, mainly double-ended and partially exchangeable instrument set.

The set composition is illustrated on the following two pages.



**24.971.00**

**ImpacTray** complete set





ImpacTray acc. to PD Dr. Weng, Starnberg

The **ImpacTray Set** **24.971.00** incl. washtray consists of:



**46.035.05** **PapillEx** Papilla Elevator acc. to **PD Dr. Weng**, Starnberg



The blunt working end of the PapillEx has a lenticular shape and allows gentle elevation of the tip of the papilla by turning the instrument while positioned adjacently to the cervical part of the tooth.

The sharp working end, which is slightly bigger, is used to remove the periosteum from the bone along the sulcular or vertical incision.

Both working ends are exchangeable and can be removed from the instrument shank if necessary.



5/0 - 8/0

**41.015.17** **Micro Needle Holder**

Hold'n'Cut acc. to **PD Dr. Weng**, Starnberg, combined with scissors, SpinLock



**The ImpacTray consists of:**







Illustration	Article Description	included in the Set
	<b>24.971.00</b> ImpacTray acc. to <b>PD Dr. Weng</b> , Starnberg consisting of:	1 set
	<b>24.210.01L</b> <b>LYONIK</b> Universal Curette, <b>Langer # L1/2</b> , black, exchangeable	1 piece
	<b>24.208.03L</b> <b>LYONIK</b> Universal Curette, <b>Langer # L3/4</b> , yellow green, exchangeable	1 piece
	<b>24.201.05L</b> <b>LYONIK</b> Universal Curette, <b>Langer # L5/6</b> , yellow, exchangeable	1 piece
	<b>41.848.08</b> Sinus Elevator, double-ended 4.2 mm / 3.6 mm, blunt	1 piece
	<b>26.183.00</b> Desmotome for cutting the desmodontal fibres, titanium	1 piece



Illustration	Article Description	included in the Set
	<b>46.035.05</b> PapillEx acc. to <b>PD Dr. Weng</b> to loosen delicate periodontal structures	1 piece
	<b>24.747.04</b> <b>Prichard</b> Raspatory for extensive flap elevations and to retract hinged flap parts	2 pieces
	<b>24.114.00</b> Probe Combination acc. to <b>PD Dr. Weng</b>	1 piece
	<b>24.747.06</b> <b>Kirkland</b> , <b>ZEPF-Line</b> , to prepare angled split flaps, exchangeable	1 piece
	<b>46.013.00Z</b> Micro Surgical Scalpel Handle, <b>ZEPF-Line</b> , light weight, 13 cm, Titanium	1 piece
	<b>24.087.02</b> Mouth Mirror Handle with Mirror <b>24.071.22</b> , Titanium	2 pieces
	<b>46.007.00</b> Scalpel Handle <b>ZEPF-Line</b> , straight, for blades No. 10 - 15	2 pieces
	<b>22.810.17</b> Micro Tissue Forceps <b>ZEPF-Line</b> , 1 x 2 teeth, 17.5 cm	2 pieces
	<b>22.489.00M</b> <b>Micro-Adson</b> 1 mm, with suture disc, 15 cm, 1 x 2 teeth	1 piece
	<b>22.025.03</b> Tweezers with Stop-Pin, ergonomic, 15 cm, serrated tip	1 piece
	<b>41.252.15TC</b> <b>Crile-Wood</b> Needle Holder, straight, 15 cm, with TC beak	1 piece
	<b>46.081.16SC</b> <b>Joseph-Scissors</b> , curved, 16 cm, SuperCut, micro serrated 0.25 mm	1 piece
	<b>41.015.17</b> Micro Needle Holder Hold'n'Cut, acc. to <b>PD Dr. Weng</b> , combined with Scissors, SpinLock	1 piece
	<b>85.251.04</b> Mixing Cup, stainless, with POM Lid, Ø 4 cm	1 piece



Papilla Elevators



**46.035.05** **PapillEx** Papilla Elevator by **PD Dr. Weng**, Starnberg



The blunt working end of the PapillEx is lentiform and allows gentle elevation of the tip of the papilla by turning the instrument while positioned adjacently to the the cervical part of the tooth.

The sharp working end, which is slightly bigger, is used to remove the periosteum from the bone along the sulcular or vertical incision.

Both working ends are exchangeable and can be removed from the instrument shank if necessary.



**46.035.00** **Papilla Elevator** to prepare fine soft tissue structures, **ZEPP-Line**, exchangeable inserts, 17.5 cm



Micro Scalpel Handles **ZEPP-Line**, 13 cm



**46.013.00Z** Titanium, included in the set illustrated on page **08-11**

**46.013.05** Stainless steel

Micro Scalpel Blades for Micro Blade Holders, supplied in packs of 25 pieces



## ZEPF Soft Tissue Micro Instrument Basic Set

**24.967.05**

**ZEPF** Soft Tissue Micro Instrument Basic Set

**85.180.00**

Incl. washtray 1/1, with 2 instrument supports and 1 longitudinal instrument retainer, dimensions: 275 x 178 x 24 mm

### containing:

**1 22.810.17**

Tissue Forceps, straight, stainless steel, **ZEPF**-Line, with guide pin, 1 x 2 teeth, 17.5 cm

**2 41.200.17TC-K**

Needle Holder by **Dr. Kirsch**, straight, TC, lock, double spring, SpinLock, 17.5 cm

**3 41.864.13**

Raspatory, **ZEPF**-Line


**4 46.319.17**

Suture Removal Scissors with micro-serrations, sharp/sharp, curved, **ZEPF**-Line, stainless steel, 17 cm

**5 46.013.00Z**

Micro Surgical Scalpel Handle, **ZEPF**-Line, light version, titanium, 13 cm





zepi-dental.com



**MADE**  **IN GERMANY**

The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale



## ZEPF Crown-Spreading Pliers

The **HELMUT ZEPF** Crown-Spreading Pliers are perfectly designed for the spreading of crowns without pressure on the root and neighbour tooth.

The spreading function of these pliers guarantee a safe and anatomical correct application.

The power is not anymore transferred to adjacent teeth, roots or the jaw as with conventional crown spreading pliers.

**19.277.01Z**

Crown-Spreading Pliers by Bauer,  
modified DBGM, 14.5 cm





## Universal Forceps

These **HELMUT ZEPF** All-purpose Pliers should be on hand at any treatment unit. They may be used for securely grasping temporary plastic crowns, bridges, nerve instruments, stuck matrices, fixing inlays, setting interdental wedges, etc., and may be used on both upper and lower jaws.

Their tungsten carbide steel jaws provide a secure grip.



**19.281.15TC**

**Universal** All-Purpose Forceps,  
TC, 14.5 cm

## ZEPF Tele-Grip

Easy and thus precise adjustment!

There is always a demand for a precise and above all a sensitive adjustment of a Tele-Grip, to avoid a high tension (damage caused by deformation) in critical situations.

The previous function was only partly given, especially in bigger spreading ranges it was only possible under restrictive conditions. Thus, the durability was affected due to the resulting thread damages.

The **HELMUT ZEPF** Tele-Grip has a movable threaded bearing. As a result, the adjusting screw can be aligned easily and in a most sensitive way throughout the setting range.

gently opening in every position



moveable thread bushings for a gentle and precise opening and adjusting without causing thread damages

**31.182.01**

**Tele-Grip**, Telescope  
Crown Forceps,  
curved, exchangeable,  
15 cm



### Inlay Forceps

**19.274.60**

Self-retaining Inlay Forceps, exchangeable jaws, 15 cm, incl. 10 pairs plastic jaws



**19.274.50**

Inlay Forceps, exchangeable jaws, 15 cm, incl. 10 pairs plastic jaws

### Crown-Tractor Crown-Extraction Pliers with interchangeable plastic tips



Adjust the screw on the pliers so that it fits nicely over the crown to be removed



After adjusting the pliers, tips should be moistened with diamond powder



The crown can now be removed in a safe way

**19.274.00 "Exclusive"**

CROWN-TRACTOR Set with thumbscrew detent and retaining spring, 15 cm, 20 Plastic Polymer Tips and 10 g DIATRAC adhesive powder

**19.274.01 "Economic"**

CROWN-TRACTOR Set without thumbscrew detent and retaining spring, 15 cm, 20 Plastic Polymer Tips and 10 g DIATRAC adhesive powder



**19.274.13**

Replacement Kit: 10 g DIATRAC adhesive powder, gamma irradiated and 40 Plastic Polymer Tips





### Crown Butler



**19.275.00**  
Crown-Butler, automatic crown  
remover, incl. 2 inserts  
19.275.01 and 19.275.02

**19.275.01** Insert # 1

**19.275.02** Insert # 2

**19.275.04** Insert for Crown-Butler,  
Crown-Removing-Plier

### Miller Crown Ring Remover



**19.272.01** Insert for Miller # 1

**19.272.02** Insert for Miller # 2

**19.272.03** Insert for Miller # 3

**Miller**  
Crown Ring Remover

**19.272.00**  
with 3 inserts  
(# 1-3)  
and weight

**19.272.10**  
with weight

**19.273.00**  
with 3 inserts  
(# 1-3),  
weight and spring

For Temporary Bridges and Crowns



**31.184.13**

Crown Holding Pliers,  
with ring, curved, 13 cm



**19.281.16**

Removing Pliers for temporary  
bridges and crowns, TC inserts,  
16 cm



2:1

**19.279.00**

All-Purpose Crown Lever for  
occlusal, buccal, palatal or labial  
use in the maxilla, 14 cm



**31.185.02**

Telescope Crown Pliers,  
with 2 exchangeable  
diamond tips 1.65 mm






## Telecrown-Grip

These Telescoping-Jaw Pliers offer three variation possibilities in one.

Their adjustable and rigid tips have a first-class, anatomically correct friction coefficient.


The design of the contacting surfaces of their diamond-tipped jaws significantly extends jaw service life.

The choice of configurations allows adapting them to suit patients' anatomies.




**31.185.00**

Telecrown-Grip,  
bilaterally adjustable, 2.35 mm,  
diamond-tipped jaws with  
exchangeable, movable tips,  
incl. Allen Key, 13 cm



**31.185.01**

Telecrown-Grip,  
unilaterally adjustable, 2.35 mm,  
diamond-tipped jaws with  
exchangeable tips, 1 movable tip,  
incl. Allen Key, 13 cm



**31.185.04**

Telecrown-Grip,  
rigid, 2.35 mm, diamond-tipped  
jaws with exchangeable tips,  
incl. Allen Key, 13 cm



## Spare Parts

**31.185.10** 1 pair of diamond-tipped jaws, adjustable, 2.35 mm

**31.185.12** 1 pair of diamond-tipped jaws, rigid, 2.35 mm

**31.184.01** Allen Key, SW 1.5



## Modeling Instruments – Precision in Perfection

Quality MADE IN GERMANY for the quality-conscious technician.




28.161.13 Wax Carver, Fahrenstock, stainless steel, 12 cm



28.161.17 Wax Carver, Fahrenstock, stainless steel, 17 cm



Prosthetic Kit



47.830.00

Prosthetic Kit

## Prosthetic Kit

Every day, you have to loosen all kinds of implant abutments in the practice / in the laboratory? In order to facilitate your work, **HELMUT ZEPF** has created a prosthetic set allowing you to loosen more than 90% of all screws available on the market.

All instruments are numbered and dispose of a RA-HEX connection. This means that these instruments can be used either in a contra-angle handpiece or in a ratchet.



### Advantages Prosthetic Kit



In the RA-Hex-Adapter the inserts will be picked up.



RA-Hex Adapter inserted in ratchet. Shown with demounted handle for use as finger ratchet. Information: The RA-Hex-Adapter has a rotating finger rest available (see red arrow).












Among the recesses for two RA-Hex-Adapters a socket for a comfortable removal of the screwdriver inserts from the RA-Hex-Adapter is located.

Optionally, the finger ratchet can be used with an extension piece. The set can also be completed by a torque wrench which is adjustable from 10-40 Ncm and has a fixation function to deactivate the torque.

The storage tray is made of stainless steel and contains a description of each individual screwdriver in order to facilitate the identification of the tools required for the respective screw. The tray fits into a basket and can be reprocessed reliably according to the RKI guidelines.


**47.830.00** Complete Prosthetic Kit consisting of:

Shape	Screwdrivers with dental lock	short, 21 mm	long, 26 mm
	TORX T6, Straumann, Aesthura	<b>47.832.01</b>	<b>47.833.01</b>
	Universal flat 1.6 mm, narrow	<b>47.832.02</b>	<b>47.833.02</b>
	Universal flat 2.0 mm, wide	<b>47.832.03</b>	<b>47.833.03</b>
	Allen Key SW HEX 0.03", Camlog	<b>47.832.04</b>	<b>47.833.04</b>
	Allen Key SW HEX 0.05", Camlog, Sulzer (Zimmer), Semados, Biomet 3I	<b>47.832.05</b>	<b>47.833.05</b>
	Allen Key SW 0.9 mm, IMPLA, TIOLOX, BREDENT, XIVE	<b>47.832.06</b>	<b>47.833.06</b>
	Allen Key SW 1.0 mm, Ankylos	<b>47.832.07</b>	<b>47.833.07</b>
	Allen Key SW 1.2 mm, IMPLA, Nobel Biocare, Frialit, XIVE, IMZ, Biomet 3I	<b>47.832.08</b>	<b>47.833.08</b>
	Allen Key SW 1.8 mm, Ankylos	<b>47.832.09</b>	<b>47.833.09</b>
<b>1</b>	1/3 Washbasket with Lid	<b>85.192.50</b>	
<b>2</b>	Rack for Prosthetic Kit	<b>47.830.01</b>	
<b>3</b>	Driver Guide	<b>47.525.51</b>	
<b>4</b>	Ratchet with demountable handle for Prosthetic Kit	<b>47.525.55</b>	
<b>5</b>	Optional Accessory: Torque Wrench (not included in the set)	<b>47.803.02*</b>	

**ALL THE TRADEMARKS ARE THE PROPERTY OF THE RESPECTIVE COMPANIES.**

We assume no liability for deviations due to tolerances of implants.





[zepi-dental.com](http://zepi-dental.com)



**MADE  IN GERMANY**

The instruments illustrated in this catalogue are subject to modifications regarding technical progress and improvements.

Scale






## **ZEPF** | *care* SYSTEM

### The Modular Hygiene System

**Flexible, efficient and approved safe.** The **ZEPF**-Care Universal Silicone Profile allows an easy placement of the instruments after a surgery. For sterilization and cleaning, the instruments are inserted in the profile according to their diameter and are immediately secured.

Additionally, we have equipped the **ZEPF**-Tray and Basket-System with silicone base. Therefore the tray guarantees an anti-slip position and the stacking stability is improved at the same time.

Suitable for standardized sterilization containers, it's available in four different sizes for an ideal working potential. Placesaving, secure and very practical and with a removable lid.





# 10 <sup>10-02</sup> Maintenance

+49 (0) 74 64 / 98 88 0

Profile, low





The **ZEPF**-Care-System increases your efficiency, as you can assemble your trays in a process-oriented way and work accordingly. You will meet the requirements of the RKI and the accident prevention regulation. It doesn't matter whether you are cleaning your instruments manually or automatically.

## Washtrays




**1/3** 178 x 90 x 24



**1/2** 178 x 135 x 24



**1/1** 275 x 178 x 24




**1/1** 275 x 178 x 24



### Advantages

- The meshes of the bottom and the lid are designed in a broad shape. Consequently dead zones are minimized.
- The diagonal profile of the mesh simplifies the identification of the parallel arranged instruments in the profile.
- The meshes on the edge of the tray are designed in a narrow shape and thus enhance the stability of the tray.
- The risk of injury is reduced.

Profile, high, universal





### Washbaskets




1/3 178 x 90 x 37




1/2 178 x 135 x 37



1/2 275 x 86 x 37



1/1 275 x 178 x 37





picture 1



Profile, high, universal  
(example see picture 1)



intelligent



flexible



modular



## Arranged in a practice-oriented way

As a result of the high and low configuration of the profile sections, the instruments can be placed in a space-saving way and can be removed easily.

It is possible to place two instruments above each other in one profile section. Contact of the instruments should be avoided in order to prevent contact corrosion.

### Tip:

The following instrument combinations are **possible** should they contact each other:

- plastic / plastic ✓
- plastic / metal ✓
- titanium / titanium ✓
- titanium / metal ✓

In case of contact, the following instrument combination is **not possible**:

- metal / metal ✗

The modular concept of the three different lengths can be tailored according to your request.

The 'universal profile' is compatible with the 'low profile' in order to ensure a secure hold of different instrument diameters and variations.

For special cases, we recommend the assembly of our press pad in the lid.

There are no limits set regarding design of your personalized tray.





Profile, high, with individual water jet cutting  
(example see picture 2)

Profile, high, individual



picture 2



Press Pad




Lid Instrument Fixation to fix  
scissors / needle holders in  
the washbasket





**ZEPF-Care** Washbasket –  
the Space Wonder

Example: equipped wash basket 1/1







## Aluminium Sterilization Container in 5 Sizes

Through the integrated filter in the lid and the base the Sterilization Containers are suitable for all steam sterilization methods:

- fractionized vacuum method
- fractionized steam method
- gravitation method
- pre-vacuum method

Different dimensions and stackability allow easy handling and optimal organization. The containers can be used for storing sterile goods and also for disposing contaminated instruments.

The newly developed latch system prevents accidental opening of the container and assures a simplified handling for the sterilization preparation.

The optimized sealing system assures a safe fixing of the filter.

### Accessories



**85.327.50**  
Paper Filter with indicator  
235 x 118 mm  
PU 100 pieces



**85.327.60**  
Teflon® permanent Filter  
215 x 95 mm  
PU 2 pieces



**85.327.70**  
Latch Seal for sterilization containers, plastic, blue, PU 100 pieces



- |     |  |     |  |     |  |
|-----|--|-----|--|-----|--|
| .00 |  | .03 |  | .07 |  |
| .01 |  | .04 |  | .08 |  |
| .02 |  | .05 |  | .09 |  |

**85.312.XX**  
Labelling Tags from aluminium in 9 different colors

**Bottom and lid** is perforated, optimized latch system, incl. 2 long-term textile filters  
Dimensions in mm:

**Outside:**  
Width 310 / Depth 190 / Height X

**Inside:**  
Width 280 / Depth 182 / Height X



**85.327.00**  
Height X in mm:  
outside 40, inside 35  
Capacity:  
1 washtray or 0 washbaskets



**85.327.10**  
Height X in mm:  
outside 65, inside 55  
Capacity:  
2 washtrays or 1 washbasket



**85.327.15**  
Height X in mm:  
outside 80, inside 70  
Capacity:  
2 washtrays or 1 washbasket



**85.327.20**  
Height X in mm:  
outside 100, inside 90  
Capacity:  
3 washtrays or 2 washbaskets



**85.327.30**  
Height X in mm:  
outside 130, inside 124  
Capacity:  
5 washtrays or 3 washbaskets



## Dental-Tray Cassette

All Dental-Tray Cassettes are compatible to our Washtray and Washbasket System, shown on pages **10-02** to **10-04**.



**85.142.20**

Norm-Tray-Cover **1/2**,  
non perforated, 180 x 140 x 25 mm

**85.142.10**

Norm-Tray-Bottom **1/2**,  
perforated, 180 x 140 x 19 mm

**85.145.00**

Norm-Tray-Cover **1/1**,  
non perforated, 280 x 180 x 25 mm

**85.150.00**

Norm-Tray-Bottom **1/1**,  
perforated, 284 x 183 x 17 mm

**85.140.00**

Norm-Tray-Bottom **1/1**,  
non perforated, 284 x 183 x 19 mm



Drill holder inserts, assorted in 9 colors  
(5 pieces ea. per packing unit).

85.183.40 with bigger inner diameter for piezo instruments, available only in black color.



**85.183.40**



**85.183.47**



**85.183.41**



**85.183.48**



**85.183.42**



**85.183.49**



**85.183.43**



**85.183.44**



**85.183.45**



**85.183.46**



**85.703.00**

System drill rack for max. 14 drills,  
incl. mixing cup with lid and silicone  
bushings

## Brushes

with nylon bristles

### PROBLEM: Metal brushes

They destroy the passive layer of the instrument surface!

### SOLUTION: Brushes with nylon bristles



**85.903.01** double-ended, sterilizable, packing unit: 3 pieces



**85.903.04** for aspirator Ø 3 mm and Ø 5 mm

**85.903.03** for aspirator Ø 1.5 mm