Putty silicone



STENSIL ECO 85

Putty silicone //

Medium hard and flexible putty silicone in shore hardness A 85. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: 2*1,5 Kg | 2*5,0 Kg | 2*25,0 Kg

Colour:



STENSIL ECO 90

Putty silicone //

Hard but still flexible putty silicone in shore hardness A 90. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: 2*1,5 Kg | 2*5,0 Kg | 2*25,0 Kg





STENSIL ECO 50

Putty silicone //

Soft and very flexible putty silicone in shore hardness A 50. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: $2*1,5 \text{ Kg} \mid 2*5 \text{ Kg} \mid 2*25 \text{ Kg}$

Colour:



STENSIL ECO 60

Putty silicone //

Soft and very flexible putty silicone in shore hardness A 60. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: 2*1,5 Kg | 2*5 Kg | 2*25 Kg

Colour:



STENSIL ECO 70

Putty silicone //


Medium and very flexible putty silicone in shore hardness A 70. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: $2*1,5 \text{ Kg} \mid 2*5 \text{ Kg} \mid 2*25 \text{ Kg}$

Putty silicone

a true softie.

Softes, homogenes ankneten und eine schnelle Abbindezeit bei gleichzeitig langer Verarbeitungszeit. Dieses Silikon bringt alles mit was Zahntechniker sich wünschen.



topseller.



STENSIL ECO 85 soft

Putty silicone //

Medium hard and flexible putty silicone in shore hardness A 85. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: 2*1,5 Kg | 2*5,0 Kg | 2*25,0 Kg



Lukas Holl

Lukas has been our man in sales since 2018 and your contact for all dental products.

Lukas is young, personable and dynamic. A real salesman!



STENSIL ECO 20

Putty silicone //

Very soft and very flexible putty silicone in shore hardness A 20. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.



Colour:



STENSIL ECO 90 soft

Putty silicone //

Hard putty silicone in shore hardness A 90. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: $2*1,5 \text{ Kg} \mid 2*5 \text{ Kg} \mid 2*25 \text{ Kg}$

Colour:



STENSIL ECO 95

Putty silicone //

Very hard putty silicone in shore hardness A 95. Used for preparation of control bites, models for denture repairs, isolation of teeth, etc.

Sizes: 2*1,5 Kg | 2*5 Kg | 2*25 Kg

Cartridge Silicones

MATRISIL 80

Cartridge Silicones //

Medium hard, transparent matrix-cartridge silicone in shore hardness A 80. This addition curing 1:1-cartridge silicone is used for light-curing composites and also as transparent putty. Easy to cut and mill. The scope of supply includes 12 T-Mixer mixing tips.

Sizes: 2x50 ml





GINGISIL SOFT

Cartridge Silicones //

Very soft and very flexible cartridge silicone in shore hardness A 45. This addition curing 1:1-cartridge silicone is used for manufacturing flexible gingival masks as well as dental master and saw models. It has an optimal dimension stability, is highly tear resistant and very flexible. GINGISIL soft is fast and easy to use.

Sizes: 2x50 ml

Colour:





GINGISIL SCAN

Cartridge Silicones //

Soft and very flexible cartridge silicone in shore hardness A 70. This addition curing 1:1-cartridge silicone is used for manufacturing flexible gingival masks for implant works. It has an optimal dimension stability, is highly tear resistant and very flexible. After curing it is easy to mill and also scanable.

Sizes: 2x50 ml



Accessories for Silicones



Duplicating flaskAccessories f. Silicones // Duplicating

Sizes: 1 pc.



Automix

Accessories f. Silicones // Cartridge

for cartridge silicones 50 ml 1:1

Sizes: 1 pc.



REPLISIL TM

Accessories f. Silicones // Cartridge

Separating agent

Sizes: 15 ml



DUBLICAST SAccessories f. Silicones //Duplicating
Made from Special-plastic, for silicone
duplicating Size S, blue



DUBLICAST MAccessories f. Silicones //Duplicating
Made from Special-plastic, for silicone
duplicating Size M, green



DUBLICAST LAccessories f. Silicones //Duplicating
Made from Special-plastic, for silicone
duplicating Size L, red



Mixing tips

Accessories f. Silicones // Cartridge

for GINGISIL

blue, pointed - yellow, round

- green, T-Mixer

Sizes 50 pces.



Mixing tips

Accessories f. Silicones //

for MIXXER

Sizes: 50 pces.



Accessories f. Silicones //
Duplicating flasks for the production of
partial and full acrylic prosthetics, model
cast prosthetics, bite splints as well as cover
denture prosthetics in the acrylic casting
technique.

katalog.dental - 2021



Sizes: 2*1 Kg | 2*6 Kg | 2*25 Kg

REPLISIL 22 N

Duplicating Silicones //

pure Silicone!

- thin flowing
- tear-resistant
- since 15 years the number one 1:1 Silicone

topseller.



MIXXER

Acessories f. Silicones //Duplicating

Automatic mixing- and dosing unit for addition curing silicones. Fully automatic 1:1 dosing by the touch of a button and a bubble-free and homogenous mixing. Mixing tips can be fixed and removed very easily. A clogging of the new mixing head with spatially divided outlets and integrated back pressure valve is impossible. MIXXER is very space-saving due to its individual adjustable tilting. 2 Adapter for 1 or 6 Kg are included.

Measures: 325 mm x 245 mm x 270 mm (H x W x D)

Voltage: 230 volt / 115 volt

Output Power: 260 watt Weight: 10,8 Kg

Accessories MIXXER

Accessories Silicones // Duplicating

Adapter for REPLISIL A+B

Size:

1 Kg | 6 Kg | 25 Kg

catalogue.dental - 202:

Model Preparing



REPLIGEL

Model Preparing //

Colour:

Reversible duplicating gel on base of agar-agar. Due to its excellent reproduction accuracy even to the smallest details REPLIGEL is very well suitable for demanding partial denture. It produces a tear proof, highly elastic duplicating mould which doesn't cause any problems either at undercuts. A high-quality base material produces an extremely long durability.

Sizes: 6 kg Sorts:

REPLIGEL P - for all gypsum free Investing Materials

REPLIGEL PD - x-hard for attachment work and Acrylic casting technique

REPLIGEL PG - special Duplicating Gel for Gypsum

REPLIGEL PA - special Duplicating Gel for Acryclic casting technique



OKKLU CLASSIC

Model Preparing //

green with 1 x spray nozzle

Sizes: 75ml



OKKLU EXACT

Model Preparing //

mint-green with 2 x spray nozzles (fine + normal)

Sizes: 75ml



Rapid Glue

Model Preparing //





LIQUIDIP

Model Preparing //

An alcohol-based cold dipping liquid in low viscosity for hardening the surfaces of investment models when using gel-duplicating material (REPLIGEL). LIQUIDIP penetrates well into the surface of the duplicate model, it becomes hard and smooth and improves the adhesion of waxes when modelling.

Sizes: 1L

Sandblasting



ALUKOR

Sandblasting //

A highly purified white corundum with a share of 99,7% aluminium oxide. It contains no SiO2, hence causes no danger of silicosis. Extremely hard and sharp-edged grain with high stability provides for best abrasion and results an economical consumption. The grain does not wear out but splinters and by that keeps its sharpness during the complete use.

Sizes: 5Kg | 25 Kg

50μ | 110μ | 125μ | 150μ | 250μ



SIOPERL

Sandblasting //

Blasting medium made from hardened and lead-free natron glass in form of beads that produce an even silky mat finish on metal surfaces. There is no metal loss because it doesn't cause an abrasive effect.

50μ | 150μ




SIOKOR

Sandblasting //

Mixture from glass beads and aluminium oxide for abrasive blasting of non-precious alloys in model casting - 250μ.

250μ



Arthur Glatzel

Arthur is packing your goods with the greatest care and ensures that they reach their destination undamaged.

Abrasives



FIBER-DISC

Abrasives //Cutting Discs

- great time saving less tool changing
- no unpleasant smell due to glass fibre reinforcement
- long life span
- best breaking strength

Sizes: 50 pces.

ST 22 x 0,2 mm | | S 22 x 0,3 mm | SB 25 x 0,5 mm | LS 40 x 0,5 mm | LB 40 x 0,7 mm | L 40 x 1,0 mm

Precious metal Metal CoCr CoCr CoCr CoCr





FIBER-DISC

Abrasives //Cutting Discs

no abrasive traces on ceramics

Sizes: 50 pces.

CT 22 x 0,2 mm | C 22 x 0,3 mm Ceramics Ceramics

FIBER-DISC

Abrasives //Cutting Discs

diamond reinforced

Sizes: 10 pces.

DT 20 x 0,2 mm | D 20 x 0,3 mm Zirconia Zirconia



CERAMI-DISC

Abrasives //Cutting Discs

Sizes: 100 pces.

S 22 x 0,2 mm Keramik



SLIM-DISC

Abrasives //Cutting Discs

Sizes: 100 pces. | 200 pces.

22 x 0,3 mm Precious metal




CUT-DISC

Abrasives //Cutting Discs

Sizes: 100 pces.

S 22 x 0,6 mm | M 25 x 0,6 mm CoCr CoCr

Abrasives



Polishing Pastes

Abrasives //

Mixture of grinding mediums and waxes, manufactured in a grease consistency which sticks very well on the polishing brush. The regular distribution of the abrasives causes a very constant polishing result. An excessive abrasion of the polishing brush and an overheating of the object can be avoided by a sufficient quantity lay on the brush.

Sizes: 350 g

1 light grey pre-polishing precious metal | 2 red final polishing precious metal | 3 yellow pre-polishing CoCr | 4 green final polishing CoCr | 5 pink pre-polishing acrylics | 6 beige final polishing acrylics



Corundum Paper

Abrasives //

Wear-resistant, flexible paper pad or cloth pad with regular grain coating guarantees an excellent smoothing to curves and contours and by that a regular grinding or polishing performance. Full synthetic resin bonding agent for an outstanding grain adhesion.

Sizes: 25 m

Grain size 80 | 100 | 120 | 150 | 180 | 220 240 | 320 | 400 | 600 | 800 | 1000

Emery Cloth

Abrasives //

Wear-resistant, flexible paper pad or cloth pad with regular grain coating guarantees an excellent smoothing to curves and contours and by that a regular grinding or polishing performance. Full synthetic resin bonding agent for an outstanding grain adhesion.

Grain size 80 | 100 | 120 | 150 | 180 | 220 240 | 280 | 320 | 400



Produces a brightness surface on all customary model casting alloys without stripes and is suitable for all electrolytic polishing units used in dental.

Sizes: 1 L

LIQUIPOL

Abrasives //

Investing & Casting



Speed!

ECOVEST PCS

Investing & Casting //Investing

universal speed investment material for all alloys, phosphate-bound, carbon-free for gel and silicon duplicating (REPLIGEL P, REPLISIL 22 N). A special composition of selected raw materials guarantees highest precision and keeps nevertheless a special degree of insensitivity. Finest grain structure and high density guarantees an extremely smooth surface and very stable margins. High thermal stability, easy removable

Sizes: 28 x 160 g incl. 1 L liquid

Speed!



ECOVEST PMS

Investing & Casting //Investing

Speed investment material for all alloys, phosphate-bound, carbon-free (also for conventionally heating procedure). For gel and silicon duplicating (REPLIGEL P, REPLISIL 22 N). For particularly smooth and detailed surfaces high thermal stability, easy removable

Sizes: 40x150g | 20x450g



ECOVEST 3D

Investing & Casting //Investing

for 3D - prints and all light curing burnable modelling acrylics. Very fine grain.

Sizes: 30x150g



Domenic Stotz

Unloading, uploading, order picking. Domenic can handle any work device very well.

Investing & Casting



ECOVEST liquid

Investing & Casting //Investing

Universal-mixing-liquid for all phosphate-bound investments.

Sizes: 1 L

LC 100% | LP (pressable ceramics) 100% | LCS 140% | L (3D) 100%



CERALINER

Investing & Casting //

CERALINER is an inlay strip made from purest ceramic fibre paper for casting rings in crown and bridge technique as replacement of the former used asbestos liner.

Sizes: Roll 50m



BIOLINER

Investing & Casting //

BIOLINER is the biologically harmless quality and in mode of action in accordance with CERALINER.

Sizes: Roll 50m

fact.

BIOLINER is made from silicate fibers.

Heat resistant up to $1000\,^{\circ}$ C. Unlike ceramic fibers, the lungs can excrete the material again. It is therefore absolutely harmless to health.

Investing & Casting



ECOLLOY

Investing & Casting //Alloys

NEM- non-precious metal alloy and NEM- model casting alloys made in germany!

Sizes: 1 Kg

ECOLLOY FMS NEM - non-precious metal alloy | ECOLLOY NF NEM- model casting alloy